EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 21548

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2) Name (3)	Air Contaminant lb/hr TPY	Emission Ra	ates *
EPN 1	Storage Tanks	VOC	0.02	0.04
EPN 2,3,6,7	Spray Tanks	Cl_2	0.001	0.001
EPN 4,5,8,9,10	Heaters and Oven	CO NO _x SO ₂ PM Non-Methane (VOC)	0.16 0.80 0.005 0.040 0.042	0.33 1.66 0.01 0.08 0.09
EPN 11,12,13,14 15,16,17	, Spray Booths, Oven, Flash Tunnel, Cooling Tunnel	VOC PM CO NO _x SO ₂ PM Non-Methane (VOC)	12.187.12 0.04 0.133 0.667 0.004 0.033 0.035	0.02 0.28 1.39 0.01 0.07 0.07
EPN 18,19	Immersion Tanks	Cl ₂ 0.001	0.001	
EPN 20,21,22	Immersion Tank Heaters	CO NO _x SO ₂ PM Non-Methane (VOC)	0.192 0.962 0.006 0.048 0.051	0.40 2.00 0.01 0.10 0.11
EPN 23,24,25,26	E-Coat Tanks, E-Coat Ovens, Cooling 0.00	VOC PM	8.40	9.70 0.00

	0.152
0.762	1.58
0.005	0.01
	0.038
ne 0.040	0.08
Ì	0.005

Page 2

AIR CONTAMINANTS DATA

Emission Point No. (1) Name	Source Air Contam (2) Name (3)	ninant Ib/hr	Emission Rates * TPY		
EPN 27,28,31, 32,33	CARC Spray Booth, Make-up Air Units, Flash Tunnel, Bake Oven, Cooling Tunnel		VOC PM CO NO _x SO ₂ PM Non-Methane (VOC)	28.56 0.07 0.196 0.981 0.006 0.049 0.052	19.04 0.05 0.41 2.04 0.01 0.10 0.11
EPN 34	Paint Kitchen		VOC	2.87	1.37
EPN 35,36,37	In-line Paint Booth, Bake Oven		VOC PM	9.18	5.12 0.02
			CO 0.14	0.01	0.067
			NO _x SO ₂ PM 0.03	0.333 0.002	0.69 0.01 0.017
			Non-Methane (VOC)	0.018	0.04
EPN 38	Paint Kitchen		VOC	3.53	3.67
EPN 39,40,41, 42,43	Camo Paint Booth, Bake Oven 0.07		VOC PM	96.90	27.59 0.25
	0.07		СО	0.10	0.086
			NO _x SO ₂ PM 0.04	0.18 0.429 0.003	0.89 0.01 0.021
			Non-Methane (VOC)	0.023	0.05
EPN 44	Paint Kitchen		VOC	0.71	0.33

EPN 45	Paint Repair Booth	VOC PM	8.16	6.97 0.02
			0.02	
F1	Flash Area between CARC Primer and CARC Spray (small parts)	VOC	0.01	0.02
F2	Immersion Tanks	Cl ₂ 0.001	0.001	

Page 3

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contam Name (3)	inant lb/hr	Emission Rates * TPY		
F3	E-Coat			VOC	0.05	0.10
F4	In-line Wipe Primer To			VOC	2.47	5.13
F5	Diesel Fuel Trucks	ing of		VOC	0.01	0.01
F6	Camo Wipe Touch-up	edown, Primer		VOC	2.47	5.13
F7	Outdoor Sa	ındblasting		PM	0.31	0.38
F8	Cooling To Wastewat			Cl ₂	0.13	0.60
F9	Safety-Klee	en		VOC	0.29	0.60
F10	Solvent Stil	I		VOC	6.38	1.38
F11	Sealants/A	dhesives		VOC	0.79	1.64

⁽¹⁾ Emission point identification - either specific equipment designation or emission point number from plot plan.

PM - particulate matter

CO - carbon monoxide

NO_x - nitrogen oxides

SO₂ - sulfur dioxide

Cl₂ - chlorine

Hrs/day 24 Days/week 7 Weeks/year 52 or Hrs/year 8,760

Dated ____

⁽²⁾ Specific point source name. For fugitive sources use area name or fugitive source name.

⁽³⁾ VOC - volatile organic compounds as defined in General Rule 101.1

^{*} Emission rates are based on and the facilities are limited by the following maximum operating schedule: