

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 5452

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

Emission * Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
F-A1	Furnace A-West Stack	NO <sub>x</sub>	25.97	113.67
		CO	1.89	8.27
		PM <sub>10</sub>	0.24	1.04
		VOC	0.07	0.29
		SO <sub>2</sub>	0.03	0.13
F-A2	Furnace A-Center Stack	NO <sub>x</sub>	25.97	113.67
		CO	1.89	8.27
		PM <sub>10</sub>	0.24	1.04
		VOC	0.07	0.29
		SO <sub>2</sub>	0.03	0.13
F-A3	Furnace A- East Stack	NO <sub>x</sub>	25.97	113.67
		CO	1.89	8.27
		PM <sub>10</sub>	0.24	1.04
		VOC	0.07	0.29
		SO <sub>2</sub>	0.03	0.13
F-B	Furnace B Stack	NO <sub>x</sub>	84.40	371.00
		CO	6.17	27.00
		PM <sub>10</sub>	0.77	3.37
		VOC	0.22	0.95
		SO <sub>2</sub>	0.09	0.41
F-CD	Isom Oil and Feed Heater Stack 38.46	NO <sub>x</sub>		8.78
		CO	7.29	31.93
		PM <sub>10</sub>	0.70	3.07
		VOC	0.20	0.88

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission Rates</u>	
<u>Point No. (1)</u>	<u>Name (2)</u>	<u>Name (3)</u>	<u>lb/hr</u>	<u>TPY</u>
		SO <sub>2</sub>	1.03	4.51

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission * Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
FLR-1	Isom Acid Gas Flare Stack	NO <sub>x</sub>	0.14	0.61
		CO	0.71	3.12
		VOC	<0.01	<0.01
		SO <sub>2</sub>	0.50	2.18
FLR-2	Isom VOC Flare Stack	NO <sub>x</sub>	0.03	0.11
		CO	0.22	0.98
		VOC	0.01	0.05
		SO <sub>2</sub>	<0.01	<0.01
GLY-1	Glycol Unit Regen Stack	VOC	4.02	17.80
B-08	No. 8 Boiler Stack	NO <sub>x</sub>	12.30	53.87
		CO	18.64	81.63
		PM <sub>10</sub>	1.01	4.42
		VOC	0.28	1.25
		SO <sub>2</sub>	0.12	0.53
PE-1	C2CL4 Storage Building Vent 0.70		PCE	0.16
FUG-FRAC	Frac Plant Fugitives (4)	VOC	31.95	139.94
FUG-IMP	Imports Unit Fugitives (4)	VOC	8.06	35.34
FUG-ISOM	Isom Unit Fugitives (4)	VOC	4.92	21.55
		H <sub>2</sub>	3.86	16.92

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources use area name or fugitive source name.

(3) NO<sub>x</sub> - total oxides of nitrogen

CO - carbon monoxide

PM<sub>10</sub> - particulate matter (PM) equal to or less than 10 microns in

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.

VOC - volatile organic compounds as defined in General Rule 101.1

SO<sub>2</sub> - sulfur dioxide

H<sub>2</sub> - hydrogen

PCE - perchloroethylene

- (4) Emissions are an estimate based on component count, factors, and applicable reduction credits for a leak detection and repair program.

\* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

\_\_\_\_\_ Hrs/day \_\_\_\_\_ Days/week \_\_\_\_\_ Weeks/year or 8,760  
Hrs/year

Dated \_\_\_\_\_