EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 2101

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air	Contaminant	Emission	Rates **
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY*
G-D-1	MP-1 Flare (5)	CO SO ₂ VOC PM ₁₀ HCI	NO _x 2.66 0.01 583.17 0.01 2752.72	0.44 11.64 0.01 15.98 0.02 9.62	1.93
B-D-O	HB-2 Flare	MgO NO _x CO VOC HCI SO ₂	Al ₂ O ₃ 0.96 0.90 5.40 393.63 584.41 0.01	14.43 0.19 3.92 23.62 32.65 11.94 0.01	0.98
C-F-5A	H-201 Blow Egg		HCI	<0.01	<0.01
C-F-7	H-155D Hopper		PM	4.12	0.30
C-F-9	BEM MG Hopper		PM	0.01	<0.01
C-A-1I-K	PT Cleanout Spots	HCI	VOC Al ₂ O ₃ 0.12	2.40 0.24 <0.01	0.16 <0.01
C-GZ-0	Area C Fugitives (4)		VOC	2.15	9.42
C-F-12	Sodium Storage		Na	<0.01	<0.01
C-F-13	Sodium Storage		Na	<0.01	<0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission	Rates **
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY*
C-F-18	Sodium Unload Spot	Na	<0.01	<0.01
C-F-19	H-2012 Hopper	PM	<0.01	<0.01
C-F-20	B-2012 Blower	PM	<0.01	<0.01
C-F-24	DIP Drum	VOC	<0.01	<0.01
C-I-3	M-225 Drybox	PM HCI VOC	<0.01 <0.01 <0.01	<0.01 <0.01 <0.01
C-I-10	Blender Drybox	PM HCI VOC	<0.01 <0.01 <0.01	<0.01 <0.01 <0.01
C-I-12	JF-5 Drybox	PM HCI VOC	<0.01 <0.01 <0.01	<0.01 <0.01 <0.01
C-G-20B	Trailer Load Spot Drybox	PM HCI VOC	<0.01 <0.01 <0.01	<0.01 <0.01 <0.01
E-A-4	Blockhouse Drybox	PM HCI VOC	<0.01 <0.01 <0.01	<0.01 <0.01 <0.01
F-GZ-0	Area F Fugitives (4)	VOC	0.27	1.18
	Sitewide HAPs	Total HAPs Individual HAPs		25.00 10.00

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Dated July 28, 2006

Emission	Source	Air Contaminant	<u>Emission</u>	Rates **
Point No. (1) Name (2)	Name (3)	lb/hr	TPY*
	on point identification - either spec a plot plan.	cific equipment designatio	n or emission po	oint number
(2) Specific (3) VOC - NO _x -	c point source names. For fugitive solutile organic compounds as de total oxides of nitrogen sulfur dioxide			
PM - PM ₁₀ - it sha	particulate matter, suspended in particulate matter equal to or less all be assumed that no particulate n carbon monoxide	s than 10 microns in diame	eter. Where PM is	s not listed
Al_2O_3 -	hydrogen chloride aluminum oxide magnesium oxide			
•	e emissions are an estimate only a	and should not be consider	red as a maximur	n allowable
(5) Emissio Numbe	ons listed here for recordkeeping r 3962.	purposes. Flare G-D-1	is authorized un	nder Permi
* Complia	ance with annual emission limits is	based on a rolling 12-mont	th period.	
** Emissic schedu	on rates are based on and the fac le:	cilities are limited by the fo	ollowing maximur	n operating
Hrs	s/day Days/weekWeeks	s/year or <u>8,760</u> Hrs/year		