EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 5546

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2) Name (3	Air Contaminant 3) lb/hr TPY	<u>Emission</u>	Rates *
108F	Fugitives (4)	VOC CO	1.88 0.33	8.22 1.45
108AV978	Tank 978	VOC	<0.01	<0.01
251AV11	Tank 11	VOC	0.043	<0.01
251AV36	Tank 36	VOC	0.54	0.55
251AV39	Tank 39	VOC	1.59	0.34
251AV94	Tank 94	VOC	0.54	0.55
251AV1034	Tank 1034	VOC	0.46	1.07
251BV500	Tank 500	VOC	0.48	1.46
251BV500	Tank 500 (5)	VOC	0.39	1.08
251BV501	Tank 501	VOC	0.48	1.46
251BV501	Tank 501 (5)	VOC	0.39	1.08
251CV646	Tank 646	VOC	0.50	0.05
251CV646	Tank 646 (6)	VOC	1.21	3.16
251CV865	Tank 865	VOC	0.35	0.06
251CV865	Tank 865 (6)	VOC	1.63	5.67

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission	Rates *		
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY		
251CV984	Tar	nk 984		VOC	0.276	0.27
306F	Fuç	gitives (4)		VOC CO	2.71 0.083	11.85 0.36

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission	Rates *		
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY		
306M2107	Fla	re		VOC	5.2	0.43
				H_2	42.0	3.42
				NO_x	15.3	1.20
				CO	589.0	47.90

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in General Rule 101.1
 - H₂ hydrogen
 - NO_x total oxides of nitrogen
 - CO carbon monoxide
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) These emission limits become effective on June 1, 1995.
- (6) Emission rates are based on upgrade of seal system and storage of high vapor pressure petroleum feedstocks.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/dav	24	Days/	week	7	Weeks	s/vear	52	or Hrs/	vear
---------	----	-------	------	---	-------	--------	----	---------	------