## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

#### Permit Number 7736

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant <u>Emission</u>		Rates *	
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY
OX-MH-1	Material Handling		PM PM <sub>10</sub> Cr <sup>+3</sup> Cr <sub>tot</sub>	<0.01 <0.01 0.0003 0.0003	<0.01 <0.01 0.001 0.001
4	Boiler No. 3 (7/01)	CO VOC SO <sub>2</sub> SO <sub>3</sub> PM	NO <sub>x</sub> 12.35 0.81 0.09 <0.01 1.12 PM <sub>10</sub>	41.18 27.05 1.77 0.20 <0.01 2.45 1.12	90.18
201	Sulfate Unloading Vent		PM PM <sub>10</sub>	0.03 0.02	0.13 0.12
202	Grinding Building Vent		PM PM <sub>10</sub>	0.30 0.27	1.31 1.18
205	Ground Sulfate Vent		PM PM <sub>10</sub>	0.03 0.02	0.13 0.12
210	Plant Stack	NH <sub>3</sub> HBO <sub>2</sub> SO <sub>2</sub> PM	NO <sub>x</sub> 3.50 0.04 20.48 5.91 PM <sub>10</sub> Cr <sup>+6</sup> Cr <sup>+3</sup>	38.82 15.33 0.18 89.70 25.89 5.32 0.05 0.90 0.95	23.30 0.22 3.94 4.16

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

#### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant		Emission Rates *	
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY
			-		
211	Filter Vent		PM	1.04	4.56
			$PM_{10}$	0.94	4.10
		Cr <sup>+3</sup>	0.05	0.219	
		Cr <sup>+6</sup>	0.0003	0.001	
		$Cr_{tot}$	0.0503	0.220	
214	Packing/Dryer Stack		PM	0.90	3.94
	r doming, 21 you chaok		PM <sub>10</sub>	0.81	3.55
			NO <sub>x</sub>	2.30	10.07
			$SO_2$	0.15	0.66
			Cr <sup>+3</sup>	0.60	2.63
			Cr <sup>+6</sup>	0.0002	0.001
			Cr <sub>tot</sub>	0.60	2.631
OX1 to OXx	Chromic Oxide Storage		Cr <sup>+3</sup>	0.0005	0.002
OXI to OXX	Tanks (4)		Cr <sub>tot</sub>	0.0005	0.002
	Tarmo (¬)		<b>.</b>	3.0000	0.002
H1 to Hx	Hydrate Plant Storage		Cr <sup>+3</sup>	0.00001	0.0001
	Tanks (4)		Cr <sub>tot</sub>	0.00001	0.0001

- (1) Emission point identification either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources use area name or fugitive source name.
- (3) PM particulate matter, suspended in the atmosphere, including  $PM_{10}$ .
  - PM<sub>10</sub> particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
    - VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
    - NO<sub>x</sub> total oxides of nitrogen
    - SO<sub>2</sub> sulfur dioxide
    - CO carbon monoxide
    - SO<sub>3</sub> sulfur trioxide
    - NH₃ ammonia
    - Cr<sup>+6</sup> hexavalent chromium
    - Cr<sup>+3</sup> trivalent chromium
    - Cr<sub>tot</sub> total chromium
    - HBO<sub>2</sub> metaboric acid
- (4) Fugitive emissions are an estimate only.

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

*	Emission rates are based on and the facilities are limited by the following maximum oper schedule:	ating
	Hrs/dayDays/weekWeeks/year or Hrs/year8,760	
	Emission limits are based on the plant throughput as shown on the Material Balance Tabl the confidential file.	e in
		Dated