EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Nos. 6308 and PSD-TX-137M1

EMISSION CAP TABLE

This table lists the maximum allowable emission caps and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

NO_x EMISSION CAP

Source Name	Year	lb/hr	TPY						
Fired Units Fired Units, Boilers	2000 through 2005 2006	411.7 435.3	1519.1 1622.1						
CO EMISSION CAP									
Source Name	Year	lb/hr	TPY						
Fired Units Fired Units, Boilers	2000 through 2005 2006	278.2 306.5	530.9 654.8						
SO ₂ EMISSION CAP									
Source Name	Year	lb/hr	TPY						
Fired Units Fired Units, Boilers	2000 through 2005 2006	262 274	499.3 530.9						
PM EMISSION CAP									
Source Name	Year	lb/hr	TPY						
Fired Units Fired Units, Boilers	2000 through 2005 2006	57.1 60.0	220.5 233.3						

Permit Nos. 6308 and PSD-TX-137M1 $\,$

Page 2

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

EMISSION CAP TABLE EMISSION SOURCES

VOC EMISSION CAP

Source Name	Year	lb/hr	TPY						
Fired Units, Cooling Towers, Tanks, Fugitives, Wastewater, Miscellaneous	2000 through 2005	853.9	773.8						
Fired Units, Cooling Towers, Tanks, Fugitives, Wastewater, Miscellaneous, Boilers	2006	847.5	745.9						
Toluene EMISSION CAP									
Source Name	Year	lb/hr	TPY						
Tanks E11TKS23, E11TKR17, and E11TKR18	2000	0.96	2.53						
Xylene EMISSION CAP									
Source Name	Year	lb/hr	TPY						
Tanks E11TKS32, E11TKR9, and E11TKR11	2000	11.92	13.06						
Benzene EMISSION CAP									
Source Name	Year	lb/hr	TPY						
Tanks E11TKS22, E11TKR5, and E11TKR7	2000	1.34	2.77						

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

EMISSION CAP TABLE EMISSION SOURCES

Cyclohexane EMISSION CAP

	Cyclonexa		VIIOOIOIN CAI						
Source Name		Ye	ear	lb/hr	TPY				
Tanks E11TKS21, E11T	KR34, and E11TKR40	20	00	0.86	2.94				
MTBE EMISSION CAP									
Source Name			ear	lb/hr	TPY				
Tanks E12TK146 and E18TK125			00	2.11	4.28				
CONTAMINANTS DA	ATA			AIR					
Emission Point No. (1)	Source Name (2)	Aiı	Contaminant Name (3)	Emission R lb/hr	ates * TPY				
FL-27		NO _x CO SO ₂ H ₂ S	VOC 2.34 12.10 0.59 0.01	23.51 7.15 36.82 1.79 0.02	71.49				
22	Boiler No. HA-5 (5)	NO _x	VOC 33.0	0.65 145.0	2.84				

CO

CO

Boiler No. HA-6 (5)

23

SO₂ 3.68

PM₁₀ 0.90

NO_x 33.0

SO₂ 3.68

PM₁₀ 0.90

VOC

9.90

9.90

43.40

9.67

3.92

0.65

145.0

43.40

9.67

3.92

2.84

Permit that 6368 0 8 da PSD 13XM137M1 Page 44

EMISSION SOUND SOU

EMISSION CAP TABLE EMISSION SOURCES

AIR CONTAMINANTS DATA

Emission	Source	Air Contam	inant	Emission Rates *		
Point No. (1)	Name (2)	Name (3	3)	lb/hr	TPY	
24	Poilor No. UA. 7 (E)	V/OC		0.65	204	
24	Boiler No. HA-7 (5)	VOC		0.65	2.84	
		NO_x	33.0	145.0		
		CO	9.90	43.40		
		SO_2	3.68	9.67		
		PM_{10}	0.90	3.92		

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

PM - particulate matter, suspended in the atmosphere, including PM₁₀

PM₁₀ - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

CO - carbon monoxide

MTBE - methyl-tert-butyl ether

H₂S - hydrogen sulfide

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Boilers HA-5, HA-6, and HA-7 emission rates are valid through 2005 or until Low-NO_x burners have been installed. After 2005, the boilers are in the emission caps.

*	Emission rates schedule:	are base	ed on	and the	e facilities	are	limited	by	the	following	maximum	operating
	Hrs/day	_ Days/v	veek	We	eks/year o	or <u>8,</u>	7 <u>60</u> Hrs.	/yea	ır			