### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## Permit Number 9481

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emission</u>	Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
116CT	Cooling Tower	VOC	0.74	3.20
116F	Refrigeration Fugitives (4)	VOC	6.58	28.79
230F	Process Fugitives (4)	VOC PM 0.03 HF <0.01 Nickel Octoate Modifier "T"	12.99 0.11 <0.01 <0.01 0.02	55.93 <0.01 0.10
230T-F105A	Oil Tank	VOC	0.90	0.16
230T-F105B	Oil Tank	VOC	0.90	0.16
230T-F200	Catalyst Tank	VOC	24.31	0.30
230T-F201	Catalyst Tank	VOC	14.96	0.22
230T-F205	Catalyst Tank	VOC	14.95	0.22
230T-F222	Catalyst Tank	VOC	2.87	80.0
230V-E405	Crumb Tank Vent Condenser	VOC	0.07	0.02
230WF	Wastewater Fugitives (4)	VOC	4.70	1.52
236F	840 Unit Finishing Process	VOC	156.0	332.8
4H-228	Modifier "T" Makeup Tank	VOC	3.66	0.05

# ${\tt EMISSION} \ {\tt SOURCES} \ {\tt -MAXIMUM} \ {\tt ALLOWABLE} \ {\tt EMISSION} \ {\tt RATES}$

# AIR CONTAMINANTS DATA

Emission	Source A	ir Contaminant	Emission	Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
230T-F311	Nitrax Makeup Tank	РМ	<0.01	<0.01
230T-F408	Tamol Makeup Tank	РМ	1.20	<0.01
230T-F411	Phosphoric Acid Storage Tank	PM	3.80	0.04
280F	Process Fugitives (4)	VOC	11.71	51.32
280FLQ504	Flare (5) SO <sub>2</sub>	VOC NO <sub>x</sub> CO <0.01	38.63 2.43 12.27 <0.01	18.97 1.37 6.43
280FLQ504	Flare (6) SO <sub>2</sub>	VOC NO <sub>x</sub> CO <0.01	27.77 2.19 11.15 <0.01	13.55 1.44 7.33
280T-115	Angelax Storage Tank	VOC	0.14	<0.01
280T-F201	Catalyst Tank	VOC	18.17	0.10
280T-F206	Catalyst Tank	VOC	3.93	0.62
280T-F216	Catalyst Tank	VOC	0.05	<0.01
280T-F507	Catalyst Tank	PM	0.01	0.01
280V-E405	Crumb Tank Vent Condenser	VOC	0.13	0.04
280V-M202	HF Scrubber	VOC HF	0.67 0.02	0.01 <0.01
280WF	Wastewater Fugitives (4)	VOC	20.88	39.59

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

#### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emissio</u>	n Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
286F	880 Unit Finishing Process	VOC	188.1	550.0

- (1) Emission point identification either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources, use an area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
  - NO<sub>x</sub> total oxides of nitrogen
  - CO carbon monoxide
  - HF hydrogen fluoride
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Emissions before installation of the 4D800 Vent Gas Absorber authorized by Standard Permit No. 50108 or until September 30, 2002, whichever comes first.
- (6) Emissions after installation of the 4D800 Vent Gas Absorber authorized by Standard Permit No. 50108 or after October 1, 2002, whichever comes first.

Emission schedule:	rates	are	based	on	and	the	facilities	are	limited	by	the	following	maximum	operating
Hrs/c	day		Days/w	eek		_We	eeks/yeaı	or _	8,760	F	Hrs/y	ear/		

\*\* Compliance with annual emission limits is based on a rolling 12-month period.

|--|