Permit Number 3069A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant		<u>Emissio</u>	Emission Rates *	
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY**	
B-1	400-Hp Boiler	NO_x CO SO_2 PM_{10}	VOC 1.65 1.38 0.01 0.13	0.09 7.21 6.05 0.04 0.55	0.40	
B-2	400-Hp Boiler	NO _x CO SO ₂ PM ₁₀	VOC 1.65 1.38 0.01 0.13	0.09 7.21 6.05 0.04 0.55	0.40	
ВОТ-9	Batch Out Tank		VOC	<0.01	<0.01	
D-1	Centrifugal Dryer D-1		VOC	0.62	2.72	
D-2	Centrifugal Dryer D-2		VOC	0.62	2.72	
D-3	Centrifugal Dryer D-3		VOC	0.62	2.72	
D-4	Centrifugal Dryer D-4		VOC	0.62	2.72	
FLARE	Flare	NO _x	VOC 2.25 8.24	6.76 9.86 36.11	28.62	
MUTVENT-1	Blower Vent from Poly Silo to MUT		PM ₁₀	0.26	0.06	
MUTVENT-2	Blower Vent from Poly Silo to MUT		PM ₁₀	0.26	0.06	

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
P-1	Torit Filter	PM ₁₀	0.26	0.06
R-9	Reactor 9	VOC	31.55	2.62
REACTFUG-1	Reactor 1 Manway Fugitives	VOC	11.82	0.90
REACTFUG-2	Reactor 2 Manway Fugitives	VOC	11.82	0.90
REACTFUG-3	Reactor 3 Manway Fugitives	VOC	11.82	0.90
REACTFUG-4	Reactor 4 Manway Fugitives	VOC	11.82	0.90
REACTFUG-5	Reactor 5 Manway Fugitives	VOC	11.82	0.90
REACTFUG-6	Reactor 6 Manway Fugitives	VOC	15.06	1.15
REACTFUG-7	Reactor 7 Manway Fugitives	VOC	15.06	1.15
REACTFUG-8	Reactor 8 Manway Fugitives	VOC	11.82	0.90
RPV-1	Reactor 1, 6, 7, and 8 Purge Ve	nt VOC	26.88	0.82
RPV-2	Reactor 2 Purge Vent	VOC	11.82	0.18
RPV-3	Reactor 3 Purge Vent	VOC	11.82	0.18
RPV-4	Reactor 4 Purge Vent	VOC	11.82	0.18
RPV-5	Reactor 5 Purge Vent	VOC	11.82	0.18
RPV-9 RPV-10	Reactor 9 Purge Vent Reactor 10 Purge Vent	VOC VOC	31.55 31.55	0.48 0.48
RPV-11	Reactor 11 Purge Vent	VOC	31.55	0.48
S-1 S-2	Polystyrene Silo Polystyrene Silo	PM_{10} PM_{10}	0.26 0.26	0.06 0.06

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant			
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**	
S-3	Polystyrene Silo	PM_{10}	0.26	0.06	
S-4	Polystyrene Silo	PM_{10}	0.26	0.06	
S-5	Polystyrene Silo	PM_{10}	0.26	0.06	
S-6	Polystyrene Silo	PM_{10}	0.26	0.06	
S-7	Polystyrene Silo	PM ₁₀	0.26	0.06	
S-8	Polystyrene Silo	PM_{10}	0.26	0.06	
S-9	Polystyrene Silo	PM_{10}	0.26	0.06	
S-10	Polystyrene Silo	PM ₁₀	0.26	0.06	
SOCMIFUG	Fugitives (4)	VOC	0.86	3.76	
T-4	Styrene Storage Tank	VOC	0.06	0.16	
T-5	Styrene Storage Tank	VOC	0.06	0.16	
T-6	Styrene Storage Tank	VOC	0.06	0.16	
T-32	HCI Tank	HCI	2.61	<0.01	
TO-1	Thermal Oxidizer	For emergency up	For emergency upset use only		
Wastewater	Wastewater Fugitives	VOC	0.88	0.89	

(1)	Emission point identification - either specific equipment designation or emission point number from a plot plan.
` '	Specific point source names. For fugitive sources, use an area name or fugitive source name. VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1 NO _x - total oxides of nitrogen CO - carbon monoxide SO ₂ - sulfur dioxide
liste	PM_{10} - particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not ed, it shall
	be assumed that no particulate matter greater than 10 microns is emitted. HCl - hydrogen chloride
	Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
*	Emission rates are based on and the facilities are limited by the following maximum operating schedule:
	Hrs/day Days/weekWeeks/year or <u>8,760</u> Hrs/year
**	Compliance with annual emission limits is based on a rolling 12-month period.

Dated ____