

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 20619

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
BP-T-W-80	Bleach High Density Stock Tank	VOC	0.03	0.09
BP-T-C-80	Bleach High Density Stock Tank	VOC	0.03	0.09
BP-T-E-80	Bleached High Density Stock Tank	VOC	0.03	0.09
P-LD-TANK	P Low Density Stock Storage Tank	VOC	0.03	0.09
BIG-BERTHA	250-Ton High Density Stock Tank	VOC	0.86	1.60
H-LD-TANK	H Low Density Stock Storage Tank	VOC	0.03	0.09
21PD-VV-01	21 PD Vacuum Vent No. 1	VOC	0.50	0.93
21PD-VV-02	21 PD Vacuum Vent No. 2	VOC	0.50	0.93
22PD-VV-01	22 PD Vacuum Vent No. 1	VOC	0.37	0.93
22PD-VV-02	22 PD Vacuum Vent No. 2	VOC	0.37	0.93
22PD-VV-03	22 PD Vacuum Vent No. 3	VOC	0.37	0.93
22PD-VV-04	22 PD Vacuum Vent No. 4	VOC	0.37	0.93
22EXHV-01	22 PD Bldg Exhaust For 23 VV	VOC	0.50	0.93
22PD-DV-01	22 PD Dryer Vent No. 1	VOC	0.43	1.90
22PD-DV-02	22 PD Dryer Vent No. 2	VOC	0.43	1.90
22PD-DV-03	22 PD Dryer Vent No. 3	VOC	0.43	1.90

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA				
Emission *	Source	Air Contaminant	Emission Rates	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
22PD-DV-04	22 PD Dryer Vent No. 4	VOC	0.43	1.90
22PD-DV-05	22 PD Dryer Vent No. 5	VOC	0.43	1.90
24PM-DUO-1**	24 PM Duoformer Fan No. 1	VOC	1.94	6.32
24PM-DUO-2**	24 PM Duoformer Fan No. 2	VOC	1.94	6.32
24PM-DV-01**	24 PM Dryer Vent No. 1	VOC	2.17	7.07
24PM-DV-02**	24 PM Dryer Vent No. 2	VOC	2.17	7.07
24PM-DV-03**	24 PM Dryer Vent No. 3	VOC	2.17	7.07
24PM-DV-04**	24 PM Dryer Vent No. 4	VOC	2.17	7.07
24PM-DV-05**	24 PM Dryer Vent No. 5	VOC	2.17	7.07
24PM-DV-06**	24 PM Dryer Vent No. 6	VOC	2.17	7.07
24PM-N-VP**	24 PM North Set Vacuum Pump	VOC	1.94	6.32
24PM-NF-EF**	24PM North Fourdrinier Exh.	VOC	1.94	6.32
24PM-S-VP**	24PM South Set Vacuum Pump	VOC	1.94	6.32
24PM-SF-EF**	24PM South Fourdrinier Exh.	VOC	1.94	6.32
24PMOMCDV1**	24 PM OMC Vent No. 1	VOC	3.57	9.12
		CO	0.10	0.44
		NO _x	0.15	0.66
		PM	0.04	0.18
		SO ₂	<0.01	0.01
		NH ₃	2.74	7.23

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	Emission Rates	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
24PMOMCDV2**	24 PM OMC Vent No. 2	VOC	3.59	9.19
		CO	0.74	3.24
		NO _x	0.88	3.85
		PM	0.07	0.31
		SO ₂	0.01	0.02
		NH ₃	2.75	7.27
24PMOMCDV3**	24 PM OMC Vent No. 3	VOC	3.59	9.19
		CO	0.74	3.24
		NO _x	0.88	3.85
		PM	0.07	0.31
		SO ₂	0.01	0.02
		NH ₃	2.75	7.27
24PMOMCDV4**	24 PM OMC Vent No. 4	VOC	3.59	9.19
		CO	0.74	3.24
		NO _x	0.88	3.85
		PM	0.07	0.31
		SO ₂	0.01	0.02
		NH ₃	2.75	7.27
24PMOMCDV5**	24 PM OMC Vent No. 5	VOC	3.57	9.12
		CO	0.10	0.44
		NO _x	0.15	0.66
		PM	0.04	0.18
		SO ₂	<0.01	0.01
		NH ₃	2.74	7.23
24PMOMCDV6**	24 PM OMC Vent No. 6	VOC	3.59	9.19
		CO	0.74	3.24
		NO _x	0.88	3.85
		PM	0.07	0.31
		SO ₂	0.01	0.02
		NH ₃	2.75	7.27

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	Emission Rates	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
24PMOMCDV7***	24 PM OMC Vent No. 7	VOC	3.59	9.19
		CO	0.74	3.24
		NO _x	0.88	3.85
		PM	0.07	0.31
		SO ₂	0.01	0.02
		NH ₃	2.75	7.27
24PMOMCDV8***	24 PM OMC Vent No. 8	VOC	3.59	9.19
		CO	0.74	3.24
		NO _x	0.88	3.85
		PM	0.07	0.31
		SO ₂	0.01	0.02
		NH ₃	2.75	7.27
DRYFELTCL**	Dryer Felt Cleaning	VOC	109.77	1.32
WIREACIDCL**	Wire Acid Cleaning	VOC	14.06	0.25
PMCLEANING**	Paper Machine Cleaning	VOC	80.36	3.50
OMCCLEAN**	OMC Cleaning	VOC	3.87	0.09
DIESEL-E***	East Diesel Tank	VOC	0.05	<0.01
DIESEL-W***	West Diesel Tank	VOC	0.05	<0.01
GASOLINE-E***	East Gasoline Tank	VOC	10.06	0.76
GASOLINE-W***	West Gasoline Tank	VOC	10.06	0.76
NH4OH-TK***	Aqueous Ammonia Tank	NH ₃	1.03	0.01
EWWTk***	East White Water Accum. Tank	VOC	<0.01	<0.01
WWWTk***	West White Water Accum. Tank	VOC	<0.01	<0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission * Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
24BLENDTK**	24 Blend Tank	VOC	0.01	<0.01
24BRKE-CTD**	24 Coated Broke Tank	VOC	0.02	<0.01
24HWDLVLTk***	24 HWD Leveling Tank	VOC	<0.01	<0.01
24SAVEALL**	24 Saveall Tank	VOC	0.01	<0.01
24BRKE-UNC**	24 Uncoated Broke Tank	VOC	0.02	<0.01
OLD-GWD-TK**	Groundwood/Broke Storage Tank	VOC	0.03	0.01
BROKE12**	Broke Storage Tank 12	VOC	0.01	<0.01
BROKE13**	Broke Storage Tank 13	VOC	0.01	<0.01
BROKE14**	Broke Storage Tank 14	VOC	0.01	<0.01
BROKE15**	Broke Storage Tank 15	VOC	0.01	<0.01
BROKE16**	Broke Storage Tank 16	VOC	0.01	<0.01
BROKE17**	Broke Storage Tank 17	VOC	0.01	<0.01
BROKE18**	Broke Storage Tank 18	VOC	0.01	<0.01
BROKE25**	Broke Storage Tank 25	VOC	0.01	<0.01
BROKE28**	Broke Storage Tank 28	VOC	0.01	<0.01
KEYDIME**	Keydime Storage Tank	VOC	1.24	0.04
INSOL-TK**	Insolubilizer Tank	VOC	0.06	<0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	Emission Rates	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
LATEX-TK1***	Latex Storage Tank No. 1	VOC	8.47	0.80
LATEX-TK2***	Latex Storage Tank No. 2	VOC	3.30	0.21
PLASTICPIG***	Plastic Pigment Storage Tank	VOC	1.66	0.18
		NH ₃	0.01	
BFW-AMINE**	Boiler Feed Water Amine Storage Tank	VOC	0.45	<0.01
STAR-SILO1**	Starch Silo No. 1	PM ₁₀	0.12	0.05
STAR-SILO2**	Starach Silo No. 2	PM ₁₀	0.12	0.05
DEAERATOR**	Deaerator	VOC	0.16	0.72
TINOPALTK2**	Tinopal Storage Tank	VOC	<0.01	<0.01
LITTLEBLUE***	Little Blue Diesel Engine	VOC	0.20	0.08
		CO	0.54	0.22
		NO _x	2.51	1.00
		PM ₁₀	0.18	0.07
		SO ₂	0.17	0.07
BIGRED***	Big Red Diesel Engine	VOC	0.51	0.21
		CO	1.36	0.55
		NO _x	6.32	2.53
		PM ₁₀	0.45	0.18
		SO ₂	0.42	0.17
FWPUMP***	Fire Water Pump Diesel Engine	VOC	0.96	0.38
		CO	2.54	1.02
		NO _x	11.78	4.71
		PM ₁₀	0.84	0.33

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	Emission Rates	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
		SO ₂ 0.78	0.31	
PROPANETK***	Propane Tank	VOC	0.01	0.01
24PM-BI-01***	Speedsizer Biocide Tank	VOC	0.01	0.01

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
CO - carbon monoxide
NO_x - total oxides of nitrogen
PM - particulate matter, suspended in the atmosphere, including PM₁₀.
PM₁₀ - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.
SO₂ - sulfur dioxide
NH₃ - ammonia
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

24 Hrs/day 7 Days/week 52 Weeks/year or 8,760 Hrs/year

Daily average throughput of 1,390 air-dried metric tons bleached pulp per day (ADMTBP/D) and an annual 12-month calendar average of 1,200 ADMTBP/D. The usage rates of other raw materials and chemicals shall not exceed the limits in the confidential file.

** Previously grandfathered but now part of this permit.

*** Previously authorized under permit by rule but now part of this permit.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission Rates</u>	
<u>Point No. (1)</u>	<u>Name (2)</u>	<u>Name (3)</u>	<u>lb/hr</u>	<u>TPY</u>

Dated July 14, 2006