EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 4893A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emissio</u>	n Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY **
, ,	• •	. ,		
GBP004	Main Cold Stack	CO	2.40	0.30
		HCN	0.05	0.01
		NH_3	1.50	1.00
		NO_X	0.05	0.04
		PM	0.15	0.03
		VOC	15.0	2.08
GBP005	South Dowtherm Vaporizer	СО	0.60	1.08
		NO_X	0.71	1.29
		PM_{10}	0.05	0.10
		SO_2	0.01	0.01
		VOC	0.04	0.07
GBP006	IPN Cooling Tower	VOC	0.01	0.01
GBP007	ExhDiesel, Generator	СО	2.50	0.07
		NO_X	11.60	0.30
		PM_{10}	0.80	0.02
		SO_2	0.80	0.02
		VOC	0.90	0.02
GBP008	ExhDiesel, Cooling	СО	1.60	0.04
	Water Pump	NO_X	7.30	0.19
		PM_{10}	0.50	0.01
		SO_2	0.50	0.01
		VOC	0.60	0.02
GBP013	North Dowtherm Vaporizer	СО	0.60	1.08
	•	NO_X	0.71	1.29
		PM_{10}	0.05	0.10
		SO_2	0.01	0.01
		VOC	0.04	0.07

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY **
GBP014	Emer. Generator Diesel Storage Tank	VOC	0.09	0.01
GBP016	Incinerator Stack	CO HCN NH ₃ NO _x PM SO ₂ VOC	9.90 0.20 0.40 44.60 1.00 0.02 2.10	39.00 0.80 1.70 90.00 3.90 0.17 7.60
GBP018	Dowtherm System Inerts Vent	VOC	1.07	1.05
GBP021	Catalyst Hopper Baghouse	PM	0.60	0.08
GBP022	Bleach Storage Tank	HCI	0.01	0.01
GBP024	200 Area Baghouse	NH ₃ PM ₁₀ VOC	2.00 0.18 1.50	4.56 0.13 2.19
GBP025	Incinerator BFW Treatment Tanks	VOC	0.01	0.01
GBP026	Cool TWR Water Treatment Chemical Tanks	VOC	0.01	0.01
GBP027	Cool TWR Water Pump Diesel Storage Tank	VOC	0.10	0.01
GBP028	BFW Treatment Chemicals 0.01	Tank	VOC	0.01
GBP029	Dissolving Tank Vent	VOC	2.00	0.27
GBP030	Carbon Adsorption System	VOC	0.01	0.04

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY **
GBP031	Heavy Ends Baghouse	PM_{10}	0.35	1.53
	,	VOC	0.58	0.07
FGBP01	Process Fugitives (4)	NH_3	0.18	0.83
rgbru1	Frocess Fugitives (4)	PM_{10}	1.35	5.90
		VOC	2.01	8.85

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) CO carbon monoxide
 - HCl hydrochloric acid
 - HCN hydrocyanic acid
 - NH₃ ammonia
 - NO_X total oxides of nitrogen
 - PM particulate matter
 - PM₁₀ particulate matter less than 10 microns in diameter
 - SO₂ sulfur dioxide
 - VOC volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:

____<u>24_</u>Hrs/day<u>7_</u>Days/week<u>52_</u>Weeks/year

** Compliance with annual emission limits is based on a rolling 12-month period.

Date _	