#### Permit Number 326B

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Emission	Source	Air Contaminant		Emission Rates *	
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY**
1-DC-1	F and G 1st Loop Dust Collect	cor	CO NO <sub>x</sub> PM <sub>10</sub> VOC	0.05 0.60 0.57 0.01	0.21 2.52 2.38 0.04
1-DC-7	F and G 2nd Loop Dust Collec	ctor	CO NO <sub>x</sub> PM <sub>10</sub> VOC	0.05 0.60 0.73 0.01	0.21 2.52 3.07 0.04
1-FN-21	F and G Inside Split Bin Fan		PM <sub>10</sub>	0.03	0.11
1-DC-6	F & G Main Plant Central Vacuum System		PM <sub>10</sub>	0.04	0.18
11-DC-8		NO <sub>x</sub> PM <sub>10</sub>	CO 0.40 0.53 VOC	0.03 1.68 2.23 0.01	0.14
11-DC-21	Spec. Splits Bin Dust Collector	r	PM <sub>10</sub>	0.04	0.18
11-DC-23	P78 HVHPG Dust Collector	PM <sub>10</sub>	CO NO <sub>x</sub> 0.86 VOC	0.07 0.80 3.60 0.01	0.29 3.36 0.05
11-FN-37	P78 Storage Bins 16-22 Vent Fan		PM <sub>10</sub>	0.02	0.09

Emission	Source	Air Contaminant		Emission Rates *	
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY**
11-TA-78	P85 Scrubber		VOC	0.01	0.06
21-DC-1	Air Mix I Receiver Dust Collect	tor	PM <sub>10</sub>	0.30	1.26
21-DC-2	Air Mix I Blender Dust Collecto	or	PM <sub>10</sub>	<0.01	0.01
21-DC-3	Air Mix I Packer Dust Collecto	r	PM <sub>10</sub>	0.16	0.69
21-DC-4	Air Mix II Receiver Dust Collec	ctor	PM <sub>10</sub>	0.17	0.74
21-DC-5	Air Mix I Supersack Receiver Collector		PM <sub>10</sub>	0.02	0.09
21-FN-10	Air Mix II Chemical Feeding Hopper Vent Fan		PM <sub>10</sub>	0.03	0.11
22-DC-1	Bean Cleaning Dust Collector		PM <sub>10</sub>	0.30	1.26
33-BR-1		NO <sub>x</sub> SO <sub>2</sub>	CO 1.10 PM <sub>10</sub> <0.01 VOC	0.90 3.90 0.08 0.02 0.03	3.30 0.30 0.13
33-BR-2		NO <sub>x</sub> SO <sub>2</sub>	CO 1.10 PM <sub>10</sub> <0.01 VOC	0.90 3.90 0.08 0.02 0.03	3.30 0.30 0.13
35-DC-9	Air Mix III Receiver Dust Colle	ctor	PM <sub>10</sub>	0.30	1.26
35-DC-10	Air Mix III Blender Dust Collec	tor	PM <sub>10</sub>	<0.01	0.01
35-DC-15	Air Mix III Blender Central Vacuum System		PM <sub>10</sub>	0.05	0.23

Emission	Source	Air Contaminant		Emission Rates *	
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY**
35-FN-1	Air Mix III Process Storage E Vent Fan	Bin	PM <sub>10</sub>	0.05	0.22
35-FN-3	Air Mix III Dust Collector Receiver Fan		PM <sub>10</sub>	0.05	0.22
35-FN-4	Air Mix III Feeder Hopper Vent Fan		PM <sub>10</sub>	0.03	0.11
36-DC-3	P80 Dust Collector	$NO_x$ $PM_{10}$	CO 0.80 1.20 VOC	0.07 3.36 5.04 0.01	0.29
36-FN-1	P80 Split Bins Vent Fan		PM <sub>10</sub>	0.05	0.22
36-TA-4	P80 Wet Scrubber Tank		C₃H <sub>6</sub> 0 Methyl Chloride	0.25 6.79	1.05 7.43
36-DC-7	Pilot Plant Dust Collector	PM <sub>10</sub>	CO NO <sub>x</sub> 0.12	0.02 0.20 0.50	0.07 0.84
BLDG36	Building 36	Sulfur VOC	PM <sub>10</sub> ric Acid 0.98	0.02 0.02 4.16	0.01 0.09
11VP1	Reactor System Evacuation		VOC	0.05	0.10
PILOT-VP	Pilot Vacuum Pump Vent		VOC	0.09	0.06
H-TT	Drum Product Packout		VOC	0.01	0.02
PAPEFUGTF	Tank Farm and Tank Truck Loading Fugitives (4)		VOC	0.13	0.58

Emission	Source Air	Contaminant	<u>Emissior</u>	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**	
T-110	Product Tank T-110	VOC	0.03	0.04	
T-120	Product Tank T-120	VOC	0.03	0.04	
T-130	Product Tank T-130	VOC	0.03	0.04	
T-107	Solvent Storage Tank	VOC	0.31	0.03	
T-116	Washwater Tank	VOC	0.01	0.02	
T-117	Bromide Weigh Tank	VOC	0.01	0.01	
MIXTK	Dissolution Process Vent VOC	Sulfuric Acid 0.02	<0.01 0.02	<0.01	
11-FN-110	P78 Scrubber	VOC	<0.01	<0.01	
T-102	Bromide Weigh Tank	VOC	0.01	0.01	
T-103	Dibromomethane Weigh Tank	VOC	0.04	0.05	
TMAFUG	TMA Fugitives (4)	VOC	<0.01	<0.01	
MeCIFUG	Methyl Chloride Fugitives (4)	VOC	0.04	0.18	
11-DC-100	Specialties I Central Vacuum Sys	PM <sub>10</sub>	0.09	0.38	
BLDG37	Drum Loading Product Packout	VOC	0.01	0.02	
11-TA-23	Sulfuric Acid Storage Tank	Sulfuric Acid	<0.01	<0.01	
T-104	Tetronic 304-TMP 15EO Storage Tank	VOC	<0.01	<0.01	
1-DC-2	F and G Flexkleen SON Dust Colle	ctor	PM <sub>10</sub>	0.32	

#### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant <u>Emission Rates *</u>		ates *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
	1.41	.,		
1-DC-5	Plant Blender Dust Collector	$PM_{10}$	0.20	0.89
10-DC-1	Jumbo Dust Collector	PM <sub>10</sub>	0.16	0.71
11-DC-3	Derivatives Blender Dust Collec	tor PM <sub>10</sub>	0.13	0.56
11-FN-7	Derivatives Storage Bins 8-15 Vent Fan	PM <sub>10</sub>	0.27	1.17
19-FN-1	T-Process Dust Collector Fan	PM <sub>10</sub>	0.25	1.07
11-TA-62	Acetic Acid Storage Tank	VOC	0.10	0.43

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3)  $C_3H_6O$  propylene oxide
  - CO carbon monoxide
  - NO<sub>x</sub> total oxides of nitrogen
  - $PM_{10}$  particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.
  - SO<sub>2</sub> sulfur dioxide
  - VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1.
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

Permit Number 326B Page 5

	al hazardous air pollutant (HAP) emissions from this site are less than 10 tons per year (tpy) for individual HAP and less than 25 tpy for total HAPs.
*	Emission rates are based on and the facilities are limited by the following maximum operating schedule:
	24 Hrs/day 7 Days/week 52 Weeks/year or 8,760 Hrs/year
**	Compliance with annual emission limits is based on a rolling 12-month period.
	Dated