Permit Number 4773A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air	Contaminant	Emission	Rates*
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY**
SGFUG1C3C	Syngas Process and Propyle Refrigeration Fugitives (4)	ne	VOC CO	2.54 2.73	11.10 11.96
SGCT	Cooling Tower		VOC	2.51	11.01
SG23-50-1	CE Boiler	NO _x	VOC 60.80 SO ₂ PM ₁₀ CO	2.33 218.42 0.16 2.07 6.53	6.79 0.57 7.26 22.91
SG23-51-1	Superheater		VOC NO_x SO_2 PM_{10} CO	0.45 23.74 0.05 0.62 6.86	2.20 82.84 0.24 3.04 33.55
SG7-9-14	Ammonia Flare	VOC SO ₂	NH ₃ 0.16 NO _x 0.01 CO	0.17 0.70 0.76 0.66 6.04	0.65 3.31 26.43
SG20-2-2	Acid Gas Flare		VOC NO _x SO ₂ CO	0.01 0.31 0.01 6.91	0.01 0.82 0.01 15.23

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant		Emission Rates*	
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY**
SG20-3-2	Cold Flare	SO ₂	VOC NO _x 0.01	0.01 6.79 0.01	0.01 0.89
			CO	313.85	24.92
SG21-1-1	High-Pressure Flare	СО	VOC NO _x SO ₂ 2942.94	17.91 114.12 0.02 106.90	0.66 5.54 0.01
SG810-21-1	Neutralization Tank		VOC	0.01	0.04
SG810-22-1	Equalization Tank		VOC	0.11	0.49
SG810-23	Aeration Basin		VOC	7.22	31.63
SG810-28	West Basin		VOC	0.10	0.45
SG5-1-1	Wastewater Hold Tank	VOC	NH₃ 0.01	0.01 0.01	0.01
SG5-1-14	Carbon Water Tank	VOC	NH₃ 0.01	0.01 0.01	0.01
SG5-1-17	Gray Water Tank	VOC	NH ₃ 0.01	0.01 0.01	0.01
SG13-25-1	Methanol Storage Tank		VOC	0.29	0.17
SG930D	Diesel Storage Tank		VOC	0.30	0.01
SG930U	Gasoline Storage Tank		VOC	7.53	0.09

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emission</u>	Emission Rates*	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**	
PW310-50-1	Emergency Firewater Pump	VOC	1.79	0.06	
		NO_x	18.60	0.60	
		SO_2	1.23	0.04	
		PM_{10}	1.32	0.04	
		CO	4.01	0.13	
310-50-1.2	Diesel Storage Tank	VOC	0.27	0.01	
DEGREASER	Cold Solvent Degreaser	VOC	3.04	0.39	

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

PM₁₀ - particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall

be assumed that no particulate matter greater than 10 microns in emitted.

CO - carbon monoxide

NH₃ - ammonia

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day	Days/week	Weeks/year or	8,760 Hrs/yea
---------	-----------	---------------	---------------

^{**} Compliance with annual emission limits is based on a rolling 12-month period.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emissior</u>	Emission Rates*	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**	

Dated April 22, 2005