

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 8164

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission Rates</u>	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
35	Raw Material Handling (4)	TSP	0.30	1.30
		PM ₁₀	0.15	0.65
36	Calcidyne One Baghouse Stack 1.93		PM ₁₀	0.44
		VOC	0.06	0.27
		CO	0.16	0.71
		SO ₂	<0.01	0.02
		NO _x	0.77	3.37
37	Calcidyne Two Baghouse Stack 1.93		PM ₁₀	0.44
		VOC	0.06	0.27
		CO	0.16	0.71
		SO ₂	<0.01	0.02
		NO _x	0.77	3.37
38	Calcidyne Three Baghouse Stack 1.93		PM ₁₀	0.44
		VOC	0.06	0.27
		CO	0.16	0.71
		SO ₂	<0.01	0.02
		NO _x	0.77	3.37
39	Calcidyne Four Baghouse Stack 1.93		PM ₁₀	0.44
		VOC	0.06	0.27
		CO	0.16	0.71
		SO ₂	<0.01	0.02

40	Calcidyne Five Baghouse Stack 1.93	NO _x	0.77	3.37
			PM ₁₀	0.44
		VOC	0.06	0.27
		CO	0.16	0.71
		SO ₂	<0.01	0.02
		NO _x	0.77	3.37

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	Emission Rates	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
42	Calcidyne Six Baghouse Stack 1.93	PM ₁₀		0.44
		VOC	0.06	0.27
		CO	0.16	0.71
		SO ₂	<0.01	0.02
		NO _x	0.77	3.37
41	Product Material Handling (4) 2.20	TSP		0.50
		PM ₁₀	0.25	1.10

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) TSP - total suspended particulate matter (including PM₁₀)
 PM₁₀ - particulate matter less than 10 microns in diameter
 VOC - volatile organic compounds as defined in General Rule 101.1
 SO₂ - sulfur dioxide
 NO_x - total oxides of nitrogen
 CO - carbon monoxide
- (4) Fugitive emissions

* Emission rates are based on and the facilities are limited by the following maximum operating schedule and production rates:

24 Hrs/day 7 Days/week 52 Weeks/year or 8,760 Hrs/year
 Maximum hourly production rate per Calcidyne: 8.0 tons
 Maximum annual production rate for facility: 424,800 tons

Dated _____