EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 19430

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emissior</u>	n Rates *		
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY		
P-6	Rotary Furnace Baghouse/	$PM/PM_{10}(4)$	0.44	1.91		
	Scrubber Stack (Rotary Furnace	Pb	0.32	0.59		
	[FIN S-6])	SO_2	15.46	67.71		
		TRS	0.09	0.39		
		VOC	3.86	16.93		
		HBr	1.20	5.26		
		HCI	0.40	1.75		
		CO	80.0	0.37		
		NO _x	0.10	0.44		
P-12	Shredder Baghouse Stack	PM/PM ₁₀ (4)	2.42	10.62		
	(600 Tilt Crucible, 175 Tilt	Pb	0.04	0.06		
	Crucible, Reverbatory Furnaces	SO_2	< 0.01	< 0.01		
	No. 1 and 2, 2-inch Rotary Shear	VOC	0.02	0.08		
	Shredder, 1.5-inch Rotary Shear	CO	0.28	1.21		
	Shredder [FINs S-8 through S-12,	NO _x	0.33	1.45		
	S-19, and S-21])					
P-14	Hygiene Baghouse Stack	PM/PM ₁₀ (4)	2.31	10.10		
	(Ball Mill, Sample Prep Room,	Pb	1.01	2.22		
	Treatment Tanks T1 through T-4,	HNO_3	< 0.01	0.03		
	Collection Tank, Discharge	HCI	< 0.01	< 0.01		
	Tanks D-1 and D-2, Caustic Tank	NH_3	0.43	1.85		
	Nos. 1and 2, Wastewater Treatmen	nt, NaOH	< 0.01	< 0.01		
	Hand Plasma Cutting System Nos.	1,				
	and 2 ,Slag Hammering, Ingot					
	Autocasters, Block Casting Molds, Wet					
	Vacuum Sweeper [FINs S-13, S-23,					
	S-25 through S-34, and S-37 throu	gh S-42])				
P-15	Kettle Baghouse Stack	PM/PM ₁₀ (4)	0.84	3.67		
	(Refining Kettles Nos. 1-5, Sweat	Pb	0.10	0.11		

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emissior lb/hr	Rates *
1 OIIIL IVO. (1)	Name (2)	Name (5)	10/111	
	Furnace [FINs S-1 through S-5, and S-7])	SO₂ TRS VOC CO NOҳ	0.30 0.30 0.01 0.20 0.24	1.31 1.31 0.06 0.88 1.05
P-16A-E	Refining Kettle Burners (FINs S-1 through S-5 Products of Combustion)	PM/PM ₁₀ CO SO ₂ NO _x VOC	0.07 0.74 <0.01 0.86 0.05	0.29 3.22 0.02 3.83 0.21
P-17	Blender/Dryer Baghouse Stack	PM/PM ₁₀ (4) Pb	0.40 0.11	1.77 0.15
P-20	Wastewater Treatment Scrubber Tank	PM/PM_{10} NH_3 $NaOH$	<0.01 <0.01 <0.01	<0.01 <0.01 <0.01
P-22	Electrolytic Processes Scrubber (FIN S-22 Phase II)	PM/PM ₁₀ PbO HF VOC	<0.01 <0.01 <0.01 0.03	<0.01 <0.01 <0.01 0.13
P-24	Crucible Furnace Exhaust (FINs S-35 and S-36)	PM/PM ₁₀ (4) SO ₂ VOC CO NO _x	<0.01 <0.01 <0.01 0.08 0.10	0.03 <0.01 0.02 0.37 0.44
P-25	Blender/Dryer Burners (FIN S-17 Products of Combustion)	PM/PM ₁₀ SO ₂ VOC CO	0.02 <0.01 0.01 0.20	0.08 <0.01 0.06 0.88

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
		NO _x	0.24	1.05
P-26	Precious Metal Recovery Scrubber (FIN S-20 Precious Metal Recovery	PM₁0 ⁄) HNO₃ HCI	0.55 0.49 0.06	2.40 2.15 0.25

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) PM particulate matter, suspended in the atmosphere, including PM₁₀.
 - PM₁₀ particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.
 - Pb lead and lead compounds
 - SO₂ sulfur dioxide
 - VOC volatile organic compounds as defined in Title 30 Texas Administrative Code ' 101.1
 - HBr hydrogen bromide HCl - hydrochloric acid
 - HNO₃ nitric acid
 - TRS total reduced sulfur
 - NH₃ ammonia
 - NaOH sodium hydroxide HF - hydrogen fluoride CO - carbon monoxide
 - NO_x total oxides of nitrogen
 - PbO lead oxide
- (4) PM comprised of, but not limited to, copper and copper compounds, silver and silver compounds, nickel and nickel compounds, arsenic and arsenic compounds, cadmium and cadmium compounds, antimony and antimony compounds, and tin and tin compounds.
- * Refer to Special Conditions for throughput limitations and basis of emission rates.

Dated April 8, 2008