

# Emission Sources - Maximum Allowable Emission Rates

Permit Number 79660

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates (6)	
			lbs/hour	TPY (4)
1	Truck Receiving Pit (5)	PM	6.48	--
		PM <sub>10</sub>	2.12	--
		PM <sub>2.5</sub>	0.36	--
2	Railcar Receiving Pit No. 1 (5)	PM	1.15	--
		PM <sub>10</sub>	0.28	--
		PM <sub>2.5</sub>	0.05	--
14	DDG Railcar Receiving Pit (5)	PM	1.92	--
		PM <sub>10</sub>	0.47	--
		PM <sub>2.5</sub>	0.08	--
15	DDG Truck Receiving Pit (5)	PM	10.80	--
		PM <sub>10</sub>	3.54	--
		PM <sub>2.5</sub>	0.60	--
17	Truck Receiving Pit House (5)	PM	5.40	--
		PM <sub>10</sub>	1.77	--
		PM <sub>2.5</sub>	0.30	--
	Total Pit Receiving Operations (5)	PM	--	5.39
		PM <sub>10</sub>	--	1.77
		PM <sub>2.5</sub>	--	0.30
18	Storage Pile Receiving (Portable Auger or Front-end Loader) (5)	PM	8.10	0.90
		PM <sub>10</sub>	2.66	0.30
		PM <sub>2.5</sub>	0.45	0.05
4	East Grain Dryer Stack	PM	16.88	3.41
		PM <sub>10</sub>	4.50	1.37
		PM <sub>2.5</sub>	1.08	0.80
		VOC	0.27	0.50

Emission Sources - Maximum Allowable Emission Rates

		NO <sub>x</sub>	4.96	9.03
		CO	4.17	7.59
		SO <sub>2</sub>	0.03	0.05
5	West Grain Dryer Stack	PM	13.50	3.27
		PM <sub>10</sub>	3.60	1.23
		PM <sub>2.5</sub>	0.87	0.67
		VOC	0.22	0.40
		NO <sub>x</sub>	3.97	7.23
		CO	3.34	6.07
		SO <sub>2</sub>	0.02	0.04
6	Railcar Loadout Spout (5)	PM	9.72	--
		PM <sub>10</sub>	0.79	--
		PM <sub>2.5</sub>	0.13	--
7	Main Truck Loadout Spout (5)	PM	30.96	--
		PM <sub>10</sub>	10.44	--
		PM <sub>2.5</sub>	1.76	--
8	Bins 18 and 19 Truck Loadout Spout (5)	PM	20.64	--
		PM <sub>10</sub>	6.96	--
		PM <sub>2.5</sub>	1.18	--
10	Bins 20 and 21 Truck Loadout Spout (5)	PM	20.64	--
		PM <sub>10</sub>	6.96	--
		PM <sub>2.5</sub>	1.18	--
16	DDG Truck Loadout Spout (5)	PM	25.80	--
		PM <sub>10</sub>	8.70	--
		PM <sub>2.5</sub>	1.47	--
	Total Loadout Spout Operations (5)	PM	--	25.76
		PM <sub>10</sub>	--	8.69
		PM <sub>2.5</sub>	--	1.47
19	Storage Pile Loadout Spout (Portable Auger	PM	38.70	4.30

Emission Sources - Maximum Allowable Emission Rates

		PM <sub>10</sub>	13.05	1.45
		PM <sub>2.5</sub>	2.21	0.25

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) VOC
  - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- NO<sub>x</sub>
  - total oxides of nitrogen
- SO<sub>2</sub>
  - sulfur dioxide
- PM
  - total particulate matter, suspended in the atmosphere, including PM<sub>10</sub> and PM<sub>2.5</sub>, as represented
- PM<sub>10</sub>
  - total particulate matter equal to or less than 10 microns in diameter, including PM<sub>2.5</sub>, as represented
- PM<sub>2.5</sub>
  - particulate matter equal to or less than 2.5 microns in diameter
- CO
  - carbon monoxide
- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) Planned startup and shutdown emissions are included. Maintenance activities are not authorized by this permit.

Date: August 4, 2017