### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

### Permit No. 4603

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

### AIR CONTAMINANTS DATA

Emission	Source	Ai	r Contaminant	Emission	Rates
Point No. (1)	Name (2)		Name (3)1b/hr		TPY
OX	Catalytic Oxidizer	PM <sub>10</sub>	VOC CO 0.03 SO <sub>2</sub> NO <sub>x</sub>	9.27 9.85 0.14 <0.01 0.26	40.57 43.14 <0.01 1.15
T0-1	Thermal Oxidizer		VOC PM <sub>10</sub> SO <sub>2</sub> NO <sub>x</sub> CO	1.47 0.03 0.01 0.30 0.78	6.45 0.16 0.01 1.30 3.42
BOIL-1	Boiler (7)		$SO_2$ $PM_{10}$ $NO_x$ $CO$ $VOC$	0.02 0.34 2.03 1.53 0.07	0.09 1.49 8.89 6.70 0.31
PHEN-1	Caustic Scrubber for 0.27 orage Tank Nos. RM-12 RM-13, and RM-14		enol	VOC	0.06
22	Glass Mat Resin Stor 0.79	rage	Tank	VOC	0.18
PF	High-Pressure Lamina 0.66	atin	g	VOC	0.15

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission</u>	Rates
<u>*</u> Point No. (1)	Name (2)	Name (3)1b/h	ır	TPY
	Resin Storage Tank			
W-1	Weigh Tank (5)	VOC	0.48	2.15
MEOH-1	Methanol Storage Tan	ık VOC	0.13	0.60
2	Resin Cooldown Tank 0.05	No. 2	VOC	0.01
12	Resin Storage Tank N 0.03	lo. 12	VOC	0.01
33	Resin Storage Tank N 0.01	lo. 33	VOC	0.01
38	Resin Storage Tank N 0.01	lo. 38	VOC	0.01
43	Resin Storage Tank N 0.01	lo. 43	VOC	0.01
RM-15	Precatalyst Tank No. <0.01	RM-15 (6)	VOC	<0.01
S-Silo	Salt Silo Baghouse	$PM_{10}$	0.06	0.26
F-Fugitives	Fugitive Emissions, Formaldehyde Unit	(4) VOC	0.35	1.53
D-Fugitives	Fugitive Emissions, Dowtherm Unit	(4) VOC	0.05	0.20
R-Fugitives	Fugitive Emissions, Resins Unit	(4) VOC	0.08	0.35

Permit No. 4603 Page 3

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission</u>	Rates
Point No. (1)	Name (2)	Name (3)1b/hr		TPY
Diesel Tank	Diesel Tank	VOC	<0.01	<0.01
Truck Loading	Truck Loading	VOC	1.49	6.53
Rail Loading	Railcar Loading	VOC	1.47	6.44
Truck Washing	Truck Washing	VOC (8) Methanol (9)	1.44 24.19	1.00 12.58

#### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in General Rule 101.1

 $PM_{10}$  - particulate matter equal to or less than 10 microns in diameter

SO<sub>2</sub> - sulfur dioxide

 $NO_x$  - total oxides of nitrogen

CO - carbon monoxide

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Will vent to Thermal Oxidizer (EPN TO-1) for control, when the thermal oxidizer is installed.
- (6) Tank No. RM-15 was formerly RM-16.
- (7) The boiler is scheduled for installation in 1998 to replace existing grandfathered boilers. The boiler is listed here for informational purposes only. Construction of the boiler had not yet been authorized at the time that this permit was renewed. It is the responsibility of the permit holder to seek construction authorization under 30 TAC Chapter 116.
- (8) These VOCs from truck washing exclude methanol emissions, which are listed separately.
- (9) Methanol emission rates for this truck washing facility are calculated using worst-case methods and may not be used as rates for compliance purposes. The truck washing facility does not meet the definition of a "qualified facility" under 30 TAC Section 116.10 for methanol emissions.
- \* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day	Days/week	Weeks/year	or Hrs/year
8,760			