

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 19566/PSD-TX-768M1

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
Pretreater No. 3				
27FUG_001	PTR3 Fugitive Emissions (4)	VOC	0.20	0.80
Sulfur Recovery Unit				
32STK_001	SRU2/3 Thermal Oxidizer	CO	28.90	126.60
		H ₂ S	0.75	3.28
		NO _x	13.50	47.30
		PM ₁₀	0.60	2.10
		SO ₂	128.00	560.60
		VOC	0.30	1.20
32VNT_002	SRU2/3 No. 2 Vent (5)	CO	36.80	
		COS	7.70	
		CS ₂	0.80	
		H ₂ S	1.05	
		PM ₁₀	0.10	
		SO ₂	0.10	
32VNT_003	SRU2/3 No. 3 Vent (5)	CO	36.80	
		COS	7.70	
		CS ₂	0.80	
		H ₂ S	1.05	
		PM ₁₀	0.10	
		SO ₂	0.10	
32VNT_002 and 32VNT_003	SRU2/3 No. 2 Vent and SRU2/3 No. 3 Vent (5)	CO		10.68
		COS		1.79
		CS ₂		0.13
		H ₂ S		0.38
		PM ₁₀		0.02
		SO ₂		0.02

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	Emission Rates	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
30VNT_003	SRU1 Sulfur Pit (5)	H ₂ S	0.04	0.01
		SO ₂	1.67	0.28
32VNT_005	SRU2/3 Sulfur Truck Loading (5)	H ₂ S	0.03	<0.01
		SO ₂	1.29	0.11
32FUG_001	SRU 2/3 Fugitive Emissions (4)	H ₂ S	0.31	1.086
		NH ₃	0.02	0.10
		SO ₂	0.028	0.106
		VOC	0.927	4.068
30FUG_001	SRU 1 Fugitive Emissions (4)	H ₂ S	1.71	7.51
		SO ₂	1.79	7.82
Crude Unit B				
05STK_001	Crude B Atm. Heater H-3101 Stack	CO	11.00	40.16
		NO _x	94.32	344.27
		PM ₁₀	4.72	17.50
		SO ₂	22.01	40.16
		VOC	1.10	4.02
05STK_002	Crude B Vacuum Heater H-3102 Stack	CO	2.30	8.20
		NO _x	17.90	62.50
		PM ₁₀	0.80	2.70
		SO ₂	4.00	13.90
		VOC	0.40	1.50
05STK_004	Crude B Heater H-2001 Stack	CO	1.90	6.60
		NO _x	14.40	50.60
		PM ₁₀	0.60	2.20
		SO ₂	3.20	11.20
		VOC	0.40	1.20
05FUG_001	Crude B Fugitive Emissions (4)	VOC	2.44	10.57

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	Emission Rates	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
Hydrocracker				
20STK_001	HDC First Stage West Furnace H-3301 Stack	CO	0.11	0.36
		NO _x	1.36	4.38
		PM ₁₀	0.18	0.59
		SO ₂	0.99	1.53
		VOC	0.09	0.30
20STK_002	HDC First Stage East Furnace H-3302 Stack	CO	0.40	1.60
		NO _x	3.00	12.10
		PM ₁₀	0.13	0.50
		SO ₂	0.73	1.41
		VOC	0.08	0.30
20STK_003	HDC Second Stage Furnace H-3303 Stack	CO	0.40	1.60
		NO _x	3.00	12.10
		PM ₁₀	0.13	0.50
		SO ₂	0.73	1.41
		VOC	0.08	0.30
20STK_004	HDC Stabilizer Reboiler Heater H-3304 Stack	CO	4.61	19.56
		NO _x	11.76	49.93
		PM ₁₀	1.18	4.99
		SO ₂	5.68	11.65
		VOC	0.55	2.33
20STK_005	HDC Splitter Rblr. H-3305 Stack	CO	0.02	0.06
		NO _x	3.75	14.24
		PM ₁₀	0.49	1.85
		SO ₂	2.18	3.99
		VOC	0.20	0.74
20FUG_001	HDC Fugitive Emissions (4)	VOC	0.84	3.72

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	Emission Rates	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
Pretreater No. 4				
28STK_001 (6)	PTR4 Rx Charge Heater B-7001 Stack	CO	1.90	6.60
		NO _x	14.40	50.50
		PM ₁₀	0.60	2.20
		SO ₂	3.20	11.20
		VOC	0.40	1.20
28STK_002 (6)	PTR4 Depen. Reboiler Heater B-7002 Stack	CO	2.30	8.00
		NO _x	17.40	61.00
		PM ₁₀	0.80	2.70
		SO ₂	3.90	13.50
		VOC	0.40	1.50
Reformer No. 4				
28STK_003 (7)(8)	PTR4 Reformer Heater B-7101-4 Stack	CO	13.84	42.91
		NO _x	105.16	326.14
		PM ₁₀	8.76	27.16
		SO ₂	23.35	36.12
		VOC	1.25	4.07
28STK_004 (7)	PTR4 Debut Reboiler B-7201 Stack	CO	0.70	2.30
		NO _x	4.90	17.30
		PM ₁₀	0.20	0.80
		SO ₂	1.10	3.80
		VOC	0.10	0.40
28VNT_001	PTR4 Reactor Regen. Vent	Cl ₂	0.40	1.90
		CO	0.96	4.20
		HCl	0.03	0.10
		PM ₁₀	0.01	0.04
		SO ₂	0.10	0.40

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission * Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
28FUG_001	PTR4 Fugitive Emissions (4)	Cl ₂	0.10	0.44
Coker		VOC	1.01	4.35
04STK_004	Coker Far West Stack	CO	1.80	6.20
		NO _x	13.50	47.30
		PM ₁₀	0.60	2.10
		SO ₂	3.00	10.50
		VOC	0.30	1.20
04FUG_001	Coker Fugitive Emissions (4)	VOC	3.16	13.95
Amine Regeneration Unit				
18FUG_001	DEA3 Fugitive Emissions (4)	H ₂ S	0.20	0.70
Sour Water Stripper Unit		VOC	0.12	0.71
29FUG_001	SWS Fugitive Emissions (4)	H ₂ S	0.01	0.10
		NH ₃	0.01	0.10
		VOC	0.38	1.70
Storage Tanks				
49TFX_0720	OMCC1 Fixed-Roof Tank 720	VOC	7.16	12.03
49TFX_0721	OMCC1 Fixed-Roof Tank 721	VOC	7.16	12.03
49TIF_0782	OMCC1 Int. Floating Roof Tank 782	VOC	2.68	10.61
48TEF_1150	Ethyl Ext. Floating Roof Tank 1150	VOC	4.09	15.14

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission * Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
48TEF_1151	Ethyl Ext. Floating Roof Tank 1151	VOC	4.09	15.11
48TEF_1158	Ethyl Ext. Floating Roof Tank 1158	VOC	2.42	7.86
48TEF_1165	Ethyl Ext. Floating Roof Tank 1165	VOC	2.20	9.16
48TEF_1212	Ethyl Ext. Floating Roof Tank 1212	VOC	2.52	8.56
48TEF_1213	Ethyl Ext. Floating Roof Tank 1213	VOC	2.44	8.24
49TEF_1215	OMCC1 Ext. Floating Roof Tank 1215	VOC	3.01	12.94
48TEF_1251	Ethyl Ext. Floating Roof Tank 1251	VOC	2.67	8.30
44TEF_1300	OMCC1 Ext. Floating Roof Tank 1300	VOC	2.67	8.48
49TEF_1314	OMCC1 Ext. Floating Roof Tank 1314	VOC	2.20	9.11
49TEF_1320	OMCC1 Ext. Floating Roof Tank 1320	VOC	2.93	9.38
48TEF_1324	Ethyl Ext. Floating Roof Tank 1324	VOC	2.86	10.78

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission * Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
48TEF_1325	Ethyl Ext. Floating Roof Tank 1325	VOC	1.76	7.37
48TEF_1329	Ethyl Ext. Floating Roof Tank 1329	VOC	3.46	9.73
19TEF_1332	Dualayer Ext. Floating Roof Tank 1332	VOC	1.31	7.32
48TEF_1334	Ethyl Ext. Floating Roof Tank 1334	VOC	2.44	7.73
49TEF_1335	OMCC1 Ext. Floating Roof Tank 1335	VOC	2.37	9.07
48TEF_1338	Ethyl Ext. Floating Roof Tank 1338	VOC	2.43	7.73
48TEF_1350	Ethyl Ext. Floating Roof Tank 1350	VOC	2.50	7.65
48TEF_1361	Ethyl Ext. Floating Roof Tank 1361	VOC	1.09	4.78
48TEF_1362	Ethyl Ext. Floating Roof Tank 1362	VOC	3.45	13.93
48TEF_1389	Ethyl Ext. Floating Roof Tank 1389	VOC	3.24	11.72
48TEF_1390	Ethyl Ext. Floating Roof Tank 1390	VOC	3.14	11.28
50TEF_2119	OMCC2 Ext. Floating Roof	VOC	4.54	6.91

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission * Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
	Tank 2119			
50TEF_2202	OMCC2 Ext. Floating Roof Tank 2202	VOC	1.65	5.03
50TEF_2209	OMCC2 Ext. Floating Roof Tank 2209	VOC	3.60	5.49
50TEF_2210	OMCC2 Ext. Floating Roof Tank 2210	VOC	3.63	6.52
50TEF_2212	OMCC2 Ext. Floating Roof Tank 2212	VOC	3.63	5.61
50TEF_2213	OMCC2 Ext. Floating Roof Tank 2213	VOC	3.60	5.94
50TEF_2221	OMCC2 Ext. Floating Roof Tank 2221	VOC	2.20	8.61
50TEF_2223	OMCC2 Ext. Floating Roof Tank 2223	VOC	1.82	7.97
50TEF_2225	OMCC2 Ext. Floating Roof Tank 2225	VOC	3.17	5.00
49TEF_1377	OMCC1 Ext. Floating Roof Tank 1377	VOC	1.17	3.71
49TEF_1378	OMCC1 Ext. Floating Roof Tank 1378	VOC	1.15	3.63

Fluid Catalytic Cracking Unit

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES
EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission * Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
06STK_001	FCC CO Boiler	CO	457.00	2000.00
		NO _x	984.00	2650.00
		PM ₁₀	155.00	675.00
		SO ₂	4610.00	12833.75
		VOC	1.74	7.60
20CTL_005	Cooling Tower No. 5	VOC	1.51	6.62
<u>Petroleum Coke Handling Facility</u>				
04FUG002	Coke Pit (9)	PM ₁₀	0.20	0.11
		PM	0.42	0.22
04FUG003	Stockpile (9)	PM ₁₀	1.07	0.26
		PM	2.27	0.54
04FUG004	Conveyor System 1 (9)	PM ₁₀	0.81	0.07
		PM	1.71	0.15
04FUG005	Conveyor System 2 (9)	PM ₁₀	0.94	0.08
		PM	1.98	0.17

- (1) Emission point identification - either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1
 - CO - carbon monoxide
 - H₂S - hydrogen sulfide
 - NO_x - total oxides of nitrogen
 - PM - particulate matter, suspended in the atmosphere, including PM₁₀
 - PM₁₀ - particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted
 - SO₂ - sulfur dioxide

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

COS - carbonyl sulfide
CS₂ - carbon disulfide
Cl₂ - chlorine
HCl - hydrogen chloride
NH₃ - ammonia

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
 - (5) The TPY rate is based on operating 336 hours/year (rolling annual basis) with the stack burner/thermal oxidizer down.
 - (6) Heaters B-7001 and B-7002 share a common stack.
 - (7) Heaters B-7101-4 and B-7201 share a common stack.
 - (8) Fuel for the Heaters 20STK_001, 20STK_002, 20STK_003, 20STK_004, 20STK_005, and 28STK_003, shall be (1) sweet natural gas or (2) refinery fuel gas which contains not more than 150 ppm(v) of H₂S averaged over any one-hour period and not more than 75 ppm(v) of H₂S averaged over any 12-consecutive month period. Fuel for all other sources shall be (1) sweet natural gas or (2) refinery fuel gas which contains not more than 150 ppm(v) of H₂S averaged over any one-hour period.
 - (9) The PM emissions include PM₁₀ emissions. PM and TSP are considered interchangeable.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day____ Days/week____ Weeks/year____ or Hrs/year 8,760

Dated _____