## Permit Number 56473

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

| Emission Point<br>No. (1) | Source Name (2)                 | Air Contaminant Name (3) | Emission Rates |         |
|---------------------------|---------------------------------|--------------------------|----------------|---------|
| NO. (1)                   |                                 |                          | lbs/hour       | TPY (4) |
| 116S-B101                 | Steam Boiler 101<br>Natural Gas | СО                       | 12.38          | 54.21   |
|                           |                                 | NO <sub>x</sub>          | 7.80           | 34.16   |
|                           |                                 | PM <sub>10</sub>         | 0.97           | 4.24    |
|                           |                                 | SO <sub>2</sub>          | 0.08           | 0.33    |
|                           |                                 | VOC                      | 0.70           | 3.07    |
|                           |                                 | VOC (12)                 | 2.83           | 4.07    |
|                           | Natural Gas/Liquid Fuel Mix     | СО                       | 12.38          | 54.21   |
|                           |                                 | NO <sub>x</sub>          | 20.80          | 40.01   |
|                           |                                 | PM <sub>10</sub>         | 2.87           | 5.90    |
|                           |                                 | SO <sub>2</sub>          | 5.21           | 4.81    |
|                           |                                 | VOC                      | 0.59           | 2.97    |
|                           |                                 | VOC(13)                  | 2.72           | 3.97    |
| 116S-B102                 | Steam Boiler 102<br>Natural Gas | СО                       | 12.38          | 54.21   |
|                           |                                 | NO <sub>x</sub>          | 7.80           | 34.16   |
|                           |                                 | PM <sub>10</sub>         | 0.97           | 4.24    |
|                           |                                 | SO <sub>2</sub>          | 0.08           | 0.33    |
|                           |                                 | VOC                      | 0.70           | 3.07    |
|                           |                                 | VOC(12)                  | 2.83           | 4.07    |
|                           | Natural Gas/Liquid<br>Fuel Mix  | СО                       | 12.38          | 54.21   |
|                           |                                 | NO <sub>x</sub>          | 20.80          | 40.01   |
|                           |                                 | PM <sub>10</sub>         | 2.87           | 5.90    |
|                           |                                 | SO <sub>2</sub>          | 5.21           | 4.81    |
|                           |                                 | VOC                      | 0.59           | 2.97    |
|                           |                                 | VOC(13)                  | 2.72           | 3.97    |

Project Number: 269438

| 116S-B103 | Steam Boiler 103   | СО               | 12.38 | 54.21 |
|-----------|--------------------|------------------|-------|-------|
|           | Natural Gas        | NO <sub>x</sub>  | 7.80  | 34.16 |
|           |                    | PM <sub>10</sub> | 0.97  | 4.24  |
|           |                    | SO <sub>2</sub>  | 0.08  | 0.33  |
|           |                    | VOC              | 0.70  | 3.07  |
|           |                    | VOC(12)          | 2.83  | 4.07  |
|           | Natural Gas/Liquid | СО               | 12.38 | 54.21 |
|           | Fuel Mix           | NO <sub>x</sub>  | 7.80  | 34.16 |
|           |                    | PM <sub>10</sub> | 2.87  | 5.90  |
|           |                    | SO <sub>2</sub>  | 5.76  | 5.28  |
|           |                    | VOC              | 0.59  | 2.97  |
|           |                    | VOC(13)          | 2.72  | 3.97  |
| 116S-B104 | Steam Boiler 104   | СО               | 12.38 | 54.21 |
|           | Natural Gas        | NO <sub>x</sub>  | 7.80  | 34.16 |
|           |                    | PM <sub>10</sub> | 0.97  | 4.24  |
|           |                    | SO <sub>2</sub>  | 0.08  | 0.33  |
|           |                    | VOC              | 0.70  | 3.07  |
|           |                    | VOC(12)          | 2.83  | 4.07  |
|           | Natural Gas/Liquid | СО               | 12.38 | 54.21 |
|           | Fuel Mix           | NO <sub>x</sub>  | 20.8  | 40.01 |
|           |                    | PM <sub>10</sub> | 2.87  | 5.9   |
|           |                    | SO <sub>2</sub>  | 5.21  | 4.81  |
|           |                    | VOC              | 0.59  | 2.97  |
|           |                    | VOC(13)          | 2.72  | 3.97  |

| 116S-B105 | Steam Boiler 105 | со              | 12.38 | 54.21 |
|-----------|------------------|-----------------|-------|-------|
|           | Natural Gas      | NO <sub>x</sub> | 7.80  |       |

PM<sub>10</sub>

0.97

4.24

|                 |   | 10                  | 0.0.           |       |
|-----------------|---|---------------------|----------------|-------|
|                 |   | SO <sub>2</sub>     | 0.08           | 0.33  |
|                 |   | VOC                 | 0.70           | 3.07  |
|                 |   | VOC(12)             | 2.83           | 4.07  |
|                 | Natural Gas/Liquid<br>Fuel Mix                          | СО                  | 12.38          | 54.21 |
|                 |   | NOx                 | 7.80           | 34.16 |
|                 |   | PM <sub>10</sub>    | 2.87           | 5.90  |
|                 |   | SO <sub>2</sub>     | 5.21           | 4.81  |
|                 |   | VOC                 | 0.59           | 2.97  |
|                 |   | VOC(13)             | 2.72           | 3.97  |
| 116S-B106       | Steam Boiler 106  | СО                  | 19.53          | 85.52 |
|                 | Natural Gas   | NOx                 | 15.84          | 69.38 |
|                 |   | PM <sub>10</sub>    | 2.01           | 8.79  |
|                 |   | SO <sub>2</sub>     | 0.16           | 0.69  |
|                 |   | VOC                 | 1.45           | 6.36  |
|                 |   | VOC(12)             | 3.58           | 7.36  |
| 130WF           | Maintenance Emissions (336 hours per rolling 12 months) | VOC (6)             | 8.13           | 0.63  |
| 116F            | 830 Refrigeration Process Fugitives (5)                 | VOC                 | 1.45           | 6.33  |
| 116F-BH         | 830 Boiler House Process Fugitives (5)                  | VOC                 | 0.67           | 2.93  |
| Planned Mainter | nance, Startup, and Shutdown (MSS) Emissio              | ns                  | <u>'</u>       |       |
| 130FL-Q501      | Utilities Flare (7)<br>MSS Activities                   | VOC (8)             | 61.23          | 21.34 |
|                 |   | CO (8)              | 20.35          | 7.08  |
|                 |   | NO <sub>x</sub> (8) | 4.03           | 1.40  |
| 280FL-Q504      | Budene Flare (9) MSS Activities                         | VOC (8)             | 37.01          | 10.29 |
|                 |   | CO (8)              | 15.13          | 3.95  |
|                 |   | NO <sub>x</sub> (8) | 2.76           | 0.77  |
| 850FL-Q504      | 850 Flare (10)<br>Startup Operations                    | VOC                 | 53.99          | 7.77  |
|                 |   | СО                  | 21.35          | 3.07  |
|                 |   | NOx                 | 2.96           | 0.43  |
| 850FL-Q504      | 850 Flare (10)<br>MSS Activities other<br>than Startup  | VOC (11) CO (11)    | 53.99<br>21.35 | 13.92 |
|                 |   | NOx (11)            | 2.96           | 0.77  |
| PLT-MSS         | Uncontrolled Emissions from All Other Planned           |                     | 53.09          | 4.59  |
|                 |   | PM <sub>10</sub>    | 0.01           | 0.01  |

PM<sub>10</sub>

Project Number: 269438

|           | MSS Activities                  | PM <sub>2.5</sub> | 0.01  | 0.01 |
|-----------|---------------------------------|-------------------|-------|------|
| 116S-B101 | Steam Boiler 101 MSS activities | со                | 24.76 | (8)  |
| 116S-B102 | Steam Boiler 102 MSS activities | со                | 24.76 | (8)  |
| 116S-B103 | Steam Boiler 103 MSS activities | со                | 24.76 | (8)  |
| 116S-B104 | Steam Boiler 104 MSS activities | со                | 24.76 | (8)  |
| 116S-B105 | Steam Boiler 105 MSS activities | со                | 24.76 | (8)  |

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) CO carbon monoxide HCl - hydrochloric acid

NO<sub>x</sub> - total oxides of nitrogen

PM - total particulate matter, suspended in the atmosphere, including  $PM_{10}$  and  $PM_{2.5}$ , as

represented

PM<sub>10</sub> - total particulate matter equal to or less than 10 microns in diameter, including PM<sub>2.5</sub>, as represented

PM<sub>2.5</sub> - particulate matter equal to or less than 2.5 microns in diameter

SO<sub>2</sub> - sulfur dioxide

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

- 4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) Emissions are only from process wastewater stream 1D-303.
- (7) Routine emissions of the Utilities Flare are authorized under Permit Number 22110.
- (8) Annual MSS emissions are already included in the total caps of normal operations.
- (9) Routine emissions of the Budene Flare are authorized under Permit Number 124670.
- (10) Routine emissions of the 850 Flare are authorized under Permit Number 124670.
- (11) Annual non-startup MSS emissions are already included in the total caps of normal operations.
- (12) VOC emission when Regeneration Gas is added to Natural Gas.
- (13) VOC emission when Regeneration Gas is added to Natural Gas/Liquid Fuel Mix.

| Date: | June 27. 2017  |
|-------|----------------|
| Dale. | JUHE Z L. ZULL |