EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Flexible Permit Number 71623 and PAL 4

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

| Emission Point No. (1) | Source Name (2) | Air Contaminant Name (3) | Emission | Rates |
|--|--|--------------------------|----------|---------|
| (1) | | | lbs/hour | TPY (4) |
| 38-1, 38-2, 38-3, 38-4, 38-5, 38-6, 38-7, 38-8, | | voc | 32.50 | 142.00 |
| and 38-9 | No. 2, Coating Station Enclosure, | NO _x | 0.30 | 1.31 |
| | Web Cleaner, Max Mixing Cart | со | 0.24 | 1.10 |
| | Winxing Cart | РМ | 0.024 | 0.10 |
| | | SO ₂ | 0.002 | 0.01 |
| 20-3 | Printer/Coater Print Station, Coating | voc | 1.50 | 6.60 |
| | Station, UV Cure Oven | Ozone | 0.01 | 0.04 |
| | Oven | Ammonia | 0.06 | 0.26 |
| 20-4 | Printer/Coater Surface Treater Nos. 1,2, and 3 | Ozone | 0.03 | 0.13 |
| 20-5 | Flexographic Laminator | voc | 1.50 | 6.60 |
| | Lammator | Ammonia | 0.06 | 0.26 |
| 28-1A | Lamination/Extrusion Line A | voc | 0.30 | 1.31 |
| 28-3A | Lamination/Extrusion Line A | voc | 0.30 | 1.31 |
| 28-4A1a, 28-4A2a, 28- 4A3a, 28-4A4a, 28-5A | _ | NO _x | 0.15 | 0.65 |
| 17 toa, 25 17 tra, 25 57 t | Extrusion Preheater | со | 0.03 | 0.14 |
| | | РМ | 0.004 | 0.02 |
| | | SO ₂ | 0.001 | 0.006 |
| 28-12 | Lamination/Extrusion Line A Pyrolysis Oven | voc | 0.07 | 0.31 |
| 37-01 | Screen Printer | VOC | 9.20 | 40.00 |

Project Number: 163665

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

| | Station No. 1 | | | |
|---|--|---------------------|--------|-------|
| 37-02 | Screen Printer Station No. 2 | voc | 9.20 | 40.00 |
| 37-04 | Press and Dryer Make Ready Room | voc | 1.50 | 6.60 |
| 37-05 | Press and Dryer Corona Treater | Ozone | 0.01 | 0.04 |
| 37-06 | Press and Dryer Web Preconditioner | NO _x | 0.04 | 0.16 |
| | and Web Conditioner | со | 0.01 | 0.03 |
| | Conditioner | РМ | 0.001 | 0.001 |
| | | SO ₂ | 0.001 | 0.001 |
| TO-1 | Regenerative Thermal Oxidizer | VOC (6) | 440.00 | |
| | | NO _x | 16.50 | 63.18 |
| | Natural Gas Fired Dryers (5) | со | 22.61 | 99.03 |
| | Diyers (5) | РМ | 1.15 | 5.13 |
| | | SO ₂ | 0.08 | 0.16 |
| | 10 New Coating Lines and Natural | VOC (6) | 700.00 | |
| | Gas Fired Dryers | NO _x (7) | 14.00 | |
| | | CO(7) | 12.00 | |
| | | PM(7) | 1.10 | |
| | | SO ₂ (7) | 0.01 | 0.01 |
| 14-2, 3-34-3-57-3-58, 3-1, 3-2, 3-10, 14-2, | Mix and Mill Kettles, Roll Mills, Mixers, | voc | 21.00 | 45.00 |
| 14-3, 3-LMS | Pony Mixers, Sand Mills, and Wash Vats | РМ | 10.00 | 5.00 |
| 14-2, 3-34-3-57-3-58, 3-1, 3-2, 3-10, 14-2, | 10 New Vessels in Mix and Mill | voc | 100.00 | |
| 14-3, 3-LMS, 3- RMWVS, 3-SMV | IVIIA GITO IVIIII | РМ | 25.00 | 12.5 |
| ST-5 | MEK Storage Tank | voc | 48.00 | 0.75 |
| Chrome - 01 | Chromium Plating and Anodizing | Cr | 0.001 | 0.001 |

Project Number: 163665

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

| All EPNs | All Sources at the Site | voc | 999.00 |
|----------|------------------------------------|-----|------------|
| | All Sources Covered by this Permit | NOx | 65.30 |
| | | СО | 111.00 |
| | | РМ | 30.00 |

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) Exempt Solvent Those carbon compounds or mixtures of carbon compounds used as solvents which have been excluded from the definition of volatile organic compound.

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

PM - total particulate matter, suspended in the atmosphere, including PM_{10} and $PM_{2.5}$, as

represented

PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as

represented

PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter

CO - carbon monoxide

- hazardous air pollutant as listed in § 112(b) of the Federal Clean Air Act or Title 40

Code of Federal Regulations Part 63, Subpart C

Cr Total chromium

- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Sources routed to EPN TO-1 include the presses and dryers for Maker Nos. 31, 32, 33, 34, 35, 36 and Egan and LPP presses.
- (6) Annual site-wide VOC emissions shall not exceed 999.00 tpy. Total annual emissions from emission sources that do not have a specific annual emission limit shall not cause the site-wide VOC emissions limit to be exceeded.
- (7) Annual emissions from sources covered by this permit shall not cause the permit cap of 65.30 tpy of NO_x 111.00 tpy of CO, and 30.00 tpy of PM to be exceeded. Total annual emissions from emission sources that do not have a specific annual limit shall not cause the total permit emission limits to be exceeded.

| Date: |
|-------|
| |