

Emission Sources - Maximum Allowable Emission Rates

Permit Number 39280

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lbs/hour	TPY (4)
1A through 1D	Sole Painting	VOC	2.91	2.38
		ES	0.48	0.39
		PM	<0.01	<0.01
2A through 2D, 3A and 3B	Sole Cementing & Curing	VOC	1.62	0.66
		ES	2.15	0.88
4	Lasting	VOC	1.58	1.29
		ES	0.90	0.74
6A through 6C	Shoe Bottom Prime and Cementing	VOC	4.71	3.85
		ES	20.76	15.45
7A through 7D	Touch-up and Topcoat	VOC	1.58	1.29
		ES	1.42	1.16
		NH ₃	0.11	0.09
		PM	<0.01	<0.01
8	Liner and Pad Cementing	VOC	4.14	3.38
		ES	0.95	0.77

Emission Sources - Maximum Allowable Emission Rates

		NH ₃	0.33	0.27
10	Insole Cork and Poron Cementing	VOC	1.66	1.61
		ES	0.07	0.06
11	Liner and Pad Cementing	VOC	1.69	1.38
		ES	0.18	0.15
13	Wedge Cementing	VOC	0.34	0.07
		ES	0.78	0.16
14	Sole and Shoe Roughing	PM	0.09	0.09
All (Site-wide)	Various	Single HAP		<10.00 (5)
		All HAPs		<25.00 (5)

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) Exempt Solvent - Those carbon compounds or mixtures of carbon compounds used as solvents which have been excluded from the definition of volatile organic compound.
- VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- NH₃ - ammonia
- PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented
- PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as represented
- PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
- HAP - hazardous air pollutant as listed in § 112(b) of the Federal Clean Air Act or Title 40 Code of Federal Regulations Part 63, Subpart C
- (4) Compliance with annual emission limits (tons per year) is based on a 12-month rolling period.

Emission Sources - Maximum Allowable Emission Rates

(5) These HAP limits are being included so that a Title V permit is not required; however, due to the EPA's "once-in always-in" policy, the requirements of Section 112(g) of the Federal Clean Air Act remain applicable.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

12 Hrs/day 6 Days/week 52 Weeks/year or 3,744 Hrs/year

Date: February 21, 2012