EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 3186

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	Emissio	n Rates
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
094	A-613 Flare (7)	VOC HC1 H ₂ S NO _x SO ₂ CO Ammonia	12.87 0.43 0.02 1.12 1.87 8.10 0.003	13.12 0.49 0.03 1.92 2.83 7.82 0.001
326	WC241 Scrubber	VOC H₂S	0.71 0.08	2.53 0.29
074	C-208 Scrubber	S_2C1_2	0.11	0.03
154	T-121 Tank	VOC	0.02	0.09
155	T-122 Tank	VOC	0.01	0.05
192	C-183 Scrubber	VOC H₂S	2.63 0.01	2.71 0.04
050	T-411 Tank	VOC	0.024	0.10
046	T-441 Tank	VOC	0.48	0.80
052	T-415 Tank	VOC	0.02	0.10
061	T-425 Tank	VOC	0.03	0.15

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emissior</u>	n Rates
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
062	T-426 Tank	VOC	0.03	0.15
063	T-427 Tank	VOC	0.03	0.15
064	T-428 Tank	VOC	0.03	0.15
049	T-410 Tank	VOC Ammonia	0.34 0.27	1.29 0.21
051	T-414 Tank	VOC Ammonia	0.33 0.27	1.09 0.21
053	T-416 Tank	VOC Ammonia	0.33 0.27	1.09 0.21
054	T-417 Tank	VOC Ammonia	0.33 0.27	1.28 0.21
196	V-102 Vessel	VOC	0.006	0.005
168	V-157 Vessel	VOC	0.072	0.009
273	T-609 Tank	Peroxide	0.146	0.004
130	T-430 Tank	VOC	1.28	0.81
275	T-149 Tank	VOC	0.03	0.03
137	T-130 Tank	VOC	<0.001	<0.001
F-1	Fugitives (4)	VOC	1.23	5.52
F-2	Fugitives (4)	VOC	0.71	3.71
F-3	Fugitives (4)	VOC $HC1$ H_2S S_2C1_2	2.72 0.56 0.064 0.048	12.98 2.77 0.084 0.203

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission <u>*</u>	Source	Air Contaminant	<u>Emissior</u>	n Rates
Point No. (1)	Name (2)	Name (3)	1b/hr	TPY
		Ammonia Peroxide	0.043 0.002	0.021 0.002
F-9	Fugitives (4) Peroxide	VOC 0.27	0.33 0.19	1.45

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in General Rule 101.1
 - HCl hydrogen chloride
 - H₂S hydrogen sulfide
 - S_2Cl_2 sulfur monochloride
 - NO_x total oxides of nitrogen
 - SO₂ sulfur dioxide
 - CO carbon monoxide
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Maximum lb/hr emission from any product produced.
- (6) Total annual emissions in tons per year from all products produced.
- (7) Emission rates are those attributed to the SIB unit sources and do not include emissions attributed to other sources on-site.

*	Emission following							facil ⁻	ities	are	limited	by	the
	Hrs/day	Day	ys/we	ek	We	eks/y	ear_	(or Hrs	/yeaı	c <u>8,760</u>		

Permit	No.	3186
Page 3		

EMISSION	SOURCES	_	MAXTMIM	ALLOWABLE	EMISSION	RATES
CIJITO DITOIN	JUUNCEJ		I.IVVXTI.IOI.I	ALLUWADLL	LIJTOJION	$1 \times 7 \times 2$

|--|