Permit No. 1078

Attachment A.1

These attachments (A.1 and A.2) list the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Emission Point No. (1)	Source Name (2)	Contaminant Name (3)	Short-Term Emission Rates * Pounds per
<u>hour</u>		-	
ST 1-1	Tank 1-1	VOC	40.04
ST 1-2	Tank 1-2	VOC	40.04
ST 4-1	Tank 4-1	VOC	40.04
ST 8-1	Tank 8-1	VOC	40.04
ST 12-1	Tank 12-1	VOC	100.11
ST 12-2	Tank 12-2	VOC	100.11
ST 12-3	Tank 12-3	VOC	100.11
ST 12-4	Tank 12-4	VOC	100.11
ST 12-5	Tank 12-5	VOC	100.11
ST 12-6	Tank 12-6	VOC	100.11
ST 12-7	Tank 12-7	VOC	100.11
ST 12-8	Tank 12-8	VOC	100.11
ST 12-9	Tank 12-9	VOC	100.11

Term			Short-
Emission	Source	Contaminant	Emission Rates *
Point No. (1)	Name (2)	Name (3)	Pounds per
hour			
ST 12-10	Tank 12-10	VOC	100.11
ST 12-11	Tank 12-11	VOC	100.11
ST 12-12	Tank 12-12	VOC	100.11
ST 12-13	Tank 12-13	VOC	100.11
ST 12-14	Tank 12-14	VOC	100.11
ST 12-15	Tank 12-15	VOC	100.11
ST 12-16	Tank 12-16	VOC	100.11
ST 12-17	Tank 12-17	VOC	100.11
ST 12-18	Tank 12-18	VOC	100.11
ST 12-19	Tank 12-19	VOC	100.11
ST 12-20	Tank 12-20	VOC	100.11
ST 12-21	Tank 12-21	VOC	100.11
ST 12-22	Tank 12-22	VOC	100.11
ST 12-23	Tank 12-23	VOC	100.11
ST 12-24	Tank 12-24	VOC	100.11
ST 12-25	Tank 12-25	VOC	100.11

AIR CONTAMINANTS DATA**

Term			Snort-
Emission Point No. (1)	Source Name (2)	Contaminant Name (3)	Emission Rates * Pounds per
<u>hour</u>			
ST 12-26	Tank 12-26	VOC	100.11
ST 12-27	Tank 12-27	VOC	100.11
ST 12-28	Tank 12-28	VOC	100.11
ST 12-29	Tank 12-29	VOC	100.11
ST 12-30	Tank 12-30	VOC	100.11
ST 12-31	Tank 12-31	VOC	100.11
ST 12-32	Tank 12-32	VOC	100.11
ST 12-33	Tank 12-33	VOC	100.11
ST 12-34	Tank 12-34	VOC	100.11
ST 12-35	Tank 12-35	VOC	100.11
ST 12-36	Tank 12-36	VOC	100.11
ST 12-37	Tank 12-37	VOC	100.11
ST 12-38	Tank 12-38	VOC	100.11
ST 12-39	Tank 12-39	VOC	100.11
ST 12-40	Tank 12-40	VOC	100.11
ST 12-41	Tank 12-41	VOC	100.11
ST 12-42	Tank 12-42	VOC	100.11

Term			Short-
Emission	Source	Contaminant	Emission Rates *
Point No. (1)	Name (2)	Name (3)	Pounds per
<u>hour</u>			
ST 12-43	Tank 12-43	VOC	100.11
ST 12-44	Tank 12-44	VOC	100.11
ST 12-45	Tank 12-45	VOC	100.11
ST 12-46	Tank 12-46	VOC	100.11
ST 12-47	Tank 12-47	VOC	100.11
ST 12-48	Tank 12-48	VOC	100.11
ST 12-49	Tank 12-49	VOC	100.11
ST 12-50	Tank 12-50	VOC	100.11
ST 12-51	Tank 12-51	VOC	100.11
ST 12-52	Tank 12-52	VOC	100.11
ST 12-53	Tank 12-53	VOC	100.11
ST 25-5	Tank 25-5	Acrylic Acid	22.5
ST 25-6	Tank 25-6	Acrylic Acid	22.5
ST 30-1	Tank 30-1	VOC	100.11
ST 30-2	Tank 30-2	VOC	100.11
ST 30-3	Tank 30-3	VOC	100.11

AIR CONTAMINANTS DATA**

Tanm			31.01 2
Term Emission Point No. (1)	Source Name (2)	Contaminant Name (3)	Emission Rates * Pounds per
<u>hour</u>			
ST 30-4	Tank 30-4	VOC	100.11
ST 30-5	Tank 30-5	VOC	100.11
ST 30-6	Tank 30-6	VOC	100.11
ST 30-7	Tank 30-7	VOC	100.11
ST 30-8	Tank 30-8	VOC	100.11
ST 33-1	Tank 33-1	VOC	100.11
ST 33-2	Tank 33-2	VOC	100.11
ST 35-4	Tank 35-4	VOC	100.11
ST 35-5	Tank 35-5	VOC	100.11
ST 35-6	Tank 35-6	VOC	100.11
ST 35-7	Tank 35-7	VOC	100.11
ST 35-8	Tank 35-8	VOC	100.11
ST 35-9	Tank 35-9	VOC	100.11
ST 35-10	Tank 35-10	VOC	100.11
ST 35-11	Tank 35-11	VOC	100.11
ST 35-12	Tank 35-12	VOC	100.11
ST 35-13	Tank 35-13	VOC	100.11

Term			Short-
Emission	Source	Contaminant	Emission Rates *
Point No. (1)	Name (2)	Name (3)	Pounds per
hour			
ST 35-14	Tank 35-14	VOC	100.11
ST 35-15	Tank 35-15	VOC	100.11
ST 36-1	Tank 36-1	VOC	100.11
ST 36-2	Tank 36-2	VOC	100.11
ST 36-3	Tank 36-3	VOC	100.11
ST 36-4	Tank 36-4	VOC	100.11
ST 36-5	Tank 36-5	VOC	100.11
ST 50-1	Tank 50-1	VOC	100.11
ST 80-1	Tank 80-1	VOC	280.3
ST 80-2	Tank 80-2	VOC	280.3
ST 80-3	Tank 80-3	VOC	280.3
ST 80-4	Tank 80-4	VOC	280.3
ST 80-5	Tank 80-5	VOC	280.3
ST 80-6	Tank 80-6	VOC	280.3
ST 80-7	Tank 80-7	VOC	280.3
ST 80-8	Tank 80-8	VOC	280.3

AIR CONTAMINANTS DATA**

Term			31101 C-
Emission Point No. (1)	Source Name (2)	Contaminant Name (3)	Emission Rates * Pounds per
<u>hour</u>			
ST 80-9	Tank 80-9	VOC	280.3
ST 80-10	Tank 80-10	VOC	280.3
ST 80-11	Tank 80-11	VOC	280.3
ST 80-12	Tank 80-12	VOC	280.3
ST 80-13	Tank 80-13	VOC	280.3
ST 80-14	Tank 80-14	VOC	280.3
ST 80-15	Tank 80-15	VOC	280.3
ST 80-16	Tank 80-16	VOC	280.3
ST 80-17	Tank 80-17	VOC	280.3
ST 80-18	Tank 80-18	VOC	280.3
ST 80-19	Tank 80-19	VOC	280.3
ST 80-20	Tank 80-20	VOC	280.3
ST 80-21	Tank 80-21	VOC	280.3
ST 80-22	Tank 80-22	VOC	280.3
ST 80-23	Tank 80-23	VOC	280.3
ST 80-24	Tank 80-24	VOC	280.3
ST 80-25	Tank 80-25	VOC	280.3

Term			Short-
Emission	Source	Contaminant	Emission Rates *
Point No. (1)	Name (2)	Name (3)	Pounds per
<u>hour</u>			
ST 80-26	Tank 80-26	VOC	280.3
ST 80-27	Tank 80-27	VOC	280.3
ST 80-28	Tank 80-28	VOC	280.3
ST 80-29	Tank 80-29	VOC	280.3
ST 80-30	Tank 80-30	VOC	280.3
ST 80-31	Tank 80-31	VOC	280.3
ST 80-32	Tank 80-32	VOC	280.3
ST 80-33	Tank 80-33	VOC	280.3
ST 80-34	Tank 80-34	VOC	280.3
ST 80-35	Tank 80-35	VOC	280.3
ST 80-36	Tank 80-36	VOC	280.3
ST 80-37	Tank 80-37	VOC	280.3
ST 80-38	Tank 80-38	VOC	280.3
ST 100-1**	Tank 100-1	VOC	2.36
ST 100-2**	Tank 100-2	VOC	2.36
ST 100-3**	Tank 100-3	VOC	2.36

AIR CONTAMINANTS DATA**

Torm			Short
Term Emission Point No. (1)	Source Name (2)	Contaminant Name (3)	Emission Rates * Pounds per
<u>hour</u>			
ST 100-4**	Tank 100-4	VOC	2.36
ST 100-5**	Tank 100-5	VOC	2.36
ST 100-6**	Tank 100-6	VOC	2.36
ST 100-7**	Tank 100-7	VOC	2.05
ST 100-8**	Tank 100-8	VOC	2.05
ST 100-9**	Tank 100-9	VOC	2.05
ST 100-10**	Tank 100-10	VOC	2.05
ST 100-11**	Tank 100-11	VOC	1.61
ST 100-12**	Tank 100-12	VOC	1.61
ST 100-13**	Tank 100-13	VOC	1.61
ST 100-14**	Tank 100-14	VOC	1.61
ST 100-15**	Tank 100-15	VOC	1.61
ST 100-16**	Tank 100-16	VOC	1.61
ST 160-1	Tank 160-1	VOC	280.3
ST 160-2	Tank 160-2	VOC	280.3
ST 160-3	Tank 160-3	VOC	280.3
ST 160-4	Tank 160-4	VOC	280.3

Term			Short-
Emission Point No. (1)	Source	Contaminant	Emission Rates *
	Name (2)	Name (3)	Pounds per
<u>hour</u>			
ST 160-5	Tank 160-5	VOC	280.3
ST 160-6	Tank 160-6	VOC	280.3
TRK-A1	Track A1	VOC	264.6
	(14 Car Spots)	(18.9 lb/hr/	car spot)
TRK-A2	Track A2	VOC	264.6
	(14 Car Spots)	(18.9 lb/hr/	car spot)
TRK-B1	Track B1	VOC	264.6
	(14 Car Spots)	(18.9 lb/hr/	car spot)
TRK-B2	Track B2	VOC	264.6
	(14 Car Spots)	(18.9 lb/hr/	car spot)
TRK-B3	Track B3	VOC	189.0
	(10 Car Spots)	(18.9 lb/hr/	car spot)
TRK-C1	Track C1	VOC	151.2
	(8 Car Spots)	(18.9 lb/hr/	car spot)
TRK-C2	Track C2	VOC	151.2
	(8 Car Spots)	(18.9 lb/hr/	car spot)
TRK-D	Track D	VOC	170.4
	(9 Car Spots)	(18.9 lb/hr/	car spot)
TRK-E	Track E	VOC	170.4
	(9 Car Spots)	(18.9 lb/hr/	car spot)
TRK-F1	Track F1	VOC	113.4

_		Short-
Term Emission Point No. (1)	Source Name (2)	Contaminant Emission Rates * Name (3) Pounds per
hour	Name (2)	Hame (3) Founds per
	(6 Car Spots)	(18.9 lb/hr/car spot)
TRK-F2	Track F2 (6 Car Spots)	VOC 113.4 (18.9 lb/hr/car spot)
TRK-F3	Track F3 (6 Car Spots)	VOC 113.4 (18.9 lb/hr/car spot)
TRK-G1	Track G1 (10 Car Spots)	VOC 189.0 (18.9 lb/hr/car spot)
TRK-G2	Track G2 (10 Car Spots)	VOC 189.0 (18.9 lb/hr/car spot)
TRK-H1	Track H1 (5 Car Spots)	VOC 37.8 (4) (18.9 lb/hr/car spot max)
TRK-H2	Track H2 (5 Car Spots)	VOC 37.8 (4) (18.9 lb/hr/car spot max)
TRK-H3	Track H3 (5 Car Spots)	VOC 37.8 (4) (18.9 lb/hr/car spot max)
TRK-H4	Track H4 (5 Car Spots)	VOC 37.8 (4) (18.9 lb/hr/car spot max)
LUB RACK	Lubrizol R-Rack (3 Truck Spots)	VOC 56.8 (18.9 lb/hr/truck spot)
1ST 12s TR RACK	First 12s Truck Rack (12 Truck Spots)	VOC 227.2 (18.9 lb/hr/truck spot)

AIR CONTAMINANTS DATA**

T			31101 L-
Term Emission Point No. (1)	Source Name (2)	Contaminant Name (3)	Emission Rates * Pounds per
hour			
2ND 12s TR RACK	Second 12s Truck Rack (12 Truck Spots)	VOC (18.9 lb/hr/truck spo	227.2 ot)
1ST 80s TR RACK	First 80s Truck Rack (12 Truck Spots)	VOC (18.9 lb/hr/truck spe	227.2 ot)
C-TR RACK	C-Truck Rack (4 Truck Spots)	VOC (18.9 lb/hr/truck sp	75.6 ot)
F-TR RACK	F-Truck Rack (4 Truck Spots)	VOC (18.9 lb/hr/truck sp	75.6 ot)
TR RACK G	Truck Rack G (12 Truck Spots)	VOC (18.9 lb/hr/truck sp	227.2 ot)
TR RACK H	Truck Rack H (10 Truck Spots)	VOC (18.9 lb/hr/truck sp	189.0 ot)
BGDK-1	Barge Dock No. 1	VOC	94.7
BGDK-2	Barge Dock No. 2	VOC	94.7
BGDK-3	Barge Dock No. 3	VOC	94.7
BGDK-4	Barge Dock No. 4	VOC	94.7
BGDK-5	Barge Dock No. 5	VOC	94.7
BGDK-6	Barge Dock No. 6	VOC	94.7
BGDK-7	Barge Dock No. 7	VOC	94.7
BGDK-8	Barge Dock No. 8	VOC	94.7
BGDK-9	Barge Dock No. 9	VOC	94.7

Term			Short-
Emission	Source	Contaminant	Emission Rates *
Point No. (1)	Name (2)	Name (3)	Pounds per
<u>hour</u>			
BGDK-10	Barge Dock No. 10	VOC	94.7
BGDK-BKR	Bunker Fuel Dock	VOC	94.7
SHPDK-1	Ship Dock No. 1	VOC	113.6
SHPDK-2	Ship Dock No. 2	VOC	113.6
SHPDK-3	Ship Dock No. 3	VOC	113.6
SHPDK-7	Ship Dock No. 7	VOC	113.6
SHPDK-8	Ship Dock No. 8	VOC	113.6
FL-12s	12s Truck and Railcar Flare	VOC CO	54.1 29.7
		NO _x HCI/HBr	3.5 12.72
FL-105-1	Tank 105-1 Flare	VOC CO	100.0 110.0
		NO _x	12.8
FL-105-2	Tank 105-2 Flare	VOC CO	100.0 110.0
		NO _x	12.8
FL-105-3	Tank 105-3 Flare	VOC CO	100.0 110.0
		NO _x	12.8

AIR CONTAMINANTS DATA**

Та ж.			31101 C-
Term Emission Point No. (1)	Source Name (2)	Contaminant Name (3)	Emission Rates * Pounds per
<u>hour</u>			
FL-SPR	Spheres Flare	VOC CO NO _x	200.0 110.0 12.8
FL-50-2	Tank 50-2 Flare	VOC CO NO _x	32.0 16.8 1.96
FL-80s	80s Truck and Railcar Flare	VOC CO NO _x HCI/HBr	23.6 13.0 1.5 12.72
FL-3	Marine Loading Flare No. 3	VOC CO NO _x HCI HBr	122.00 63.7 7.43 14.77 16.5
FL-5A	Marine Loading Flare No. 5A	VOC CO NO _x HCI HBr	122.00 63.7 7.43 14.77 16.5
FL-5B	Marine Loading Flare No. 5B	VOC CO NO _x HCI HBr	122.00 63.7 7.43 14.77 16.5
FL-5C	Marine Loading Flare No. 5C	VOC CO	122.00 63.7

AIR CONTAMINANTS DATA**

Term Emission Point No. (1)	Source Name (2)	Contaminant Name (3)	Emission Rates * Pounds per
hour	Name (2)	Name (3)	r dulius pei
		NO _x	7.43
		HCI HBr	14.77 16.5
		ПОІ	10.5
FL-5D	Marine Loading	VOC	122.00
	Flare No. 5D	CO	63.7
		NO_x	7.43
		HCI	14.77
		HBr	16.5
FL-5E	Marine Loading	VOC	122.00
0_	Flare No. 5E	CO	63.7
		NO_x	7.43
		HCI	14.77
		HBr	16.5
FL-5F	Marine Loading	VOC	122.00
1 2 01	Flare No. 5F	CO	63.7
		NO_x	7.43
		HCI	14.77
		HBr	16.5
FL-5G	Marine Loading	VOC	122.00
1200	Flare No. 5G	CO	63.7
		NO_x	7.43
		HCI	14.77
		HBr	16.5
FUG	Fugitive Emissions (5)	VOC	5.51

AIR CONTAMINANTS DATA**

Short-

Term

Emission Source Contaminant Emission Rates *
Point No. (1) Name (2) Name (3) Pounds per

hour

Dated	
Datoa	

Permit No. 1078

Attachment A.2

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	Annual Emission Rates
Point No. (1)	Name (2)	Name (3)	Tons per Year
1-1 through 160-6	Storage Tanks	VOC	202.5
TRK A through H and LUB RACK	Truck and Rail Loading All Spots (no controls)	VOC	5.3
BGDK-1 through 10 and BGDK-BKR	Barge and Ship Loading All Docks (no controls)	VOC	11.7
SHPDK-1, 2, 3, 7, and 8			
FL-12s, FL-50-2, FL-80s, FL-SPR, FL-105-1, 2, and 3	Flares-Land Loading	VOC CO NO _x HCI HBr	5.1 7.62 0.89 2.33† 4.0†
FL-3, 5A through 5G	Flares-Marine Loading	VOC CO NO _x HCI HBr	20.9 57.3 7.2 2.33† 4.0†
FUG	Fugitives (5)	VOC	24.03

The following applies to Attachments A.1 and A.2:

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.

(3) VOC - volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1

NO_x - total oxides of nitrogen

CO - carbon monoxide

HCl - hydrochloric acid

HBr - hydrobromic acid

- (4) The H1, H2, H3, and H4 Spots 1 to 3, (12 spots total) are limited to loading a maximum of two spots at any one time with same chemical at the maximum chemical loading rate stated in the permit attachments. The twelve spots are also restricted from loading chemicals with a short-term ESL < 2 μg/m³.</p>
- (5) Fugitive emissions are estimates only.
- * Emission rates are based on continuous operation.
- ** All short-term tank emission rates are based on fixed-roof tanks except Tank Nos. 100-1 to 100-16 which are based on internal floating roof tanks storing methyl-tert-butyl ether.
- † Total facility HCl emissions shall not exceed 2.33 ton per year (tpy) and total facility HBr emissions shall not exceed 4.0 tpy.