

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 3069A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

### AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY**
B-1	400-Hp Boiler	VOC	0.09	0.40
		NO <sub>x</sub>	1.65	7.21
		CO	1.38	6.05
		SO <sub>2</sub>	0.01	0.04
		PM <sub>10</sub>	0.13	0.55
B-2	400-Hp Boiler	VOC	0.09	0.40
		NO <sub>x</sub>	1.65	7.21
		CO	1.38	6.05
		SO <sub>2</sub>	0.01	0.04
		PM <sub>10</sub>	0.13	0.55
BOT-9	Batch Out Tank	VOC	<0.01	<0.01
D-1	Centrifugal Dryer D-1	VOC	0.62	2.72
D-2	Centrifugal Dryer D-2	VOC	0.62	2.72
D-3	Centrifugal Dryer D-3	VOC	0.62	2.72
D-4	Centrifugal Dryer D-4	VOC	0.62	2.72
FLARE	Flare	VOC	6.76	28.62
		NO <sub>x</sub>	2.25	9.86
		CO	8.24	36.11
MUTVENT-1	Blower Vent from Poly Silo to MUT	PM <sub>10</sub>	0.26	0.06
MUTVENT-2	Blower Vent from Poly Silo to MUT	PM <sub>10</sub>	0.26	0.06

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY**
P-1	Torit Filter	PM <sub>10</sub>	0.26	0.06
R-9	Reactor 9	VOC	31.55	2.62
REACTFUG-1	Reactor 1 Manway Fugitives	VOC	11.82	0.90
REACTFUG-2	Reactor 2 Manway Fugitives	VOC	11.82	0.90
REACTFUG-3	Reactor 3 Manway Fugitives	VOC	11.82	0.90
REACTFUG-4	Reactor 4 Manway Fugitives	VOC	11.82	0.90
REACTFUG-5	Reactor 5 Manway Fugitives	VOC	11.82	0.90
REACTFUG-6	Reactor 6 Manway Fugitives	VOC	15.06	1.15
REACTFUG-7	Reactor 7 Manway Fugitives	VOC	15.06	1.15
REACTFUG-8	Reactor 8 Manway Fugitives	VOC	11.82	0.90
RPV-1	Reactor 1, 6, 7, and 8 Purge Vent	VOC	26.88	0.82
RPV-2	Reactor 2 Purge Vent	VOC	11.82	0.18
RPV-3	Reactor 3 Purge Vent	VOC	11.82	0.18
RPV-4	Reactor 4 Purge Vent	VOC	11.82	0.18
RPV-5	Reactor 5 Purge Vent	VOC	11.82	0.18
RPV-9	Reactor 9 Purge Vent	VOC	31.55	0.48
RPV-10	Reactor 10 Purge Vent	VOC	31.55	0.48
RPV-11	Reactor 11 Purge Vent	VOC	31.55	0.48
S-1	Polystyrene Silo	PM <sub>10</sub>	0.26	0.06

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY**</u>
S-2	Polystyrene Silo	PM <sub>10</sub>	0.26	0.06
S-3	Polystyrene Silo	PM <sub>10</sub>	0.26	0.06
S-4	Polystyrene Silo	PM <sub>10</sub>	0.26	0.06
S-5	Polystyrene Silo	PM <sub>10</sub>	0.26	0.06
S-6	Polystyrene Silo	PM <sub>10</sub>	0.26	0.06
S-7	Polystyrene Silo	PM <sub>10</sub>	0.26	0.06
S-8	Polystyrene Silo	PM <sub>10</sub>	0.26	0.06
S-9	Polystyrene Silo	PM <sub>10</sub>	0.26	0.06
S-10	Polystyrene Silo	PM <sub>10</sub>	0.26	0.06
SOCMIFUG	Fugitives (4)	VOC	0.86	3.76
T-4	Styrene Storage Tank	VOC	0.06	0.16
T-5	Styrene Storage Tank	VOC	0.06	0.16
T-6	Styrene Storage Tank	VOC	0.06	0.16
T-32	HCl Tank	HCl	2.61	<0.01
TO-1	Thermal Oxidizer	For emergency upset use only		
Wastewater	Wastewater Fugitives	VOC	0.88	0.89

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification - either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources, use an area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1  
NO<sub>x</sub> - total oxides of nitrogen  
CO - carbon monoxide  
SO<sub>2</sub> - sulfur dioxide  
PM<sub>10</sub> - particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall  
be assumed that no particulate matter greater than 10 microns is emitted.  
HCl - hydrogen chloride
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

\* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

\_\_\_\_\_ Hrs/day \_\_\_\_ Days/week \_\_\_\_ Weeks/year or 8,760 Hrs/year

\*\* Compliance with annual emission limits is based on a rolling 12-month period.

Dated July 19, 2002