### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

#### Permit No. 46976

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission	
Point No. (1)	Name (2)	Name (3)	<u>lb/hr</u>	TPY**
33***	Vacuum Pump Exhaust	PM PM <sub>10</sub> <0.01	<0.01 <0.01	<0.01
45***	Holding Room Exhaust No. 1	PM PM <sub>10</sub> <0.01 NO <sub>x</sub> <0.01 SO <sub>2</sub> <0.01 VOC <0.01 CO <0.01 HCL <0.01 HF <0.01	<0.01 <0.01 <0.01 <0.01 <0.01 <0.01 <0.01	<0.01
46***	Holding Room Exhaust No. 2	$\begin{array}{c} \text{PM} \\ \text{PM}_{10} & < 0.01 \\ \text{NO}_{\chi} & < 0.01 \\ \text{SO}_{2} & < 0.01 \\ \text{VOC} & < 0.01 \\ \text{CO} & < 0.01 \end{array}$	<0.01 <0.01 <0.01 <0.01 <0.01	<0.01
47***	Dryer No. 1	PM PM <sub>10</sub> 1.00 NO <sub>X</sub> 0.02 VOC 0.50 CO 2.14 HCL <0.01 HF <0.01	1.00 4.39 0.09 2.20 9.37 <0.01 0.01	4.39
48***	Dryer No. 2	$\begin{array}{ccc} & \text{PM} \\ \text{PM}_{10} & 1.00 \\ \text{NO}_{\text{X}} & 0.02 \\ \text{VOC} & 0.05 \\ \text{CO} & 2.14 \\ \text{HCL} & < 0.01 \\ \text{HF} & < 0.01 \\ \end{array}$	1.00 4.39 0.09 2.20 9.37 <0.01 0.01	4.39

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES AIR CONTAMINANTS DATA

Emission *	Source	Ai	r Contaminant	<u>Emission</u>	Rates
Point No. (1)	Name (2)		Name (3)	1b/hr	TPY**
49***	Kiln No. 1	PM <sub>10</sub> NO <sub>X</sub> SO <sub>2</sub> VOC CO HCL HF	PM 4.67 1.88 3.59 0.13 6.44 0.91 1.99	5.15 20.45 8.23 15.75 0.56 28.20 4.00 8.70	22.56
50***	Kiln No. 2	PM <sub>10</sub> NO <sub>X</sub> SO <sub>2</sub> VOC CO HCL HF	PM 4.67 1.88 3.59 0.13 6.44 0.91 1.99	5.15 20.45 8.23 15.75 0.56 28.20 4.00 8.70	22.56
51***	Additive A Tank		VOC	<0.01	<0.01
52***	Gasoline Tank		VOC	<0.01	<0.01
53***	Underground Diesel Tank		VOC	<0.01	<0.01
54***	Waste Oil Tank (Mobile Maintenance)		VOC	<0.01	<0.01
55***	Waste Oil Tank (Shop)		VOC	<0.01	<0.01
56***	Kerosene Tank		VOC	<0.01	<0.01
60	Grinding Building Fugitives (4)	PM <sub>10</sub>	PM 0.19	0.25 0.76	0.92

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

### AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emissio</u>	n Rates
Point No. (1)	Name (2)	Name (3)	1b/hr	TPY**
61***	Manufacturing Building (4)	PM	0.05	0.23
		PM <sub>10</sub> 0.04	0.19	

- (1) Emission point identification either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources, use an area name or fugitive source name.
- (3) PM particulate matter, suspended in the atmosphere, including PM<sub>10</sub>.
  - $PM_{10}$  particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
  - NO<sub>X</sub> total oxides of nitrogen
  - SO<sub>2</sub> sulfur dioxide
  - VOC volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1
  - CO carbon monoxide
  - HCl hydrogen chloride
  - HF hydrogen fluoride
- (4) Fugitive emissions are an estimate only.
  - \* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

<u>24</u> Hrs/day <u>7</u> Days/week <u>52</u> Weeks/year or <u>8760</u> Hrs/year

Maximum Allowable Production Rate: 11 tons brick/hour and 94,000 tons brick/year

- \*\* Compliance with annual emission limits is based on a rolling 12-month period.
- \*\*\* These are grandfathered facilities and are included only for reference.

$\Box$	1	$\sim$	1	
$ \nu$	at	υU	ı	