## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## 9288

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates*  Ib/hr TPY		
H-1A	Heate	er	VOC NOx PM CO	0.35 9.0 1.8 2.0	1.5 39.4 8.0 9.0
H-1B	Heate	er	VOC NOx PM CO	0.35 9.0 1.8 2.0	1.5 39.4 8.0 9.0
H-2	Heate	er	VOC NOx PM CO	0.02 0.7 0.14 0.16	0.1 3.1 0.6 0.7
H-2B	Heate	er	VOC NOx PM CO	0.04 1.00 0.20 0.22	0.18 4.4 0.88 0.96
R-104	215 ⊢ Engi	IP Waukesha VOC nes	0.5 NOx CO	2.1 8.5 0.48	37.0 2.1
8	SulFe	erox <sup>sm</sup> (6) H2S	0.201 BZ CH3SH C2H6S NH3 VOC (7)	0.88 2.260 0.208 0.228 2.283 10.37	9.90 0.91 1.00 10.00 45.46
CW	Coolir	ng Tower	VOC	2.52	11.04

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

179.15

(1)	Emission point identification - either specific equipment designation or emission point number
` '	from plot plan.
(2)	Specific point source name. For fugitive sources use area name or fugitive source name.
(3)	VOC - volatile organic compounds as defined in General Rule 101.1
	ox - total oxides of nitrogen
	1 - particulate matter
	o - carbon monoxide
	BZ - benzene
	H2S - hydrogen sulfide
	NH3 - ammonia
	CH3SH - methyl mercaptan
	C2H6S - ethyl mercaptan
(4)	Fugitive emissions are an estimate only and should not be considered as a maximum
	allowable emission rate.
(5)	Fugitives were not reported for most of the facility on original permit. Implementation of the facility-wide 28M I and M program will result in a net reduction of 457.65 TPY of VOC.
(6)	EPN 8 is the spent air stack at the SulFerox <sup>sm</sup> Unit.
(7)	VOC reported value is excluding benzene, methyl mercaptan, and ethyl mercaptan.
•	
*	Emission rates are based on and the facilities are limited by the following maximum operating schedule:
Hrs/	dayDays/weekWeeks/yearor Hrs/year_8,760_
1113/	daybay3/weekweek3/yearor rii3/year_ <u>0,700</u>
	Revised

Fugitives (4) (5) VOC

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES