

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Flexible Permit Number 72761

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

### AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY**
T1219	Storage Tank 1219	VOC		
T1220	Storage Tank 1220	VOC		
T1261	Storage Tank 1261	VOC		
T1262	Storage Tank 1262	VOC		
T1263	Storage Tank 1263	VOC		
T1264	Storage Tank 1264	VOC		
T1265	Storage Tank 1265	VOC		
T1266	Storage Tank 1266	VOC		
T1267	Storage Tank 1267	VOC		
T1268	Storage Tank 1268	VOC		
T1269	Storage Tank 1269	VOC		
T1270	Storage Tank 1270	VOC		
T1271	Storage Tank 1271	VOC		
T1333	Storage Tank 1333	VOC		
T1334	Storage Tank 1334	VOC		

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lb/hr	TPY**
T1338	Storage Tank 1338	VOC		
T1436	Storage Tank 1436	VOC		
T1485	Storage Tank 1485	VOC		
T1440	Storage Tank 1440	VOC		
T1441	Storage Tank 1441	VOC		
	Emission Cap	VOC (5)	163.01	218.71
		VOC (6)	154.78	190.44
		VOC (7)	120.29	74.66
FUG	Fugitives (4)	VOC	0.09	0.36

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1.
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.  
They are not included in the emission caps.
- (5) The emission rate is applicable until Tanks (EPNs T1220, T1266, T1333, and T1334) are all equipped with rim-mounted secondary seal in accordance with Special Condition No. 2 of this permit. All these tanks must be upgraded by February 5, 2007.
- (6) The emission rate is applicable after Tanks (EPNs T1220, T1266, T1333, and T1334) are all equipped with rim-mounted secondary seals in accordance with Special Condition No. 2 of this permit. The remainder of all tanks authorized by this permit shall be equipped with rim-mounted secondary seals by March 1, 2008.
- (7) The emission rate is applicable after all tanks authorized by this permit are equipped with the rim-mounted secondary seals in accordance with Special Condition No. 2 of this permit. All seals must be installed by March 1, 2008.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- \* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

8,760 hrs/year.

- \*\* Compliance with annual emission limits is based on a rolling 12-month period.

Dated November 18, 2004