EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

1360A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Name (3)	Air Contaminant lb/hr TPY	Emission Rates *	
E2-2	Kiln No. 1		VOC NOx SO2 PM CO HCI	7.73 500.00 1408.00 77.70 213.00 9.30	33.90 2190.00 6167.00 340.00 933.00 38.60
E2-4	Kiln No. 2		VOC NOx SO2 PM CO HCI	7.73 500.00 1408.00 77.70 213.00 9.30	33.90 2190.00 6167.00 340.00 933.00 38.60
E2-6	Kiln No. 3		VOC NOx SO2 PM CO HCI	7.73 500.00 1408.00 77.70 213.00 9.30	33.90 2190.00 6167.00 340.00 933.00 38.60
E2-8	Kiln No. 4		VOC NOx SO2 PM CO HCI	7.73 500.00 1408.00 77.70 213.00 9.30	33.90 2190.00 6167.00 340.00 933.00 38.60

AIR CONTAMINANTS DATA

Emission Source		Air Contaminant <u>Emission Rates*</u>				
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY		
CONTRIBUTIO	ON FROM WAST	E-DERIVED FUEL	AND CI	LINKER C	LENCH WASTEWATI	ΞR
E2-2, 4,	Combine	ed Total Emissions		HCI	13.30	49.90
6 and 8	Limits fo	r Kilns No. 1-4		HF	3.30	2.90
				As	0.006	0.026
				Ag	0.0123	0.054
				Ва	0.414	1.81
				Be	0.0061	0.0008
				Cd	0.0341	0.149
				Cr	0.227	0.53
				Hg	0.0031	0.013
				Sb	2.268	9.93
				Se	0.0121	0.053
				Pb	0.69	0.99
				Tl	0.648	2.83
				Zn	0.52	2.28
	Fugitives	s (4)		VOC	1.58	6.90

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in General Rule 101.1
 - NOx total oxides of nitrogen
 - SO2 sulfur dioxide
 - PM particulate matter
 - CO carbon monoxide
 - HCI hydrogen chloride
 - HF hydrogen fluoride
 - As arsenic
 - Ag silver
 - Ba barium
 - Be beryllium
 - Cd cadmium
 - Cr chromium
 - Hg mercury
 - Pb lead
 - Sb antimony
 - Se selenium
 - TI thallium
 - Zn zinc

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

(4)	Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.					
**	PM allowable based on Regulation I allowable and stack flow rate of 150,000 acfm.					
* E	Emission rates are based on and the facilities are limited by the following maximum operating schedule:					
	Hrs/dayDays/weekWeeks/yearor Hrs/year <u>8,760</u>					

Revised___