

Emission Sources - Maximum Allowable Emission Rates

Permit Number 1088A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY (4,6)
Pre-Modification				
BLR-1	Boiler No. 1 (5) 60 MMBtu/hr	NO _x	2.52	-
		CO	5.77	-
		VOC	0.38	-
		PM	0.53	-
		PM ₁₀	0.53	-
		PM _{2.5}	0.53	-
		SO ₂	1.03	-
BLR-2	Boiler No. 2 (5) 135 MMBtu/hr	NO _x	4.86	-
		CO	11.12	-
		VOC	0.73	-
		PM	1.01	-
		PM ₁₀	1.01	-
		PM _{2.5}	1.01	-
		SO ₂	1.99	-
BLR-1 BLR-2	Boiler 1 & 2 Annual Emission Rates (6)	NO _x	-	21.62
		CO	-	48.71
		VOC	-	3.20
		PM	-	6.82
		PM ₁₀	-	6.82
		PM _{2.5}	-	6.82
		SO ₂	-	14.85

Emission Sources - Maximum Allowable Emission Rates

Post-modification				
BLR-1	Boiler No. 1 (5) 84 MMBtu/hr	NO _x	0.84	3.68
		NO _x (MSS)	2.52	
		CO	3.11	13.62
		CO (MSS)	5.77	
		VOC	0.46	2.02
		PM	0.15	0.64
		PM ₁₀	0.15	0.64
		PM _{2.5}	0.15	0.64
		SO ₂	1.20	5.26
BLR-2	Boiler No. 2 135 MMBtu/hr	NO _x	4.86	17.94
		CO	11.12	35.10
		VOC	0.73	1.18
		PM	1.01	6.18
		PM ₁₀	1.01	6.18
		PM _{2.5}	1.01	6.18
		SO ₂	1.99	9.59

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) NO_x - total oxides of nitrogen
CO - carbon monoxide
VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}
PM₁₀ - total particulate matter equal to or less than 10 microns in diameter
PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
SO₂ - sulfur dioxide
- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Planned maintenance, startup and shutdown (MSS) for all pollutants are authorized even if not specifically identified as MSS. During any clock hour that includes one or more minutes of planned MSS that pollutant's maximum hourly emission rate shall apply during that clock hour.
- (6) The tons per year include the emissions from MSS from Boiler No. 1 only.

Permit Number 1088A
Page

Emission Sources - Maximum Allowable Emission Rates

Date: September 29, 2017