

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY **

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 1472

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY **
A26F1	Flare	CO	158.69	36.31
		NO _x	12.75	2.91
		VOC	2.77	0.77
		SO ₂	2.36	0.53
A26F1	Flare (maintenance)	CO	142.52	0.07
		NO _x	18.96	0.01
		VOC	88.38	0.05
		SO ₂	1.57	0.01
A26LR01	Loading Area LR2620	NH ₃	0.80	0.06
A26LR02	Loading Area 941-2	NH ₃	0.16	0.01
A26LR04	Drum Loading Area DR2612	NH ₃	0.67	0.03
A26LR06	Loading Area 942-2	NH ₃	0.67	0.03
A26RX3A	Batch Reactor R-3A	NH ₃	0.98	0.01
A26RX104	Batch Reactor R-104	NH ₃	3.00	0.04

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY **
A26RX320	Batch Reactor R-320	NH ₃	3.47	0.09
A26S500	Waste Gas Boiler (5) (40 MMBtu/hr Heat Input)	CO	4.74	9.25
		NO _x	18.59	59.89
		PM ₁₀	1.09	3.57
		SO ₂	2.04	0.94
		VOC	0.96	3.29
		HCN	0.07	0.28
	Waste Gas Boiler(6) (40 MMBtu/hr Heat Input)	CO		9.73
		NO _x		63.03
		PM ₁₀		3.76
		SO ₂		0.99
		VOC		3.43
		HCN		0.28
A26SP3	Loading Area BF-3	PM ₁₀	0.13	0.55
A26SP4	Loading Area BF-4	PM ₁₀	0.13	0.55
A26SP103	Loading Area BF-103	PM ₁₀	0.25	1.11
A26SP229	Loading Area BF-229	PM ₁₀	0.01	0.06
A26SP303	Loading Area BF-303	PM ₁₀	0.01	0.06
A26ST14B	Storage Tank D-14B	NH ₃	1.05	0.12
A26ST15C	Storage Tank D-15C	DETA	0.05	0.01
A26ST19A	Storage Tank D-19A	NH ₃	0.07	0.03
A26ST20E	Storage Tank D-20E	NH ₃	1.05	0.12
A26ST20H	Storage Tank D-20H	NH ₃	1.52	0.20

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY **
A26ST20M	Storage Tank D-20M	NH ₃	1.26	0.12
A26ST25A	Storage Tank D-25A	NH ₃	2.67	0.27
A26ST107	Storage Tank D-107	NH ₃	0.25	0.01
A26ST275	Storage Tank D-275	EDA	2.83	0.38
A26ST330	Storage Tank D-330	NH ₃	0.77	0.04
A26ST340	Storage Tank D-340	NH ₃	0.86	0.17
A26ST516	Storage Tank D-516	NH ₃	0.58	0.08
A26ST517	Storage Tank D-517	NH ₃	0.08	0.02
A26ST518	Storage Tank D-518	NH ₃	0.04	0.02
A26ST550	Storage Tank D-550	VOC	0.08	0.03
A26SV207	Scrubber D-207	PM ₁₀	0.31	1.30
A26SV215	Scrubber D-215	PM ₁₀	0.01	0.01
A26SV230	Scrubber D-230	PM ₁₀	0.21	0.18
A26SV510	Scrubber SV-510	NH ₃	0.01	0.01
A26SV511	Scrubber SV-511	NH ₃	0.13	0.16
A26CT3	Cooling Tower CT-3 (4)	NH ₃	0.75	3.28
		VOC	0.84	3.68
		PM	0.11	0.49
A26FU01	Process Fugitives (4)	Cl ₂	0.01	0.04
		HCN	0.01	0.02
		NH ₃	0.07	0.31

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY **
		NO _x	0.01	0.06
		VOC	0.38	1.67
		CFC-22	0.03	0.15
A26FU01	Fugitives (maintenance)	Cl ₂	0.04	0.19
		HCN	0.04	0.19
		NH ₃	0.12	0.19
		NO _x	0.03	0.18
		VOC	1.00	0.53
		CFC-22	8.91	0.22

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3)
 - NH₃ - ammonia
 - CO - carbon monoxide
 - Cl₂ - chlorine
 - DETA - diethylenetriamine
 - EDA - ethylenediamine
 - CFC-22 - chlorodifluoromethane
 - HCN - hydrogen cyanide
 - NO_x - nitrogen oxides
 - PM₁₀ - particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns in diameter.
 - SO₂ - sulfur dioxide
 - VOC - volatile organic compounds as defined by Title 30 Texas Administrative Code § 101.1
- (4) Emission rate is an estimate and compliance is demonstrated by meeting the requirements of the applicable special conditions and permit application representations.
- (5) Emission rates include a combined rate of routine and MSS emissions.
- (6) Annual emission rates based on 8,760 hours per year approved upon submittal of compliance test demonstration that satisfies Special Condition No. 23.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY **

Hrs/day ____ Days/week ____ Weeks/year ____ or Hrs/year 8,760

** Compliance with annual emission limits is based on a rolling 12-month period.

Dated February 16, 2006