## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## Permit No. 19016

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

| Emission Point No. (1) | Source<br>Name (2)                 | Air       | Contaminant<br>Name (3)   | <u>Emissi</u><br>lb/hr               | on Rates *<br>TPY                      |
|------------------------|------------------------------------|-----------|---|--------------------------------------|--|
| HDBF4406               | Additive Feed Drum Bag Filte       | er        | PM <sub>10</sub>  | <0.01                                | <0.01                                  |
| HDBF4407               | Additive Bag Dumping Bag<br>Filter |           | PM <sub>10</sub>  | 0.16                                 | 0.01                                   |
| HDBF4434               | Extruder Building Bag Filter       |           | PM <sub>10</sub>  | 0.02                                 | <0.01                                  |
| HDBF4463               | Repellet Hopper Bag Filter         |           | PM <sub>10</sub>  | 0.02                                 | <0.01                                  |
| HDBF4801               | Hopper Car Loading Bag Filt<br>VC  | ter<br>OC | PM <sub>10</sub><br>0.10  | 0.43<br>0.25                         | 0.96                                   |
| HDBF4802               | Hopper Car Unloading Bag<br>Filter |           | PM <sub>10</sub>  | 0.06                                 | <0.01                                  |
| HDBF4812               | Loadout Building Bag Filter        |           | $PM_{10}$   | <0.01                                | <0.01                                  |
| HDBLR3                 | Boiler No. 3                       |           | $\begin{array}{c} PM_{10} \\ VOC \\ NO_{x} \\ SO_{2} \\ CO \end{array}$ | 0.35<br>0.25<br>5.57<br>0.65<br>9.28 | 1.51<br>1.10<br>24.39<br>2.85<br>40.66 |
| HDCATOX                | Catalytic Oxidizer                 |           | $PM_{10}$<br>VOC<br>$NO_x$<br>$SO_2$<br>CO                              | 0.02<br>2.22<br>0.43<br>0.04<br>0.06 | 0.06<br>6.43<br>1.23<br>0.10<br>0.17   |

| HDCOOLTWR  | Cooling Tower             | VOC   | 0.08                           | 0.34                           |
|------------|---------------------------|---|--------------------------------|--------------------------------|
| HDCYS4402  | Pellet Dryer Cyclone Vent | PM <sub>10</sub><br>VOC                         | 0.16<br>1.95                   | 0.56<br>3.94                   |
| HDFLARE    | HDPE Flare                | VOC<br>NO <sub>x</sub><br>SO <sub>2</sub><br>CO | 14.11<br>3.37<br>0.22<br>17.18 | 44.98<br>7.61<br>0.03<br>38.79 |
| HDFUGEM    | Plant Area Fugitives (4)  | VOC   | 1.39                           | 6.10                           |
| HDOILWATER | Oil Water Separator       | VOC   | 0.01                           | 0.05                           |
| HDPROCSEW  | Process Sewer             | VOC   | 0.13                           | 0.07                           |
| HDSAMSLRY  | Slurry Sampling           | VOC   | 0.21                           | 0.24                           |
| HDTK4702   | Tank 4702                 | VOC   | 0.49                           | 1.50                           |
| HDTK4703   | Tank 4703                 | VOC   | 0.29                           | 0.74                           |
| HDVVANALY  | Analyzer Vents            | VOC   | <0.01                          | <0.01                          |
| HDVVDM4401 | Liquid Additive Melt Drum | VOC   | <0.01                          | <0.01                          |
| HDVVDM4402 | Liquid Additive Hold Drum | VOC   | <0.01                          | <0.01                          |
| HDFINBLDG  | Finishing Building        | PM <sub>10</sub><br>VOC                         | <0.01<br>(5)                   | <0.01<br>(5)                   |

<sup>(1)</sup> Emission point identification - either specific equipment designation or emission point number from plot plan.

<sup>(2)</sup> Specific point source name. For fugitive sources use area name or fugitive source name.

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (3) PM<sub>10</sub> particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.
  - VOC volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1
  - NO<sub>x</sub> total oxides of nitrogen
  - SO<sub>2</sub> sulfur dioxide
  - CO carbon monoxide
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Residual VOC emissions from the finishing building are included in the emissions at EPNs HDBF4801 and HDCYS4402.
- \* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

| Hrs/dayDays/weekWeeks/yearor Hrs/year_8,760_ |
|--|

|--|