#### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## Permit Number 20519

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

#### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant		Emission Rates *			
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY		
GROUND CALCIUM CARBONATE (GCC) PLANT							
3-AS-1	System Dust Collector Baghouse Stack		PM PM <sub>10</sub>	0.34 0.17	1.37 0.69		
3-AS-2	Dryer 1 - Baghouse Stack	VOC	PM PM <sub>10</sub> 0.23 NO <sub>x</sub> SO <sub>2</sub> CO	1.23 1.23 0.93 4.22 0.63 3.54	4.92 4.92 16.86 2.53 14.16		
3-AS-3	Dryer 2 - Baghouse Stack	VOC	$\begin{array}{c} PM \\ PM_{10} \\ 0.23 \\ NO_x \\ SO_2 \\ CO \end{array}$	1.23 1.23 0.93 4.22 0.63 3.54	4.92 4.92 16.86 2.53 14.16		
3-AS-4	System Dust Collector Baghouse Stack		PM PM <sub>10</sub>	0.64 0.32	2.57 1.29		
3-AS-5	Bin Vent Dust Collector Baghouse Stack		PM PM <sub>10</sub>	0.39 0.19	1.54 0.77		
3-AS-6	Truck Loading Dust Collect Baghouse Stack	tor	PM PM <sub>10</sub>	0.13 0.06	0.51 0.26		

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

# AIR CONTAMINANTS DATA

Emission	Source	Air	Contaminant	Emission Rates *					
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY				
3-AS-7	Truck Loading Dust Co Baghouse Stack	llector	PM PM <sub>10</sub>	0.13 0.06	0.51 0.26				
Various	Material Handling (4)	PM <sub>10</sub>	PM 0.02	0.06 0.06	0.19				
LIMESTONE PREPARATION SYSTEM									
1CR1	Primary Jaw Crusher (4	l) PM <sub>10</sub>	PM 0.04	0.09 0.04	0.08				
1SN1	Primary Screen (4)	PM <sub>10</sub>	PM 0.74	2.20 0.65	1.93				
1CR2	Secondary Crusher (4)	PM <sub>10</sub>	PM 0.16	0.36 0.14	0.32				
1SN2	Secondary Screen (4)	PM <sub>10</sub>	PM 0.67	1.98 0.58	1.74				
2SN1	Tertiary Screen (4)	PM <sub>10</sub>	PM 0.44	1.32 0.39	1.16				
Various	Material Handling (4)	PM <sub>10</sub>	PM 0.38	1.14 0.32	0.97				
Various	Stockpiles (4)	PM <sub>10</sub>	PM 0.32	0.64 1.40	2.79				

<sup>(1)</sup> Emission point identification - either specific equipment designation or emission point number from plot plan.

<sup>(2)</sup> Specific point source name. For fugitive sources use area name or fugitive source name.

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

(3) PM - particulate matter, suspended in the atmosphere, including PM<sub>10</sub>.

PM<sub>10</sub> - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

 $NO_x$  - total oxides of nitrogen

SO<sub>2</sub> - sulfur dioxide

CO - carbon monoxide

- (4) Fugitive emissions are an estimate only.
- \* Emission rates are based on and the facilities are limited by the following maximum operating schedule and production rates:

Primary Crusher:	420	Tons/hr	738,000	_Tons/yr	8,760	Hrs/yr	
Secondary Crusher:		<u>300</u> Tor	ns/hr <u>52</u>	27,400 T	ons/yr	<u>8,760</u>	Hrs/yr
Dryer No. 1:	75	Tons/hr	498,000	_Tons/yr	8,000	Hrs/y	r
Dryer No. 2:	75	Tons/hr	498,000	_Tons/yr	8,000	Hrs/y	r
System Dust Collectors (2):						8,000 Hrs/	yr

Dated May 26, 2006