

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lbs/hr	TPY

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 27543

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

The following table is effective for the first 12-months of normal operating conditions for facilities covered under this table.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lbs/hr	TPY

BTH-1	Spray Booth	VOC	1.24	0.32
		PM	0.02	0.02
CHB-2	Flash Off Chamber	VOC	0.16	0.04
OVN-3	Curing Oven	VOC	1.14	1.17
CHB-4	Cool Down Chamber	VOC	0.03	0.01
BTH-5	Spray Booth	VOC	1.24	1.29
		PM	0.02	0.02
CHB-6	Flash Off Chamber	VOC	0.16	0.17
CHB-7	Cool Down Chamber	VOC	0.03	0.03
BTH-8	Spray Booth	VOC	6.73	6.99
		PM	0.08	0.08
CHB-9	Flash Off Chamber	VOC	0.88	0.90

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *		
			lbs/hr	TPY	
CHB-10	Cool Down Chamber		VOC	0.18	0.18
BTH-11	Spray Booth		VOC	5.00	5.20
			PM	0.04	0.04
CHB-12	Flash Off Chamber		VOC	0.66	0.69
CHB-13	Cool Down Chamber		VOC	0.13	0.13
FGTV			Fugitives	VOC	0.38
0.39					

The following table is effective after the expiration of the 12-month period covered under the table above.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lbs/hr	TPY
BTH-1	Spray Booth		VOC	1.52
			PM	0.02
CHB-2	Flash Off Chamber		VOC	0.20
OVN-3	Curing Oven		VOC	0.34
CHB-4	Cool Down Chamber		VOC	0.04
BTH-5	Spray Booth		VOC	1.52
			PM	0.02
CHB-6	Flash Off Chamber		VOC	0.20
CHB-7	Cool Down Chamber		VOC	0.04
BTH-8	Spray Booth		VOC	0.99
			PM	0.32
CHB-9	Flash Off Chamber		VOC	0.14
CHB-10	Cool Down Chamber		VOC	0.03
BTH-11	Spray Booth		VOC	1.72
			PM	0.50
CHB-12	Flash Off Chamber		VOC	0.23
CHB-13	Cool Down Chamber		VOC	0.05
FGTV			Fugitives	VOC
0.16				0.16

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in General Rule 101.1
PM - particulate matter

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lbs/hr	TPY

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day 10 Days/week 6 Weeks/year 52 or Hrs/year 3,120

Dated _____