### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## Permit Number 25301

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emissio</u>	n Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr	
<u>TPY(4)**</u>				
E1	TANK1 - STACK E1	Styrene	28.56	7.52
		Other VOC	1.73	0.73
		Exempt Solvent	1.84	1.00
		PM 4.99	1.19	
E2	TANK1 - STACK E2	Styrene	13.09	3.45
		Other VOC	0.88	0.52
		Exempt Solvent	0.84	0.46
		PM 2.30	0.55	
E3	TANK1 - STACK E3	Styrene	13.09	3.45
		Other VOC	0.88	0.52
		Exempt Solvent	0.84	0.46
		PM 2.30	0.55	
E4	TANK1 - STACK E4	Styrene	85.67	22.33
		Other VOC	4.85	1.51
		Exempt Solvent	5.53	2.99
		PM 14.92	3.57	
E6	TANK2 - STACK E6	Styrene	62.03	20.64
		Other VOC	4.70	1.07
		Exempt Solvent	5.77	3.11
		PM 10.24	3.25	
E7	TANK3 - STACK E7	Styrene	4.82	0.97
		Other VOC	0.94	0.06
		Exempt Solvent	4.12	2.22
		PM 0.07	0.01	

### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

#### AIR CONTAMINANTS DATA

Emission	Source	Air	Contaminant	<u>Emission</u>	Rates *
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY(4)**
A1	ASSEMBLY1 - STACK A1	•	Styrene	6.03	1.21
		Other	VOC	0.50	0.08
		Exem	pt Solvent	4.94	2.67
		PM	0.08	0.01	
A2	ASSEMBLY2 - STACK A2	Other	Styrene VOC pt Solvent 0.03	1.21 0.10 1.65 < 0.01	0.24 0.02 0.89
FUGST	Acetone Still		Exempt Solvent	8.24	1.53
T1	Storage Tank 1		Styrene	0.39	0.10
T2	Storage Tank 2		Styrene	0.39	0.10
Т3	Pipe tank		Styrene	0.39	0.10

- (1) Emission point identification either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources, use an area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1 (30 TAC § 101.1.
  - PM particulate matter, suspended in the atmosphere, including PM<sub>10</sub>.
  - $PM_{10}$  particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
  - Exempt Solvent as defined in 30 TAC § 101.1
- (4) Annual emissions of styrene, other VOC (excluding styrene), and exempt solvent may vary (higher or lower) from the amounts specified above. However, total annual emissions of styrene, other VOC, and exempt solvent shall not exceed 60.1 tpy, 4.5 tpy, and 15.3 tpy, respectively.
- \* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

# AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emissio</u>	n Rates *		
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY(4)**		
13_Hrs/da	ay <u>7</u> Days/week <u>52</u> V	Veeks/year				
** Compliance with annual emission limits is based on a rolling 12-month period.						
				Dated		