

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Flexible Permit Number 56685

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

### AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY (4)
PB-1A, 1B, 1C, and 1D	Paint Booth No. 1	VOC	47.21	
		PM <sub>10</sub>	0.01	
		Exempt Solvent	3.28	
PB-2A, 2B, 2C, and 2D	Paint Booth No. 2	VOC	47.21	
		PM <sub>10</sub>	0.01	
		Exempt Solvent	3.28	
PB-3A, 3B, 3C, 3D, 3E, 3F, 3G, and 3H	Paint Booth No. 3 and Natural Gas-Fired Heater (3 MMBtu/hr)	VOC	47.21	
		VOC (5)	0.02	0.03
		PM <sub>10</sub>	0.03	0.04
		NO <sub>x</sub>	0.30	0.55
		SO <sub>2</sub>	<0.01	<0.01
		CO	0.25	0.46
		Exempt Solvent	3.28	
PB-4A, 4B, 4C, 4D, 4E, 4F, 4G, and 4H	Paint Booth No. 4	VOC	47.21	
		PM <sub>10</sub>	0.01	
		Exempt Solvent	3.28	
PB-5A, 5B, 5C, 5D, 5E, 5F, 5G, 5H, 5I, 5J, 5K, and 5L	Paint Booth No. 5	VOC	70.81	
		PM <sub>10</sub>	0.01	
		Exempt Solvent	4.92	
PB-5BH	Abrasive Blast Booth No. 5	PM <sub>10</sub>	0.02	0.06
	Dryer Oven No. 1	VOC	4.88	

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

DR-1A and 1B	(2 MMBtu/hr)	VOC (5)	0.01	0.02
		PM <sub>10</sub>	0.02	0.03
		NO <sub>x</sub>	0.19	0.35
		SO <sub>2</sub>	<0.01	<0.01
		CO	0.16	0.29
DR-2A and 2B	Dryer Oven No. 2 (2 MMBtu/hr)	VOC	4.88	
		VOC (5)	0.01	0.02
		PM <sub>10</sub>	0.02	0.03
		NO <sub>x</sub>	0.19	0.35
		SO <sub>2</sub>	<0.01	<0.01
		CO	0.16	0.29
COAT1FUG	Bay 4 Paint Fugitives	VOC	19.49	
COAT2FUG	Bay 3 Paint Fugitives	VOC	6.10	
		PM <sub>10</sub>	0.85	
COAT3FUG	Outdoor Paint Fugitives	VOC	7.31	
AB-1A and AB-1B	Abrasive Blast Booth No. 1	PM <sub>10</sub>	0.06	0.23
AB-2A and AB-2B	Abrasive Blast Booth No. 2	PM <sub>10</sub>	0.06	0.23
AB-3	Auto Blast Cabinet	PM <sub>10</sub>	0.13	0.48
AB-4	Portable Blast Cabinet Filter	PM <sub>10</sub>	0.13	0.48
AB4-FUG	Portable Blast Cabinet Fugitives	PM	0.09	0.16
		PM <sub>10</sub>	0.01	0.02

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY (4)
		VOC (6)		79.00

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

ALL	Various	VOC + Exempt Solvent	79.94
		(6)	0.13
		PM <sub>10</sub> (6) (7)	
	Site-Wide Total	Individual HAP	<10.00
		All HAPs	<25.00

(1) Emission point identification - either specific equipment designation or emission point number from a plot plan.

(2) Specific point source names. For fugitive sources, use an area name or fugitive source name.

(3) Exempt Solvent- Those carbon compounds or mixtures of carbon compounds used as solvents that

have been excluded from the definition of volatile organic compound.

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code

§ 101.1

NO<sub>x</sub> - total oxides of nitrogen

SO<sub>2</sub> - sulfur dioxide

PM - particulate matter, suspended in the atmosphere, including PM<sub>10</sub> and PM<sub>2.5</sub>

PM<sub>2.5</sub> - particulate matter equal to or less than 2.5 microns in diameter

PM<sub>10</sub> - particulate matter equal to or less than 10 microns in diameter

CO - carbon monoxide

HAP - any air contaminant (pollutant) listed in § 112(b) of the Federal Clean Air Act  
or

Title 40 Code of Federal Regulations Part 63, Subpart C

(4) Compliance with annual emission limits is based on a rolling 12-month period.

(5) Combustion emissions.

(6) Excludes combustion emissions.

(7) Excludes abrasive blasting emissions.

Dated: June 10, 2010