

Emission Sources - Maximum Allowable Emission Rates

Permit Number 37095

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates (6)	
			lbs/hour	TPY (4)
AGHDLFUG	Aggregate Handling Fugitives (5) FINs (Truck Unloading, Scoop Loader, Grizzly Bin, Magnet Conveyor and Product Loadout)	PM	1.18	1.82
		PM ₁₀	0.59	0.86
		PM _{2.5}	0.29	0.43
2	Stockpile Fugitives (5)	PM	0.25	1.08
		PM ₁₀	0.12	0.54
		PM _{2.5}	0.06	0.27
CBF	Crush Building Fugitives (5) FINs (Mill Bin Conveyor, Transfer Conveyor, Scalping Screen, and Cone Crusher)	PM	0.22	0.40
		PM ₁₀	0.08	0.15
		PM _{2.5}	0.04	0.07
MBF	Mill Building Fugitives (5) FINs (Mill No.1 and No. 2 Feed Bin Filter Vents)	PM	0.009	0.037
		PM ₁₀	0.009	0.037
		PM _{2.5}	0.009	0.037
RM1-DC1	Mill 1 Baghouse Stack FINs (Mill No. 1, Cyclone, and Dryer)	PM	0.74	3.23
		PM ₁₀	0.74	3.23
		PM _{2.5}	0.74	3.23
		NO _x	0.37	1.63
		CO	0.31	1.37
		SO ₂	0.002	0.01
		VOC	0.02	0.09

Emission Sources - Maximum Allowable Emission Rates

RM2-DC1	Mill 2 Baghouse Stack FINs(Mill No. 2, Cyclone, and Grinder)	PM	0.66	2.91
		PM ₁₀	0.66	2.91
		PM _{2.5}	0.66	2.91
		NO _x	0.37	1.63
		CO	0.31	1.37
		SO ₂	0.002	0.01
		VOC	0.02	0.09
RM1-DC2	Nuisance Baghouse 1 Stack FINs (Screw Conveyor, Bucket Elevator, and Surge Bin)	PM	0.26	1.12
		PM ₁₀	0.26	1.12
		PM _{2.5}	0.26	1.12
RM2-DC2	Nuisance Baghouse 2 Stack FINs (Screw Conveyor, Bucket Elevator, Surge Bin, and Packer Bin)	PM	0.26	1.12
		PM ₁₀	0.26	1.12
		PM _{2.5}	0.26	1.12
S1-CD	Truck Silo Baghouse Stack FINs (6 Vertical Storage Tanks, 2 Horizontal Storage Tanks, and Truck Loadout)	PM	0.38	1.68
		PM ₁₀	0.38	1.68
		PM _{2.5}	0.38	1.68

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- NO_x - total oxides of nitrogen
- SO₂ - sulfur dioxide
- PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented
- PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as represented
- PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
- CO - carbon monoxide
- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) Planned startup and shutdown emissions are included. Maintenance activities are not authorized by this permit and will need separate authorization unless the activity can meet conditions of 30 TAC 116.119.

Emission Sources - Maximum Allowable Emission Rates

Date: August 22, 2017