

# Emission Sources - Maximum Allowable Emission Rates

Permit Number 20289

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lbs/hour	TPY (4)
002	Process Heater	CO	2.41	8.97
		NO <sub>x</sub>	4.82	17.94
		PM <sub>10</sub>	0.82	3.07
		SO <sub>2</sub>	1.92	0.90
		VOC	0.17	0.62
003	Process Heater	CO	2.41	8.97
		NO <sub>x</sub>	4.82	17.94
		PM <sub>10</sub>	0.82	3.07
		SO <sub>2</sub>	1.92	0.90
		VOC	0.17	0.62
004	Process Heater	CO	3.10	11.53
		NO <sub>x</sub>	6.19	23.06
		PM <sub>10</sub>	1.06	3.95
		SO <sub>2</sub>	2.56	1.19
		VOC	0.22	0.80
020	Main Fractionator Area Fugitives (5)	VOC	1.13	4.93
020B	Butamer Unit Fugitives (5)	VOC	6.56	28.75
021	Cooling Tower (5)	VOC	0.13	0.55

Emission Sources - Maximum Allowable Emission Rates

101	Oleflex Heater	CO	11.77	46.88
		NO <sub>x</sub>	17.66	70.33
		PM <sub>10</sub>	1.43	5.68
		SO <sub>2</sub>	0.17	0.75
		VOC	0.40	1.75
102	Steam Boiler	CO	8.76	26.17
		NO <sub>x</sub>	23.36	69.77
		PM <sub>10</sub>	1.41	4.23
		SO <sub>2</sub>	4.88	2.42
		VOC	0.40	1.18
103	Steam Boiler	CO	8.76	26.17
		NO <sub>x</sub>	23.36	69.77
		PM <sub>10</sub>	1.41	4.23
		SO <sub>2</sub>	4.88	2.42
		VOC	0.40	1.18
104A	Flare 1	CO	4.76	9.74
		NO <sub>x</sub>	2.39	4.88
		SO <sub>2</sub>	0.24	1.03
		VOC	60.01	31.38

104B	Flare 2	CO	3.02	13.22
------	---------	----	------	-------

Emission Sources - Maximum Allowable Emission Rates

		NO <sub>x</sub>	1.51	6.62
		PM <sub>10</sub>	0.01	0.02
		SO <sub>2</sub>	0.01	0.01
		VOC	0.57	2.50
105	Thermal Oxidizing Flare	CO	30.57	22.90
		NO <sub>x</sub>	11.14	10.09
		SO <sub>2</sub>	17.29	12.17
		VOC	48.53	16.22
		MTBE	32.73	11.82
		MEOH	1.60	0.65
106	Storage Tank	VOC	1.37	3.41
107	Storage Tank	VOC (6)	4.05	5.12
108	Storage Tank	VOC (6)	4.05	5.12
109	Storage Tank	MTBE	1.25	1.87
111	Storage Tank	VOC	0.06	0.09
112	CCR Vent Gas Scrubber	CO	0.09	0.39
		Cl <sub>2</sub>	0.04	0.16
		HCl	0.54	2.35
		NO <sub>x</sub>	0.04	0.18
		SO <sub>2</sub>	1.13	4.94
113	Cooling Tower (5)	VOC	1.05	4.60
114	CPI Separator	VOC	1.50	0.58
115	Oleflex Unit Area Fugitives (5)	VOC	2.01	8.77
116	MTBE Unit Area Fugitives (5)	VOC	2.81	12.36

Emission Sources - Maximum Allowable Emission Rates

117	OSBL Tank Area Fugitives (5)	VOC	0.43	1.93
118	OSBL Boiler Area Fugitives (5)	VOC	0.26	1.14
119	Wastewater Treatment Area Fugitives (5)	VOC	0.43	1.58
120	PSA Unit Fugitives (5)	VOC	0.24	1.05
023	Barge Loading Fugitives (5)	VOC	0.24	1.04
TRLoadFug	Truck Rail Load Fugitives	VOC	0.66	0.49
121	Diesel Fired Generator	CO	0.90	0.09
		NO <sub>x</sub>	4.15	0.43
		PM <sub>10</sub>	0.30	0.03
		SO <sub>2</sub>	0.28	0.03
		VOC	0.33	0.03
122	CCR Chlorine Fugitives (5)	Cl <sub>2</sub>	0.01	0.06
123	Fire Water Engine	CO	0.43	0.05
		NO <sub>x</sub>	2.01	0.21
		PM <sub>10</sub>	0.14	0.02
		SO <sub>2</sub>	0.13	0.01
		VOC	0.19	0.02
124	Diesel Storage Tank	VOC	0.06	0.01
NGST-FLARE	Natural Gasoline Storage Flare	CO	3.18	7.97
		NO <sub>x</sub>	1.60	4.00
		SO <sub>2</sub>	0.02	0.04
		VOC	0.90	2.05

Emission Sources - Maximum Allowable Emission Rates

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3)
  - VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
  - NO<sub>x</sub> - total oxides of nitrogen
  - SO<sub>2</sub> - sulfur dioxide
  - PM - total particulate matter, suspended in the atmosphere, including PM<sub>10</sub> and PM<sub>2.5</sub>, as represented
  - PM<sub>10</sub> - total particulate matter equal to or less than 10 microns in diameter, including PM<sub>2.5</sub>, as represented
  - PM<sub>2.5</sub> - particulate matter equal to or less than 2.5 microns in diameter
  - CO - carbon monoxide
  - Cl<sub>2</sub> - chlorine
  - HCl - hydrogen chloride
  - MEOH - methanol
  - MTBE - methyl-tert-butyl-ether
- (4) Compliance with annual emission limits (tons per year) is based on a 12-month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) Combined annual emissions from EPNs 107 and 108 shall not exceed 5.12 tpy.

Date: \_\_\_\_\_