#### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

### Permit No. 8333

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

#### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<b>Emission</b>	Rates *
Point No. (1)	Name (2)	Name (3)	1b/hr	TPY
				_
27	Spray Dryer Cyclone Stac		8.100	7.40
		SO <sub>2</sub>	0.215	0.20
		$NO_x$	2.100	2.00
		CO	0.525	0.50
		VOC	0.042	0.04
28	Dryer Vent No. 1	$PM_{10}$	0.010	0.52
	-	$SO_2$	0.011	0.024
		$NO_x$	0.080	0.166
		CO	0.017	0.035
		VOC	0.004	0.009
29	Dryer Vent No. 2	$PM_{10}$	0.010	0.52
		SO <sub>2</sub>	0.011	0.024
		$NO_x$	0.080	0.166
		CO	0.017	0.035
		VOC	0.004	0.009
30	Dryer Vent No. 3	$PM_{10}$	0.010	0.52
		SO <sub>2</sub>	0.011	0.024
		$NO_x$	0.080	0.166
		CO	0.017	0.035
		VOC	0.004	0.009
31	Dryer Vent No. 4	$PM_{10}$	0.010	0.52
	-	SO <sub>2</sub>	0.011	0.024
		$NO_x$	0.080	0.166
		CO	0.017	0.035

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emission</u>	Rates *
Point No. (1)	Name (2)	Name (3)	<u>lb/hr</u>	TPY
40	Decal Firing	VOC	0.058	0.084
43	Glazing Scrubber Stack	$PM_{10}$	1.290	5.630
44	Scoring Baghouse Stack	PM <sub>10</sub>	0.400	1.300
45	Cleaning Baghouse Stack	$PM_{10}$	0.040	0.180
46	Pressing No. 1 Baghouse 9.550	Stack	PM <sub>10</sub>	2.180
47	Pressing No. 2 Baghouse 1.860	Stack	$PM_{10}$	0.420
48	Pressing No. 3 Baghouse 0.960	Stack	$PM_{10}$	0.220
74	Raw Material and Spray D 0.055	ryer	PM <sub>10</sub>	0.540
	Scrubber Stack	$SO_2$ $NO_x$ $CO$ $VOC$	0.011 0.079 0.017 0.004	0.001 0.008 0.002 <0.001
75	Fluid Bed Dryer Vent	$PM_{10}$ $SO_2$ $NO_x$ $CO$ $VOC$	0.006 0.007 0.050 0.011 0.003	<0.001 <0.001 0.001 <0.001 <0.001
76	Vertical Dryer Vent	$PM_{10}$ $SO_2$ $NO_x$ CO VOC	0.005 0.005 0.037 0.008 0.002	0.001 0.001 0.004 0.001 <0.001

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<b>Emission</b>	Rates *
Point No. (1)	Name (2)	Name (3)	1b/hr	TPY
77	Box Dryer Vent	$PM_{10}$	0.006	0.001
		$SO_2$	0.007	0.001
		$NO_x$	0.048	0.005
		CO	0.010	0.001
		VOC	0.003	<0.001
78	Roller Kiln Vent	$PM_{10}$	0.006	0.015
		$SO_2$	0.007	0.018
		$NO_x$	0.048	0.124
		CO	0.010	0.026
		VOC	0.003	0.007
		HF	0.180	0.077
79	Roller Kiln No. 2	$PM_{10}$	0.004	0.005
		$SO_2$	0.004	0.006
		$NO_x$	0.030	0.039
		CO	0.006	0.008
		VOC	0.002	0.002
		HF	0.180	0.036
80	Periodic Kiln Vent	$PM_{10}$	0.005	<0.001
		SO <sub>2</sub>	0.006	<0.001
		$NO_{x}$	0.043	0.002
		CO	0.009	<0.001
		VOC	0.002	<0.001
		HF	0.180	0.009
93	Roller Trim Kiln	$PM_{10}$	0.98	4.29
		SO <sub>2</sub>	0.11	0.50
		NO <sub>X</sub>	0.78	3.40
		CO	0.74	3.24
		VOC	0.043	0.19
		HF	0.076	0.34
		Pb	0.016	0.07
94	Roller Trim Dryer	$PM_{10}$	0.20	0.88
9 <del>1</del>	Korrer II illi Di yei	SO <sub>2</sub>	0.20	0.88
		<b>3</b> 0 <sub>2</sub>	0.1/	0.07

$NO_X$	0.12	0.51		
CO	0.10	0.43		
VOC	0.007	0.03		

AIR

#### CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	1b/hr	<u>TPY</u>
95	Curing Oven	PM <sub>10</sub>	0.01	0.03
	3	POC	0.13	0.07
		VOC	0.002	0.001

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) PM particulate matter suspended in the atmosphere, including  $PM_{10}$ 
  - $PM_{10}$  particulate matter equal or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
  - SO<sub>2</sub> sulfur dioxide
  - $NO_x$  total oxides of nitrogen
  - CO carbon monoxide
  - VOC volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1
  - POC products of natural gas combustion
  - HF hydrogen fluoride

<sup>\*</sup> Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Permit No. 8333 Page 5

	EMISSION S	OURCES	- MAX	KIMUM A	ALLO	WABLE EMISSION	N RA	TES	
<u>24</u> Hrs/day	_ <u>7</u> Day	s/week	52	<u> </u>	cs/ye	ear			
EPN Spray D	ryer Maxim	um Hour	's of	Operat	ion	= 1,820 Hrs	/yea	<u>r</u>	
Individual application	facility	hours	per	year	as	represented	in	the	permit

Date\_\_\_\_