

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 73852L002

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY**
1	Hopper (4)	PM	0.02	0.02
		PM ₁₀	0.01	0.01
2	Primary Crusher (4)	PM	0.48	0.53
		PM ₁₀	0.24	0.26
11	Secondary Crusher (4)	PM	0.24	0.27
		PM ₁₀	0.12	0.13
26	Tertiary Crusher (4)	PM	0.10	0.11
		PM ₁₀	0.05	0.05
3, 7-10, 12-16, 20-22, 27-33, and 40	Transfer Points (4)	PM	0.25	0.28
		PM ₁₀	0.11	0.13
4-6, 17-19, 23-25, and 34-39	Screens (4)	PM	1.57	1.75
		PM ₁₀	0.74	0.82
MTL	Material Handling (4)	PM	0.03	0.04
		PM ₁₀	0.02	0.02
STK	Stockpiles (4)	PM	--	10.84
		PM ₁₀	--	5.16
41	Diesel Engine (4)	NO _x	4.35	6.80
		CO	0.83	1.30
		SO ₂	0.56	0.88
		VOC	0.10	0.16
		PM ₁₀	0.10	0.15

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

42	GENSET (4)	NO _x	13.70	21.40
		CO	0.50	0.76
		SO ₂	2.18	3.40
		VOC	0.13	0.20
		PM ₁₀	0.85	1.33
43	Diesel Engine (4)	NO _x	13.70	21.40
		CO	0.50	0.76
		SO ₂	1.98	3.10
		VOC	0.13	0.20
		PM ₁₀	0.85	1.33

(1) Emission point identification - either specific equipment designation or emission point number from a plot plan.

(2) Specific point source names. For fugitive sources, use an area name or fugitive source name.

(3) Exempt Solvent - Those carbon compounds or mixtures of carbon compounds used as solvents which have been excluded from the definition of volatile organic compound.

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

PM - particulate matter, suspended in the atmosphere, including PM₁₀

PM₁₀ - particulate matter equal to or less than 10 microns in diameter

CO - carbon monoxide

(4) Fugitive emissions are an estimate only.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

24 Hrs/day 7 Days/week 52 Weeks/year or 8,736 Hrs/year

** Compliance with annual emission limits is based on a rolling 12-month period.

Maximum Throughput:

Primary Crusher (EPN 2): 450 TPH 1,000,000 TPY

Dated March 16, 2009