Flexible Permit Numbers 22690 and PSD-TX-751M1

This table lists the emission caps and individual emission limitations for all sources of air contaminants on the applicant's property covered by this permit. The emission caps and individual emission limitations shown are those derived from information submitted as part of the application for permit and allowed for these facilities. Any proposed change in emission caps or individual emission limitations will require an application for a modification of the facilities covered by this permit.

Emission	Source	Air Contaminate	Emissio Indivio Emissio	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
CO SOURCES	Tteams (<u>L</u>)	Hame (g)		
Ethylene Unit 22				
22-36-1 22-36-2 22-36-3 22-36-4 22-36-5 22-36-6 22-36-7 22-36-8	22 Furnace 1 22 Furnace 2 22 Furnace 3 22 Furnace 4 22 Furnace 5 22 Furnace 6 22 Furnace 7 22 Furnace 8	CO CO CO CO CO CO		
Ethylene Unit 24				
24-36-1 24-36-2 24-36-3 24-36-4 24-36-5 24-36-6 24-36-7 24-36-8 24-36-9	24 Furnace 1 24 Furnace 2 24 Furnace 3 24 Furnace 4 24 Furnace 5 24 Furnace 6 24 Steam Superheater 7 24 DAC Hydrotreater Heater 8 24 Furnace 9	CO CO CO CO CO CO CO		

Emission Point No. (1)	Source Name (2)	Air Contaminate Name (3)	Indi	ion Cap or vidual ion Limit * TPY**
POIIIL NO. (1)	Name (2)	Name (3)	ID/III	<u>IFI</u>
Ethylene Unit 33				
33-36-1 33-36-2 33-36-3 33-36-4 33-36-5 33-36-6 33-36-7 33-36-8 33-36-9	33 Furnace 1 33 Furnace 2 33 Furnace 3 33 Furnace 4 33 Furnace 5 33 Furnace 6 33 Furnace 7 33 Furnace 8 33 Furnace 9	CO (7) CO (7) CO (7) CO (7) CO (7) CO (7) CO (7) CO (7)		
Flare System				
56-61-10	Unit 21, 22 Low-Pressure Flare (Flare 10)	СО		
56-61-12	Unit 22 High-Pressure Flare (Flare 12)	СО		
56-61-14	Unit 24 High-Pressure Flare (Flare 14)	СО		
56-61-20	Unit 24 Low-Pressure Flare (Flare 20)	СО		
56-61-22	Unit 33 Process Flare (Flare 22)	CO (7)		
	Emission Cap	СО	478.74	2058.44

Emission	Source	Air Contaminate	Individ Emissio	n Limit *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
22-95-(3, 3A, 3B, and 3C)	U22 Decoke	СО		
24-95-300 33-95-376 and 376	U24 Decoke AU33 Decoke	CO CO		
	Emission Cap	со	792.82	89.86
Flare System				
56-61-4	Unit 10D/18 Process Flare (Flare 4)	СО		
56-61-8	Unit 10, 12 Low-Pressure Flare (Flare 8)	СО		
56-61-9	Unit 10, 12 High-Pressure Flare (Flare 9)	СО		
	Emission Cap	со	1.92	7.93
Flare System - Star	t-Up, Shutdown, and Maintenance			
56-61-4	Unit 10D/18 Process Flare (Flare 4)	СО		
56-61-8	Unit 10, 12 Low-Pressure Flare (Flare 8)	CO		
56-61-9	Unit 10, 12 High-Pressure Flare (Flare 9)	CO		
56-61-10	Unit 21, 22 Low-Pressure Flare (Flare 10)	СО		
56-61-12	Unit 22 High-Pressure Flare (Flare 12)	CO		
56-61-14	Unit 24 High-Pressure Flare (Flare 14)	СО		

Emission	Source	Air Contaminate	Indiv Emissio	on Cap or idual on Limit *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
56-61-20	Unit 24 Low-Pressure Flare (Flare 20)	СО		
56-61-22	Unit 33 Process Flare (Flare 22)	CO		
	Emission Cap	СО	3692.93	120.81
H ₂ S SOURCES				
Flare System				
56-61-4	Unit 10D/18 Process Flare (Flare 4)	H ₂ S		
56-61-8	Unit 10, 12 Low-Pressure Flare (Flare 8)	H ₂ S		
56-61-9	Unit 10, 12 High-Pressure Flare (Flare 9)	H₂S		
56-61-10	Unit 21, 22 Low-Pressure Flare (Flare 10)	H₂S		
56-61-12	Unit 22 High-Pressure Flare (Flare 12)	H₂S		
56-61-14	Unit 24 High-Pressure Flare (Flare 14)	H ₂ S		
56-61-20	Unit 24 Low-Pressure Flare (Flare 20)	H₂S		
56-61-22	Unit 33 Process Flare (Flare 22)	H ₂ S		
NO _x SOURCES	Emission Cap	H ₂ S	0.06	0.26
Ethylene Unit 22				
22-36-1 22-36-2	22 Furnace 1 22 Furnace 2	NO _x NO _x		

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminate	Indivi	n Cap or dual n Limit *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
22-36-3 22-36-4 22-36-5 22-36-6 22-36-7 22-36-8 22-7-1 22-95-27	22 Furnace 3 22 Furnace 4 22 Furnace 5 22 Furnace 6 22 Furnace 7 22 Furnace 8 Boiler No. 10/Propylene Turbine Turbine Alone	NOx NOx NOx NOx NOx NOx NOx NOx NOx	III/III	11 1
Ethylene Unit 24				
24-36-1 24-36-2 24-36-3 24-36-4 24-36-5 24-36-6 24-36-7 24-36-8 24-36-9	24 Furnace 1 24 Furnace 2 24 Furnace 3 24 Furnace 4 24 Furnace 5 24 Furnace 6 24 Steam Superheater 7 24 DAC Hydrotreater Heater 8 24 Furnace 9	NO _x		

33-36-1	33 Furnace 1	NO _x (7)
33-36-2	33 Furnace 2	NO_{x} (7)
33-36-3	33 Furnace 3	NO _x (7)
33-36-4	33 Furnace 4	NO _x (7)
33-36-5	33 Furnace 5	NO _x (7)
33-36-6	33 Furnace 6	NO_{x} (7)

Emission	Source	Air Contaminate	Indi <u>Emiss</u>	ion Cap or vidual ion Limit *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
33-36-7 33-36-8 33-36-9	33 Furnace 7 33 Furnace 8 33 Furnace 9	NO _x (7) NO _x (7) NO _x (7)		
Flare System				
56-61-10	Unit 21, 22 Low-Pressure Flare (Flare 10)	NO_x		
56-61-12	Unit 22 High-Pressure Flare (Flare 12)	NO _x		
56-61-14	Unit 24 High-Pressure Flare (Flare 14)	NO _x		
56-61-20	Unit 24 Low-Pressure Flare (Flare 20)	NO _x		
56-61-22	Unit 33 Process Flare (Flare 22)	NO _x (7)		
	Emission Cap	NO _x	481.90	2096.19
Flare System				
56-61-4	Unit 10D/18 Process Flare (Flare 4)	NO _x		
56-61-8	Unit 10, 12 Low-Pressure Flare (Flare 8)	NO _x		
56-61-9	Unit 10, 12 High-Pressure Flare (Flare 9)	NO _x		
	Emission Cap	NO _x	0.37	1.54

54-22-13 54-22-17

EMISSION SOURCES - EMISSION CAPS AND INDIVIDUAL EMISSION LIMITATIONS

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminate Name (3)	Indivi	n Cap or dual n Limit * TPY**
Flare System - Star	t-Up, Shutdown, and Maintenance			
56-61-4	Unit 10D/18 Process Flare (Flare 4)	NO_x		
56-61-8	Unit 10, 12 Low-Pressure Flare (Flare 8)	NO_x		
56-61-9	Unit 10, 12 High-Pressure Flare (Flare 9)	NO_x		
56-61-10	Unit 21, 22 Low-Pressure Flare (Flare 10)	NO_x		
56-61-12	Unit 22 High-Pressure Flare (Flare 12)	NO_x		
56-61-14	Unit 24 High-Pressure Flare (Flare 14)	NO _x		
56-61-20	Unit 24 Low-Pressure Flare (Flare 20)	NO _x		
56-61-22	Unit 33 Process Flare (Flare 22)	NO_x		
	Emission Cap	NO _x	1020.82	25.53
PM/PM ₁₀ SOURCES				
Cooling Towers				
54-22-5 54-22-6 54-22-7 54-22-9 54-22-12	Unit 12 Cooling Tower (CT-5) Unit 10ABC Cooling Tower (CT-6) Unit 10ABC Cooling Tower (CT-7) Unit 10D/18 Cooling Tower (CT-9) Unit 21/22 Cooling Tower (CT-12)	PM PM PM PM PM		

Unit 24 Cooling Tower (CT-13)
Unit 33 Cooling Tower (CT-17)

РМ

PM

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminate	Indiv	on Cap or idual on Limit *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
	Emission Cap	PM	27.16	118.97
Ethylene Unit 22				
22-36-1	22 Furnace 1	PM ₁₀		
22-36-2	22 Furnace 2	PM_{10}		
22-36-3	22 Furnace 3	PM_{10}		
22-36-4	22 Furnace 4	PM_{10}		
22-36-5	22 Furnace 5	PM_{10}		
22-36-6	22 Furnace 6	PM_{10}		
22-36-7	22 Furnace 7	PM_{10}		
22-36-8	22 Furnace 8	PM_{10}		

Ethylene Unit 24

24-36-1	24 Furnace 1	PM_{10}
24-36-2	24 Furnace 2	PM_{10}
24-36-3	24 Furnace 3	PM_{10}
24-36-4	24 Furnace 4	PM_{10}
24-36-5	24 Furnace 5	PM_{10}
24-36-6	24 Furnace 6	PM_{10}
24-36-7	24 Steam Superheater 7	PM_{10}
24-36-8	24 DAC Hydrotreater Heater 8	PM_{10}
24-36-9	24 Furnace 9	PM_{10}

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminate	Indiv	on Cap or vidual on Limit *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
1 OHIC 140. (1)	ivanie (2)	rvaine (o)		
33-36-1	33 Furnace 1	PM ₁₀ (7)		
33-36-2	33 Furnace 2	PM ₁₀ (7)		
33-36-3	33 Furnace 3	PM ₁₀ (7)		
33-36-4	33 Furnace 4	$PM_{10}(7)$		
33-36-5	33 Furnace 5	PM ₁₀ (7)		
33-36-6	33 Furnace 6	$PM_{10}(7)$		
33-36-7	33 Furnace 7	$PM_{10}(7)$		
33-36-8	33 Furnace 8	$PM_{10}(7)$		
33-36-9	33 Furnace 9	PM ₁₀ (7)		
	Emission Cap	PM_{10}	41.44	181.52

Start-Up, Shutdown, and Maintenance

22-95-(3, 3A,	U22 Decoke	PM		
3B, and 3C)				
24-95-300	U24 Decoke	PM		
33-95-376 and 376A	U33 Decoke	PM		
CPC-ABLAST	Abrasive Blasting	PM		
CPC-PAINT	Painting	PM		
	Emission Cap	PM	621.89	67.66

SO₂ SOURCES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminate	Emission Cap or Individual Emission Limit *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
22-36-1 22-36-2 22-36-3 22-36-4 22-36-5 22-36-6 22-36-7 22-36-8	22 Furnace 1 22 Furnace 2 22 Furnace 3 22 Furnace 4 22 Furnace 5 22 Furnace 6 22 Furnace 7 22 Furnace 8	SO ₂ SO ₂ SO ₂ SO ₂ SO ₂ SO ₂ SO ₂ SO ₂		

Ethylene Unit 24

24-36-1	24 Furnace 1	SO_2
24-36-2	24 Furnace 2	SO_2
24-36-3	24 Furnace 3	SO_2
24-36-4	24 Furnace 4	SO_2
24-36-5	24 Furnace 5	SO_2
24-36-6	24 Furnace 6	SO_2
24-36-7	24 Steam Superheater 7	SO_2
24-36-8	24 DAC Hydrotreater Heater 8	SO_2
24-36-9	24 Furnace 9	SO_2

33-36-1	33 Furnace 1	SO ₂ (7)
33-36-2	33 Furnace 2	SO ₂ (7)
33-36-3	33 Furnace 3	SO ₂ (7)

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminate	Emission Cap or Individual Emission Limit *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
33-36-4	33 Furnace 4	SO ₂ (7)		
33-36-5	33 Furnace 5	SO ₂ (7)		
33-36-6	33 Furnace 6	SO ₂ (7)		
33-36-7	33 Furnace 7	SO ₂ (7)		
33-36-8	33 Furnace 8	SO ₂ (7)		
33-36-9	33 Furnace 9	SO ₂ (7)		
	Emission Cap	SO ₂	223.95	374.53

Flare System

•				
56-61-4	Unit 10D/18 Process Flare (Flare 4)	SO ₂		
56-61-8	Unit 10, 12 Low-Pressure Flare (Flare 8)	SO ₂		
56-61-9	Unit 10, 12 High-Pressure Flare (Flare 9)	SO ₂		
56-61-10	Unit 21, 22 Low-Pressure Flare (Flare 10)	SO ₂		
56-61-12	Unit 22 High-Pressure Flare (Flare 12)	SO ₂		
56-61-14	Unit 24 High-Pressure Flare (Flare 14)	SO ₂		
56-61-20	Unit 24 Low-Pressure Flare (Flare 20)	SO ₂		
56-61-22	Unit 33 Process Flare (Flare 22)	SO ₂ (7)		
	Emission Cap	SO ₂	18.05	24.72

Emission	Source	Air Contaminate	Emission Individ Emission	ual Limit *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
VOC SOURCES				
Ethylene Unit 22				
22-36-1 22-36-2 22-36-3 22-36-4 22-36-5 22-36-6 22-36-7 22-36-8	22 Furnace 1 22 Furnace 2 22 Furnace 3 22 Furnace 4 22 Furnace 5 22 Furnace 6 22 Furnace 7 22 Furnace 8	VOC VOC VOC VOC VOC VOC VOC		
Ethylene Unit 24				
24-36-1 24-36-2 24-36-3 24-36-4 24-36-5 24-36-6 24-36-7 24-36-8 24-36-9	24 Furnace 1 24 Furnace 2 24 Furnace 3 24 Furnace 4 24 Furnace 5 24 Furnace 6 24 Steam Superheater 7 24 DAC Hydrotreater Heater 8 24 Furnace 9	VOC VOC VOC VOC VOC VOC VOC VOC		
Ethylene Unit 33				
33-36-1 33-36-2 33-36-3 33-36-4 33-36-5 33-36-6 33-36-7	33 Furnace 1 33 Furnace 2 33 Furnace 3 33 Furnace 4 33 Furnace 5 33 Furnace 6 33 Furnace 7	VOC VOC VOC VOC VOC VOC		

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminate	Emission Individ Emission	ual
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
33-36-8 33-36-9	33 Furnace 8 33 Furnace 9	VOC VOC		

Process Fugitive Equipment

10.1-0-0	Unit 10AC Process Fugitives (4)	VOC
10.2-0-0	Unit 10D Process Fugitives (4)	VOC
10.3-0-0	Unit 10B Process Fugitives (4)	VOC
12-0-0	Unit 12 Process Fugitives (4)	VOC
18-0-0	Unit 18 Process Fugitives (4)	VOC
21-0-0	Unit 21 Process Fugitives (4)	VOC
24.1-0-0	Unit 24.1 Process Fugitives (4)	VOC
22-0-0	Unit 22 Process Fugitives (4)	VOC
24-0-0	Unit 24 Process Fugitives (4)	VOC
33-0-0	Unit 33 Process Fugitives (4)	VOC

Cooling Towers

54-22-5	Unit 12 Cooling Tower (CT-5)	VOC
54-22-6	Unit 10ABC Cooling Tower (CT-6)	VOC
54-22-7	Unit 10ABC Cooling Tower (CT-7)	VOC
54-22-9	Unit 10D/18 Cooling Tower (CT-9)	VOC
54-22-12	Unit 21/22 Cooling Tower (CT-12)	VOC
54-22-13	Unit 24 Cooling Tower (CT-13)	VOC
54-22-17	Unit 33 Cooling Tower (CT-17)	VOC

EMISSION SOURCES - EMISSION CAPS AND INDIVIDUAL EMISSION LIMITATIONS

AIR CONTAMINANTS DATA

Emission	Course	Air Contominata	Emission Cap or Individual Emission Limit *	
Emission Point No. (1)	Source Name (2)	Air Contaminate Name (3)	lb/hr	TPY**
FOIRT NO. (1)	Name (2)	Name (5)	10/111	
Fixed-Roof Storage	Tanke			
Fixeu-Rooi Storage	laliks			
24-95-314	Methanol Storage Tank	VOC		
33-95-10	Methanol Storage Tank	VOC		
33-95-14	TBC Storage Tank	VOC		
Lube/Seal Reservoi	rs			
10-95-328	D-328 Seal Oil Reservoir	VOC		
10-95-326	D-357 Lube/Seal Oil Reservoir	VOC		
18-95-54	D-54 Lube/Seal Oil Reservoir	VOC		
21-95-120	D-120 Lube/Seal Oil Reservoir	VOC		
22-95-100	D-100 Lube Oil Reservoir	VOC		
22-95-101	D-101 Seal Oil Reservoir	VOC		
22-95-120	D-120 Lube/Seal Oil Reservoir	VOC		
22-95-130	D-130 Lube/Seal Oil Reservoir	VOC		
24-95-304	D-304 Lube/Seal Oil Reservoir	VOC		
24-95-305	D-305 Lube/Seal Oil Reservoir	VOC		
24-95-306	D-306 Lube/Seal Oil Reservoir	VOC		
24-95-307	Expander Lube Oil Reservoir	VOC		
33-95-15	C-101 (Cracked Gas)	VOC		
33-95-17	C-102 (Ethylene)	VOC		
33-95-19	C-103 (Propylene)	VOC		
33-95-390	C-101 (Cracked Gas)	VOC		
33-95-392	C-102 (Ethylene)	VOC		
33-95-394	C-103 (Propylene)	VOC		
10-95-3572	C-357 (Propylene)- 2nd vent	VOC		
10-95-357A	C-357 (Propylene)- degas chamber	VOC		
24-95-319	C-100 (Cracked Gas)	VOC		
24-95-320	C-101 (Ethylene)	VOC		
24-95-321	C-102 (Propylene)	VOC		

AIR CONTAMINANTS DATA

			Emission Cap or	
			Individual	
Emission	Source	Air Contaminate	Emissi	on Limit *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**

Sumps

10.1 Oily Water Sewer Sump	VOC
12 Oily Water Sewer Sump	VOC
21/22 Oily Water Sewer Sump	VOC
24 Ethylene Sodium Hydroxide	VOC
Sump	
24 Oily Water Sewer Sump	VOC
33 Sodium Hydroxide Sump	VOC
33 Water Sludge Pit	VOC
33 Oily Water Sewer Sump	VOC
33 Blowdown Drum Sump	VOC
	12 Oily Water Sewer Sump 21/22 Oily Water Sewer Sump 24 Ethylene Sodium Hydroxide Sump 24 Oily Water Sewer Sump 33 Sodium Hydroxide Sump 33 Water Sludge Pit 33 Oily Water Sewer Sump

Flare System

56-61-4	Unit 10D/18 Process Flare	VOC
	(Flare 4)	
56-61-8	Unit 10, 12 Low-Pressure Flare	VOC
30 01 0	(Flare 8)	VOC
56-61-9	Unit 10, 12 High-Pressure Flare	VOC
00 01 0	(Flare 9)	,,,,
56-61-10	Unit 21, 22 Low-Pressure Flare	VOC
	(Flare 10)	
56-61-12	Unit 22 High-Pressure Flare	VOC
	(Flare 12)	
56-61-14	Unit 24 High-Pressure Flare	VOC
	(Flare 14)	
	(1 Idi C 17)	

Emission	Source	Air Contaminate	Indiv	Emission Cap or Individual Emission Limit *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**	
56-61-20	Unit 24 Low-Pressure Flare (Flare 20)	VOC			
56-61-22	Unit 33 Process Flare (Flare 22)	VOC			
Atmospheric Vents					
10ABC-AV 10D-AV 12-AV 18-AV 21-AV 22-AV 24-AV 33-AV	Unit 10ABC Analyzer Vents Unit 10D Analyzer Vents Unit 12 Analyzer Vents Unit 18 Analyzer Vents Unit 21 Analyzer Vents Unit 22 Analyzer Vents Unit 24 Analyzer Vents Unit 33 Analyzer Vents	VOC VOC VOC VOC VOC VOC VOC			
	Emission Cap	VOC	127.95	494.24	
Start-Up, Shutdowr	, and Maintenance				
56-61-4	Unit 10D/18 Process Flare (Flare 4)	VOC			
56-61-8	Unit 10, 12 Low-Pressure Flare (Flare 8)	VOC			
56-61-9	Unit 10, 12 High-Pressure Flare (Flare 9)	VOC			
56-61-10	Unit 21, 22 Low-Pressure Flare (Flare 10)	VOC			
56-61-12	Unit 22 High-Pressure Flare (Flare 12)	VOC			
56-61-14	Unit 24 High-Pressure Flare (Flare 14)	VOC			
56-61-20	Unit 24 Low-Pressure Flare (Flare 20)	VOC			
56-61-22	Unit 33 Process Flare (Flare 22)	VOC			

Emission	Source	Air Contaminate	Emission Cap or Individual Emission Limit *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
CPC-Paint	Painting	VOC		
	Emission Cap	VOC	3393.19	94.29
Benzene Sources (5	-			
10.1-0-0 10.2-0-0 10.3-0-0 12-0-0 21-0-0 24.1-0-0 22-0-0 24-0-0 33-0-0	Unit 10AC Process Fugitives (4) Unit 10D Process Fugitives (4) Unit 10B Process Fugitives (4) Unit 12 Process Fugitives (4) Unit 21 Process Fugitives (4) Unit 24.1 Process Fugitives (4) Unit 22 Process Fugitives (4) Unit 24 Process Fugitives (4) Unit 33 Process Fugitives (4)	Benzene Benzene Benzene Benzene Benzene Benzene Benzene Benzene Benzene		
	Emission Cap	Benzene	1.74	7.60
Start-Up, Shutdown, and Maintenance				
56-61-4	Unit 10D/18 Process Flare (Flare 4)	Benzene		
56-61-8	Unit 10, 12 Low-Pressure Flare (Flare 8)	Benzene		
56-61-9	Unit 10, 12 High-Pressure Flare (Flare 9)	Benzene		
56-61-10	Unit 21, 22 Low-Pressure Flare (Flare 10)	Benzene		
56-61-12	Unit 22 High-Pressure Flare (Flare 12)	Benzene		
56-61-14	Unit 24 High-Pressure Flare (Flare 14)	Benzene		
56-61-20	Unit 24 Low-Pressure Flare (Flare 20)	Benzene		

Emission Point No. (1)	Source Name (2)	Air Contaminate Name (3)	Indivi	n Cap or dual <u>n Limit *</u> TPY**
56-61-22	Unit 33 Process Flare (Flare 22) Emission Cap	Benzene Benzene	198.21	2.73
22-7-1	Boiler No. 10 (Boiler and Turbine Combined) (6)	CO PM ₁₀ SO ₂ VOC	21.54 3.94 16.69 3.65	94.34 17.24 73.10 15.97
22-95-27	Propylene Compressor Turbine (operating alone) (6)	CO PM ₁₀ SO ₂ VOC	7.01 0.84 0.44 1.41	30.72 3.70 1.91 6.17
24-AIRCOMP	Unit 24 Diesel Engine	$\begin{array}{c} VOC \\ NO_x \\ CO \\ SO_2 \\ PM_{10} \end{array}$	0.87 6.09 7.53 0.62 0.36	0.71 4.96 6.14 0.50 0.29
33-AIRCOMP	Unit 33 Diesel Engine	VOC NO_x CO SO_2 PM_{10}	0.14 6.10 0.05 0.01 0.07	0.11 4.97 0.04 0.01 0.05

⁽¹⁾ Emission point identification - either specific equipment designation or emission point number from plot plan.

⁽²⁾ Specific point source name. For fugitive sources use area name or fugitive source name.

(3) CO - carbon monoxide

H₂S - hydrogen sulfide

NO_x - total oxides of nitrogen

PM - particulate matter, suspended in the atmosphere, greater than 10 microns in diameter.

PM₁₀ - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.

SO₂ - sulfur dioxide

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Benzene from other facilities is included in the VOC cap and does not contribute to the benzene emission cap.
- (6) Emission Point Nos. 22-7-1 and 22-95-27 do not emit at the same time.
- (7) PSD-TX-751M1 pollutant
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day 24 Days/week 7 Weeks/year 52

** Compliance with annual emission limits is based on a rolling 12-month period.

Dated September 30, 2008