#### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

### Permit No. 4788

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

#### AIR CONTAMINANTS DATA

| Emission<br>*     | Source       | Air Contaminant | <u>Emission</u> | Rates |
|-------------------|--------------|-----------------|-----------------|-------|
| Point No. (1) TPY | Name (2)     | Name (3)        | lb/hr           |       |
| TE51              | Storage Tank | VOC             | 3.14            | 0.08  |
| TE52              | Storage Tank | VOC             | 3.14            | 0.08  |
| TE54              | Storage Tank | VOC             | 3.14            | 0.08  |
| TE106             | Storage Tank | VOC             | 3.14            | 0.08  |
| TE107             | Storage Tank | VOC             | 0.01            | 0.01  |
| TE109             | Storage Tank | VOC             | 5.38            | 0.20  |
| TE112             | Storage Tank | VOC             | 3.14            | 0.08  |
| TE76              | Storage Tank | VOC             | 3.16            | 0.19  |
| TE21              | Storage Tank | VOC             | 0.14            | 0.01  |
| TE72              | Storage Tank | VOC             | 0.30            | 0.04  |
| TE119             | Storage Tank | VOC             | 5.22            | 0.31  |
| TE121             | Storage Tank | VOC             | 5.22            | 0.31  |
| TE122             | Storage Tank | VOC             | 5.22            | 0.31  |

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES AIR CONTAMINANTS DATA

| Emission<br>* | Source                | Air Contaminant        | <u>Emissior</u> | n Rates      |
|---------------|-----------------------|------------------------|-----------------|--------------|
| Point No. (1) | Name (2)              | Name (3)               | lb/hr           |              |
| <u>TPY</u>    |                       | _                      |                 |              |
| TE123         | Storage Tank          | VOC                    | 5.22            | 0.31         |
| TG11          | Rundown Tank          | VOC                    | 0.37            | 0.09         |
| TG12          | Rundown Tank          | VOC                    | 0.37            | 0.09         |
| UNLOAD        | Unloading Spot        | VOC<br>NH₃             | 0.20<br>0.03    | 0.86<br>0.12 |
| RAIL          | Rail Loading          | VOC                    | 0.66            |              |
| TRUCK         | Truck Loading         | VOC                    | 0.98            |              |
|               | Total Rail/Truck      | VOC                    |                 | 0.55         |
| RAILFUG       | Piping Fugitives (4)  | VOC                    | 0.09            | 0.40         |
| TRUCKFUG      | Piping Fugitives (4)  | VOC                    | 0.02            | 0.07         |
| RE22          | Loading Incinerator   | VOC<br>NO <sub>x</sub> | 0.23<br>0.08    | 0.05<br>0.01 |
| SAU           | SAU Fugitives (4)     | VOC<br>NH <sub>3</sub> | 0.65<br>0.02    | 2.85<br>0.10 |
| AAU           | AAU Fugitives (4)     | VOC                    | 0.31            | 1.36         |
| JAUII         | JAUII Fugitives (4)   | VOC                    | 0.26            | 1.13         |
| TK2           | Tank Area Fugitives ( | 4) VOC                 | 0.03            | 0.13         |
| TK3           | Tank Area Fugitives ( | 4) VOC                 | 0.14            | 0.63         |

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES AIR CONTAMINANTS DATA

| Emission *    | Source Air Contaminant |     | r Contaminant         | <u>Emission Rates</u> |               |
|---------------|------------------------|-----|-----------------------|-----------------------|---------------|
| Point No. (1) | Name (2)               |     | Name (3)              | 1b/hr                 |               |
| <u>TPY</u>    |                        |     | _                     |                       |               |
| TK4           | Tank Area Fugitives    | (4) | VOC                   | 0.01                  | 0.04          |
| TK5           | Tank Area Fugitives    | (4) | VOC                   | <0.01                 | 0.01          |
| TK8           | Tank Area Fugitives    | (4) | VOC                   | 0.09                  | 0.37          |
|               |                        |     | NH <sub>3</sub>       | 0.09                  | 0.37          |
| TK9           | Tank Area Fugitives    | (4) | VOC                   | 0.06                  | 0.24          |
| TK10          | Tank Area Fugitives    | (4) | VOC                   | 0.03                  | 0.13          |
| RA22          | Flare                  |     | VOC                   | 0.60                  | 0.41          |
|               |                        |     | NH₃                   | 0.60                  | 0.03          |
|               |                        |     | NO <sub>x</sub><br>CO | 1.07<br>0.42          | 0.13<br>0.13  |
|               |                        |     |                       |                       | 0113          |
| RG43          | Fume Incinerator       |     | VOC                   | 1.65                  | 5.43          |
|               |                        |     | NO <sub>x</sub><br>CO | 2.29<br>0.86          | 10.00<br>3.78 |
|               |                        |     | SO <sub>2</sub>       | <0.01                 | < 0.01        |
|               |                        |     | PM                    | 0.04                  | 0.16          |
| FE30          | Unloading Scrubber     |     | VOC                   | 0.06                  | 0.02          |
| 1230          | onroduring serubber    |     | NH <sub>3</sub>       | 0.10                  | 0.01          |
| FE37          | Tank Scrubber          |     | VOC                   | 0.52                  | 0.07          |
| FE41          | Tank Scrubber          |     | VOC                   | 0.63                  | 0.05          |

### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES AIR CONTAMINANTS DATA

| Emission<br><u>*</u> | Source         | Air Contaminant | Emission | Rates |
|----------------------|----------------|-----------------|----------|-------|
| Point No. (1) TPY    | Name (2)       | Name (3)        | lb/hr    |       |
| FE42                 | Tank Scrubber  | VOC             | 0.55     | 0.04  |
| FE-45                | Tank Scrubber  | VOC             | 0.19     | 0.03  |
| FG-87<br>Only        | Water Scrubber |                 | Emergenc | y Use |

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in General Rule 101.1.
  - NH₃ ammonia
  - $NO_x$  total oxides of nitrogen
  - CO carbon monoxide SO<sub>2</sub> - sulfur dioxide
  - PM particulate matter, suspended in the atmosphere, including  $PM_{10}$ .
  - PM<sub>10</sub> particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
  - \* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

| Hrs/day | Days/week | Weeks/year | or Hrs/year | 8,760 |
|---------|-----------|------------|-------------|-------|
|         |           |            |             |       |

| Dated |  |
|-------|--|
|       |  |