

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Flexible Permit Number 18897

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

### AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY**

#### **VOC SOURCES:**

Flare 112 (6), Boilers, Furnaces, Heaters,  
Compressors, Incinerator,  
Thermal Oxidizer, FCCU/WGS,  
Fire Water Pump, Thermal Combustors,  
Cooling Towers (4), Fugitive Emissions (4),  
Loading Racks, Fixed Roof Tanks,  
Floating Roof Tanks, and  
Carbon Canister Systems

EMISSIONS CAP: through 01/01/2009	VOC	698	1118
EMISSIONS CAP: through 01/01/2011	VOC	494	930
EMISSIONS CAP: through 04/04/2013	VOC	488	930
EMISSIONS CAP: after 04/04/2013	VOC	403	930

#### **NO<sub>x</sub> SOURCES:**

Flare 112 (6), Boilers, Furnaces, Heaters,  
Compressors, Incinerator,  
Thermal Oxidizer, FCCU/WGS,  
Fire Water Pump, and Thermal Combustors

EMISSIONS CAP: through 01/01/2009	NO <sub>x</sub>	609	1374
EMISSIONS CAP: through 01/01/2011	NO <sub>x</sub>	377	937
EMISSIONS CAP: through 04/04/2013	NO <sub>x</sub>	325	853
EMISSIONS CAP: after 04/04/2013	NO <sub>x</sub>	205	535

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY**</u>

**CO SOURCES:**

Flare 112 (6), Boilers, Furnaces, Heaters,  
Compressors, Incinerator,  
Thermal Oxidizer, FCCU/WGS,  
Fire Water Pump, Thermal Combustors,  
and Absorber

EMISSIONS CAP: through 01/01/2009	CO	270	630
EMISSIONS CAP: through 01/01/2011	CO	203	556
EMISSIONS CAP: through 04/04/2013	CO	187	526
EMISSIONS CAP: after 04/04/2013	CO	171	479

**PM SOURCES:**

Boilers, Furnaces, Heaters,  
Compressors, Incinerator,  
Thermal Oxidizer,  
FCCU/WGS, Fire Water Pump,  
Thermal Combustors,  
and Solid Waste Loading

EMISSIONS CAP: through 01/01/2009	PM	54	105
EMISSIONS CAP: through 01/01/2011	PM	53	99
EMISSIONS CAP: through 04/04/2013	PM	53	99
EMISSIONS CAP: after 04/04/2013	PM	53	99

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY**</u>

**SO<sub>2</sub> SOURCES:**

Flare 112 (6), Boilers, Furnaces, Heaters,  
Compressors, Incinerator,  
Thermal Oxidizer, FCCU/WGS,  
Fire Water Pump,  
and Thermal Combustors

EMISSIONS CAP: through 01/01/2009	SO <sub>2</sub>	230	525
EMISSIONS CAP: through 01/01/2011	SO <sub>2</sub>	157	375
EMISSIONS CAP: through 04/04/2013	SO <sub>2</sub>	157	375
EMISSIONS CAP: after 04/04/2013	SO <sub>2</sub>	157	375

**H<sub>2</sub>S SOURCES:**

Flare 112 (6), Boilers, Furnaces, Heaters,  
Absorber, Incinerator,  
Thermal Oxidizer,  
Thermal Combustors,  
Carbon Canister EPN PK-854,  
Fugitive Emission EPNs F-16N, F-39,  
F-71-72, F-1/2, F-11, and F-13 (4),  
and Sulfur Loading and Storage

EMISSIONS CAP: through 01/01/2009	H <sub>2</sub> S	3	6
EMISSIONS CAP: through 01/01/2011	H <sub>2</sub> S	2	4
EMISSIONS CAP: through 04/04/2013	H <sub>2</sub> S	2	4
EMISSIONS CAP: after 04/04/2013	H <sub>2</sub> S	2	4

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY**</u>

**COS SOURCES:**

Absorber

EMISSIONS CAP: through 01/01/2009	COS	1	5
EMISSIONS CAP: through 01/01/2011	COS	1	5
EMISSIONS CAP: through 04/04/2013	COS	1	5
EMISSIONS CAP: after 04/04/2013	COS	1	5

**H<sub>2</sub>SO<sub>4</sub> SOURCES:**

FFCU/WGS

EMISSIONS CAP: through 01/01/2009	H <sub>2</sub> SO <sub>4</sub>	4	18
EMISSIONS CAP: through 01/01/2011	H <sub>2</sub> SO <sub>4</sub>	4	18
EMISSIONS CAP: through 04/04/2013	H <sub>2</sub> SO <sub>4</sub>	4	18
EMISSIONS CAP: after 04/04/2013	H <sub>2</sub> SO <sub>4</sub>	4	18

**NH<sub>3</sub> SOURCES:**

Carbon Canister EPN PK-854

EMISSIONS CAP: through 01/01/2009	NH <sub>3</sub>	0.01	0.06
EMISSIONS CAP: through 01/01/2011	NH <sub>3</sub>	0.01	0.06
EMISSIONS CAP: through 04/04/2013	NH <sub>3</sub>	0.01	0.06
EMISSIONS CAP: after 04/04/2013	NH <sub>3</sub>	0.01	0.06

**HCl SOURCES:**

pH Neutralization

EMISSIONS CAP: through 01/01/2009	HCl	0.77	0.15
EMISSIONS CAP: through 01/01/2011	HCl	0.10	0.02
EMISSIONS CAP: through 04/04/2013	HCl	0.10	0.02
EMISSIONS CAP: after 04/04/2013	HCl	0.10	0.02

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY**</u>

**Benzene SOURCES:**

Fugitive Emissions EPNs LE-FUG, F-16N,  
F-39, F-41, TNK-FUG, F-1/2, F-3/4, F-8,  
F-11, F-16S, F-22, and FUG (4),  
Thermal Oxidizer,  
Carbon Canister PK-854,  
Fixed-Roof Tanks,  
Floating Roof Tanks, and Cooling Towers

EMISSIONS CAP: through 01/01/2009		Benzene	1.75	5.90
EMISSIONS CAP: through 01/01/2011		Benzene	1.60	5.30
EMISSIONS CAP: through 04/04/2013		Benzene	1.60	5.27
EMISSIONS CAP: after 04/04/2013		Benzene	1.60	5.24
D-2914	Relief Gas Emergency Flare (5)	VOC	0.01	0.06
		NO <sub>x</sub>	0.16	0.68
		CO	0.80	3.48
		SO <sub>2</sub>	0.01	0.01
R-2911	Rheniformer Emergency Flare (7)	VOC	0.01	0.01
		NO <sub>x</sub>	18.24	0.26
		CO	46.35	0.89
		SO <sub>2</sub>	0.01	0.01
128	Sour Water Stripper Emergency Flare (5)	VOC	0.01	0.01
		NO <sub>x</sub>	0.05	0.21
		CO	0.10	0.43
		SO <sub>2</sub>	0.01	0.01

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY**
XF7104	Standby SRU Tailgas Incinerator (5)	VOC	0.01	0.04
		NO <sub>x</sub>	0.23	0.67
		CO	0.08	0.24
		PM	0.02	0.05
		SO <sub>2</sub>	0.01	0.01
		H <sub>2</sub> S	0.01	
112	Plant Emergency/AAG/ Main South Flare (5, 6)	VOC	0.01	0.01
		NO <sub>x</sub>	0.02	0.07
		CO	0.11	0.49
		SO <sub>2</sub>	0.01	0.01
XF8301/2	Steam Reformer Heater F-8301 Steam Reformer Heater F-8302	VOC	0.70	2.61
		NO <sub>x</sub>	4.52	16.96
		CO	4.52	16.96
		PM	0.96	3.61
		SO <sub>2</sub>	3.81	1.92
		H <sub>2</sub> S	0.08	0.04
H2FUG	Hydrogen Plant Fugitives (4)	CO	0.01	0.06
		VOC	0.01	0.06
		H <sub>2</sub> S	0.01	0.01
9	Boiler No. 4	CO	1.05	3.51
		NO <sub>x</sub>	3.95	13.22
		NH <sub>3</sub>	0.64	2.17
		PM/PM <sub>10</sub>	4.57	11.35
		SO <sub>2</sub>	8.11	10.36
		H <sub>2</sub> SO <sub>4</sub>	1.99	2.54
		TRS	0.68	0.93
		VOC	1.43	4.88
9	Boiler No. 4 (8)	H <sub>2</sub> S	0.03	0.11
		CO	25.62	1.43

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY**
		NO <sub>x</sub>	57.95	3.25
		VOC	1.43	0.10
		PM	4.57	0.32
		SO <sub>2</sub>	0.05	0.01
F-24	Boiler No. 4 Process Fugitives (4)	VOC	0.03	0.12
		H <sub>2</sub> S	0.01	0.01

- (1) Emission point identification - either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources, use an area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
  - NO<sub>x</sub> - total oxides of nitrogen
  - CO - carbon monoxide
  - PM - particulate matter, suspended in the atmosphere, including PM<sub>10</sub>.
  - PM<sub>10</sub> - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.
  - SO<sub>2</sub> - sulfur dioxide
  - COS - carbonyl sulfide
  - H<sub>2</sub>S - hydrogen sulfide
  - H<sub>2</sub>SO<sub>4</sub> - sulfuric acid
  - HCl - hydrochloric acid
  - NH<sub>3</sub> - ammonia
  - TRS - total reduced sulfur
- (4) Emission rates are an estimate and enforceable through compliance with the applicable special condition(s) and permit application representations.
- (5) Only pilot emissions are authorized for these combustion sources.
- (6) EPN 112 will be authorized for use as a process flare through September 2007. After that, only pilot emissions will be authorized for the flare, and the flare will no longer be included in the pollutant caps.
- (7) Startup, shutdown, and maintenance emissions associated with the hydrogen unit are authorized.
- (8) Start-up and shutdown emissions for periods not to exceed 144 hours on a rolling 12-month basis only.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- \* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

24 Hrs/day 7 Days/week 52 Weeks/year or \_\_\_\_\_ Hrs/year

- \*\* Compliance with annual emission limits is based on a calendar year basis for the first eight years after this permit was issued, and a rolling 12-month basis thereafter.

Dated March 25, 2008