EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

20120

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Air Contaminant Name (2) Name (3)	Emission Rates* #/hr TPY		
HE1DU02	Heater H-2 (5.0 MMBtu/hr heat input) PM10	CO NOx 0.01 SOx	0.13 0.27 0.05 <0.01	0.58 1.17 0.01
		VOC	0.01	0.05
HEC25DU02	Heater (9.1 MMBtu/hr heat input)	CO NOx PM10 SOx VOC	0.43 0.85 0.06 0.01 0.03	1.72 3.40 0.27 0.03 0.14
HEC27DU02	Heater H-27 (38.8 MMBtu/hr heat input)	CO NOx PM10 SOx VOC	1.42 2.28 0.12 0.02 0.11	6.22 9.98 0.53 0.11 0.50
HEC35DU02	Heater (22 MMBtu/hr heat input)	CO NOx PM10 SOx VOC	0.98 1.32 0.14 0.02 0.08	4.24 5.26 0.61 0.07 0.34
HECRUDU02	Heater H-7 (37.8 MMBtu/hr heat input)	CO NOx PM10 SOx VOC	1.39 2.22 0.12 0.02 0.11	6.07 9.74 0.52 0.10 0.49
HECRUDU03	Heater H-5 (15.6 MMBtu/hr heat input)	CO NOx PM10	0.57 0.92 0.05	2.50 4.02 0.21

Page 2 of 3 20120				
20120		SOx VOC	0.01 0.05	0.04 0.20
HEHSRU02	Heater H-366001 (14.4 MMBtu/hr heat inp	ut) CO NOx PM10 SOx VOC	0.53 0.85 0.05 0.01 0.04	2.31 3.71 0.20 0.04 0.18
	AIR CONTAMIN	IANTS DATA		
Emission Point No. (1)	Source Air Contamina Name (2) Name (3)			
SEC09DU08	S-24 Scrubber	VOC	<0.01	<0.01
SEC21DU07	S-141 Scrubber	VOC	<0.01	<0.01
SECAS25102	Scrubber S-251001	CA	0.06	0.03
SECRAS602	Scrubber S-83	CA	0.02	0.01
SEIEXU02	Scrubber S-917	CA	0.02	<0.01
SESAPOU02	Scrubber S-927	CA	0.02	<0.01
VECOOLT02	Storage Tank T-950	CA	<0.01	<0.01
VEIEXU03	Storage Tank T-908	CA	<0.01	<0.01
VEIEXU04	Storage Tank T-910	CA	<0.01	<0.01
VEIEXU08	Storage Tank T-906	CA	<0.01	<0.01
VEIEXU09	Storage Tank T-907	CA	<0.01	<0.01
VEIEXU10	Storage Tank T-909	CA	<0.01	<0.01

NaOH

< 0.01

< 0.01

VESIRU02

Storage Tank T-339-101

Page 3 of 3 20120				
VESIRU03	Storage Tank T-339-102	NaOH	<0.01	<0.01
FU1DU01	Process Fugitives (4)	CA	0.35	1.39
FUC25DU01	Process Fugitives (4)	CA	0.19	0.76
FUC35DU01	Process Fugitives (4)	CA	0.19	0.74
FUCAS25101	Process Fugitives (4)	CA	0.12	0.54
FUHSRU01	Process Fugitives (4)	CA	0.03	0.10
		H2S	<0.01	<0.01
FUPWS1801	Process Fugitives (4)	VOC	0.04	0.18
FUSIRU01	Process Fugitives (4)	CA	<0.01	0.03
		H2S	<0.01	<0.01

⁽¹⁾ Emission point identification - either specific equipment designation or emission point number from plot plan.

⁽²⁾ Specific point source name. For fugitive sources use area name or fugitive source name.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

CO - carbon monoxide CA - cresylic acid H2S - hydrogen sulfide NaOH - sodium hydroxide NOx - total oxides of nitrogen PM10 - particulate matter less than 10 microns SOx - sulfur oxides VOC - volatile organic compounds as defined in General Rule 101.1 Fugitive emissions are an estimate only and should not be considered as maximum allowable emission rates. * Emission rates are based on and the facilities are limited by the following maximum operating schedule: Hrs/dayDays/weekWeeks/yearor Hrs/year_8,760_ Revised			
 Fugitive emissions are an estimate only and should not be considered as maximum allowable emission rates. * Emission rates are based on and the facilities are limited by the following maximum operating schedule: Hrs/dayDays/weekWeeks/yearor Hrs/year_8,760_ 	(3)	CA - cresylic acid H2S - hydrogen sulfide NaOH - sodium hydroxide NOx - total oxides of nitrogen PM10 - particulate matter less than 10 microns SOx - sulfur oxides	
following maximum operating schedule: Hrs/dayDays/weekWeeks/yearor Hrs/year_8,760_	(4)	Fugitive emissions are an estimate only and should not be considered as maximum allow	able
Revised	F	rs/dayDays/weekWeeks/yearor Hrs/year <u>8,760</u> _	
Revised			
Revised			
		Rev	vised_