Permit Number 156537

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)		Air Contaminant Name (3)	Emission Rates (6)	
			lbs/hour	TPY (4)
RE-01	Roaster Afterburner Stack	PM	0.05	0.16
	Stack	PM ₁₀	0.05	0.16
		PM _{2.5}	0.05	0.16
		NO _x	0.05	0.14
		VOC	0.02	0.06
		со	0.25	0.74
		SO ₂	0.01	0.06
		CH₃CHO	<0.01	<0.01
		CH ₂ O	<0.01	<0.01
		CH₂CHCHO	<0.01	<0.01
		CH₃COOH	0.01	0.02
RE-02	Roaster Afterburner Stack	PM	0.05	0.16
		PM ₁₀	0.05	0.16
		PM _{2.5}	0.05	0.16
		NO _x	0.05	0.14
		VOC	0.02	0.06
		со	0.25	0.74
		SO ₂	0.01	0.06
		CH₃CHO	<0.01	<0.01
		CH ₂ O	<0.01	<0.01
		CH₂CHCHO	<0.01	<0.01
		СН₃СООН	0.01	0.02
RE-03	Roaster Afterburner Stack	PM	0.05	0.16
		PM ₁₀	0.05	0.16

Ī	Ī		1	1
		PM _{2.5}	0.05	0.16
		NO _x	0.05	0.14
		voc	0.02	0.06
		со	0.25	0.74
		SO ₂	0.01	0.06
		CH₃CHO	<0.01	<0.01
		CH ₂ O	<0.01	<0.01
		CH₂CHCHO	<0.01	<0.01
		CH₃COOH	0.01	0.02
RE-04	Roaster Afterburner Stack	PM	0.05	0.16
	Stack	PM ₁₀	0.05	0.16
		PM _{2.5}	0.05	0.16
		NO _x	0.05	0.14
		voc	0.02	0.06
		СО	0.25	0.74
		SO ₂	0.01	0.06
		CH₃CHO	<0.01	<0.01
		CH ₂ O	<0.01	<0.01
		CH₂CHCHO	<0.01	<0.01
		CH₃COOH	0.01	0.02
RE-05	Roaster Afterburner Stack	PM	0.05	0.16
		PM ₁₀	0.05	0.16
		PM _{2.5}	0.05	0.16
		NO _x	0.05	0.14
		voc	0.02	0.06
		СО	0.25	0.74
		SO ₂	0.01	0.06
		CH₃CHO	<0.01	<0.01
		CH ₂ O	<0.01	<0.01

		CH₂CHCHO	<0.01	<0.01
		CH₃COOH	0.01	0.02
CE-01	Cooler Cyclone Stack	PM	0.01	0.04
02 01	Sociel Systems Stack			
		PM ₁₀	0.01	0.02
OF 02	Cooley Cyclene Steel	PM _{2.5}	<0.01	0.01
CE-02	Cooler Cyclone Stack	PM	0.01	0.04
		PM ₁₀	0.01	0.02
		PM _{2.5}	<0.01	0.01
CE-03	Cooler Cyclone Stack	PM	0.01	0.04
		PM ₁₀	0.01	0.02
		PM _{2.5}	<0.01	0.01
CE-04	Cooler Cyclone Stack	РМ	0.01	0.04
		PM ₁₀	0.01	0.02
		PM _{2.5}	<0.01	0.01
CE-05	Cooler Cyclone Stack	РМ	0.01	0.04
		PM ₁₀	0.01	0.02
		PM _{2.5}	<0.01	0.01
	Roaster Afterburner Stack	РМ	0.11	0.24
	Stack	PM ₁₀	0.11	0.24
		PM _{2.5}	0.11	0.24
		NO _x	0.09	0.20
		voc	0.04	0.09
		со	0.48	1.08
		SO ₂	0.01	0.06
		CH₃CHO	<0.01	<0.01
		CH ₂ O	<0.01	<0.01
		CH₂CHCHO	<0.01	<0.01
		СН₃СООН	0.02	0.04
NR-02	Roaster Afterburner Stack	РМ	0.11	0.24

		PM ₁₀	0.11	0.24
		PM _{2.5}	0.11	0.24
		NO _x	0.09	0.20
		VOC	0.04	0.09
		СО	0.48	1.08
		SO ₂	0.01	0.06
		CH₃CHO	<0.01	<0.01
		CH ₂ O	<0.01	<0.01
		CH₂CHCHO	<0.01	<0.01
		CH₃COOH	0.02	0.04
NR-03	Roaster Afterburner Stack	РМ	0.11	0.24
	Stack	PM ₁₀	0.11	0.24
		PM _{2.5}	0.11	0.24
		NO _x	0.09	0.20
		VOC	0.04	0.09
		СО	0.48	1.08
		SO ₂	0.01	0.06
		CH₃CHO	<0.01	<0.01
		CH ₂ O	<0.01	<0.01
		CH₂CHCHO	<0.01	<0.01
		CH₃COOH	0.02	0.04
NR-04	Roaster Afterburner Stack	РМ	0.11	0.24
	Stuck	PM ₁₀	0.11	0.24
		PM _{2.5}	0.11	0.24
		NO _x	0.09	0.20
		VOC	0.04	0.09
		СО	0.48	1.08
		SO ₂	0.01	0.06
		CH₃CHO	<0.01	<0.01

ĺ	1			1
		CH ₂ O	<0.01	<0.01
		CH₂CHCHO	<0.01	<0.01
		CH₃COOH	0.02	0.04
NC-01	Cooler Filter Vent	PM	0.02	0.06
		PM ₁₀	0.01	0.03
		PM _{2.5}	0.01	0.01
NC-02	Cooler Filter Vent	PM	0.02	0.06
		PM ₁₀	0.01	0.03
		PM _{2.5}	0.01	0.01
NC-03	Cooler Filter Vent	PM	0.02	0.06
		PM ₁₀	0.01	0.03
		PM _{2.5}	0.01	0.01
NC-04	Cooler Filter Vent	PM	0.02	0.06
		PM ₁₀	0.01	0.03
		PM _{2.5}	0.01	0.01

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources, use area name or fugitive source name.

(3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented

PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as

represented

PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter

 $\begin{array}{lll} \text{CO} & - \text{ carbon monoxide} \\ \text{CH}_3\text{CHO} & - \text{ acetaldehyde} \\ \text{CH}_2\text{O} & - \text{ formaldehyde} \\ \text{CH}_2\text{CHCHO} & - \text{ acrolein} \\ \text{CH}_3\text{COOH} & - \text{ acetic acid} \\ \end{array}$

(4) Compliance with annual emission limits (tons per year) is based on a 12-month rolling period.

(5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.

(6) Planned startup and shutdown emissions are included. Maintenance activities are not authorized by this permit.

Date:	March 24, 2020