

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 20382

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY**
V-21	Chlorine Repackaging	Cl ₂	0.06	0.07
F-2.0	Filling Fugitives	Cl ₂	0.02	0.07
		SO ₂ 0.08	0.37	
V-5	Storage Tank No. T-301	Cl ₂	0.01	0.01
V-6	Storage Tank No. T-302	Cl ₂	0.01	0.01
V-7	Storage Tank No. T-303	Cl ₂	0.01	0.01
V-8	Storage Tank No. T-304	Cl ₂	0.01	0.01
V-9	Storage Tank No. T-305	Cl ₂	0.01	0.01
V-10	Storage Tank No. T-306	Cl ₂	0.01	0.01
V-11	Storage Tank No. T-309	Cl ₂	0.01	0.01
V-20.3	Repackaging Area	Cl ₂	0.01	0.01
F-1.4	Fugitives	Cl ₂	0.01	0.04
F-1.0	Fugitives	H ₂ SiF ₆	0.01	0.02
V-2	Storage Tank No. T-316	PG	0.01	0.01
F-1.1	Fugitives	PG	0.01	0.02
V-3	Storage Tank No. T-307	NaOH	0.01	0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lb/hr	TPY**
V-4	Storage Tank No. T-308	NaOH	0.01	0.01
V-18	Storage Tank No. T-310	NaOH	0.01	0.01
V-20.2	Repackaging Area	NaOH	0.01	0.01
F-1.3	Fugitives	NaOH	0.01	0.01
V-14	Storage Tank No. T-314	NaHSO ₃ Na ₂ SO ₃ 0.01	0.01 0.01	0.01
V-15	Storage Tank No. T-315	NaHSO ₃ Na ₂ SO ₃ 0.01	0.01 0.01	0.01
V-20.1	Repackaging Area	NaHSO ₃	0.01	0.01
F-1.2	Fugitives	NaHSO ₃ Na ₂ SO ₃ 0.01	0.01 0.01	0.01
V-21.1	Sulfur Dioxide Repackaging 0.05	SO ₂		0.05
V-22	Surface Coatings Operations	VOC	3.11	2.33
V-16	Wastewater Tank No. T-312	Cl ₂	0.01	0.01
V-17	Wastewater Tank No. T-313	Cl ₂	0.01	0.01
F-1.5	Wastewater Fugitives	Cl ₂	0.01	0.04
S-1	Packed Bed Scrubber	H ₂ SiF ₆	0.01	0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification - either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources use area name or fugitive source name.
- (3)
 - Cl₂ - chlorine
 - H₂SiF₆ - hydrofluorosilicic acid
 - NaHSO₃ - sodium bisulfite
 - Na₂SO₃ - sodium sulfite
 - NaOH - sodium hydroxide
 - PG - propylene glycol (CH₃CHOHCH₂OH)
 - SO₂ - sulfur dioxide
 - VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day ____ Days/week ____ Weeks/year ____ or Hrs/year 8,760

** Compliance with annual emission limits is based on a rolling 12-month period.

Dated July 26, 2006