

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 9074

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lbs/hour	TPY (4)
94	PCE Barge Unloading Fugitives (5)	PCE	1.18	0.06
96	PCE Tank Truck and Ship Unloading Fugitives (5)	PCE	0.24	1.03
102	PCE Storage Tank No. 1	PCE	0.87	0.18
103	PCE Storage Tank No. 2	PCE	0.87	0.18
120	Emergency Generator No. 1	NO _x	23.00	0.15
		CO	4.95	0.03
		SO ₂	1.62	0.01
		VOC/TOC	1.87	0.01
		PM/ PM ₁₀	1.61	0.01
121	Caustic Scrubber	HCl	0.01	0.01
		Cl ₂	0.20	0.01
		FC	84.00	18.40
122	HCl Scrubber	HCl	0.02	0.09
		FC	1.02	3.19
123	Fugitives (5)	HCl	0.01	0.06
124	Fugitives (5)	HCl	0.38	1.70
126	Fugitives (5)	HCl	0.07	0.30
166	H ₂ O ₂ Storage Tank	H ₂ O ₂	0.32	0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

175	Fugitives (5)	FC	1.40	6.08
179	Cooling Tower	PM	1.60	7.01
186	Neutralizer Vent	FC	0.27	1.20
187	Fugitives (5)	FC	2.94	12.87
		VOC	1.32	5.78
		HF	0.08	0.35
		HCl	0.05	0.20
		VCM	0.19	0.84
189	Sniff Scrubber Stack	FC	0.01	0.01
		HCl	0.01	0.01
		HF	0.01	0.01
191	Carbon Canister No. 1	FC	5.20	0.50
192	Thermal Converter Stack	NO _x	0.89	3.90
		CO	0.54	2.37
		SO ₂	0.12	0.53
		VOC	1.34	4.03
		PM/ PM ₁₀	0.23	1.01
		FC	1.87	8.19
		Benzene	0.01	0.01
		VCM	0.01	0.01
		HF	0.19	0.84
		HCl	0.14	0.59
		Cl ₂	0.01	0.01
193	Fugitives (5)	FC	4.34	19.03

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

		Benzene	0.01	0.01
		HCl	0.01	0.02
		VCM	0.02	0.07
193-AqHCl	Fugitives (5)	HCl	0.03	0.14
194	Emergency Generator No. 3	NO _x	18.10	0.15
		CO	3.91	0.03
		SO ₂	1.28	0.01
		VOC/TOC	1.48	0.01
		PM/ PM ₁₀	1.27	0.01
197	Carbon Canister No. 2	FC	12.50	2.74
		HF	0.03	0.01
		Cl ₂	0.80	0.17
		HCl	8.04	1.76
210	Emergency Fire Pump No. 1	NO _x	5.40	0.14
		CO	1.20	0.03
		SO ₂	0.38	0.01
		VOC/TOC	0.44	0.01
		PM/ PM ₁₀	0.38	0.01
215	Emergency Fire Pump No. 2	NO _x	11.50	0.30
		CO	2.47	0.07
		SO ₂	0.81	0.02
		VOC/TOC	0.94	0.03
		PM/ PM ₁₀	0.81	0.02
231	Therminol Heater	NO _x	3.64	15.94
		CO	3.06	13.39

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

		SO ₂	2.08	9.11
		VOC	0.20	0.88
		PM/ PM ₁₀	0.28	1.21
237	Hot Air Heater	NO _x	0.75	3.30
		CO	0.63	2.77
		SO ₂	0.43	1.89
		VOC	0.04	0.18
		PM/ PM ₁₀	0.06	0.25
244	Emergency Generator No. 2	NO _x	5.40	0.14
		CO	1.20	0.03
		SO ₂	0.38	0.01
		VOC/TOC	0.44	0.01
		PM/ PM ₁₀	0.38	0.01
245	Fugitives (5)	FC	5.17	22.60
		VOC	0.47	2.07
		HF	0.10	0.43
		HCl	0.06	0.25
		Cl ₂	0.03	0.12
		PCE	0.18	0.80

247	Spray Scrubber	HF	0.11	0.04
		HCl	1.00	0.10
		Cl ₂	0.11	0.23
		FC	54.50	5.97
SITE	VESSBREAK	VOC	76.90	0.53

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

		FC	2136.47	3.14
		PCE	0.86	0.01
SITE	LINEBREAK	VOC	1.82	0.21
		FC	2.56	0.29
		PCE	0.36	0.04
CATLOAD	Catalyst Loading	PM	0.70	0.01
		PM ₁₀	0.32	0.01
CATVAC	Catalyst Unloading	PM/PM ₁₀	0.51	0.01
SILICAVAC	Silica Gel Unloading	PM/PM ₁₀	0.51	0.04
245-MSS	Fugitives	VOC	4.77	0.01
		FC	4.77	0.08
SITE	SPRAYCLN	VOC	5.40	2.70
192-MSS	Thermal Converter Stack	NO _x	25.99	8.73
		CO	15.82	5.32
		SO ₂	0.4	0.13
		VOC	16.17	0.13
		FC	56.09	0.49
		PCE	0.01	0.01

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
 - (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
 - (3) Exempt Solvent- Those carbon compounds or mixtures of carbon compounds used as solvents which have been excluded from the definition of volatile organic compound.
- VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- TOC - total organic carbon
- NO_x - total oxides of nitrogen
- SO₂ - sulfur dioxide
- PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- | | | |
|-------------------------------|---|---|
| PM ₁₀ | - | total particulate matter equal to or less than 10 microns in diameter, including PM _{2.5} , as represented |
| PM _{2.5} | - | particulate matter equal to or less than 2.5 microns in diameter |
| CO | - | carbon monoxide |
| PCE | - | perchloroethylene |
| HCl | - | hydrogen chloride |
| Cl ₂ | - | chlorine |
| FC | - | fluorocarbons |
| H ₂ O ₂ | - | hydrogen peroxide |
| HF | - | hydrogen fluoride |
| VCM | - | vinyl chloride monomer |
- (4) Compliance with annual emission limits (tons per year) is based on a 12-month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.

Date: _____