EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Numbers 8097 and PSDTX138M5

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

		AIR CONTAMINANTS DATA		
Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
01	Meltshop Overhead Canopy Hoods Baghouse "A" Stack (Positive Pressure Baghouse) (5) (7)	PM/PM_{10}	13.04	52.14
		CO	77.86	311.42
		NO_x	5.75	23.0
		SO_2	4.81	18.66
		VOC	29.66	118.64
		Pb	0.043	0.17
		Hg	0.0029	0.012
		Cr	0.0011	0.0042
		Cd	0.0016	0.0064
02A	Bar Mill Reheat Furnace (6) (Permit Number 1635)	PM/PM_{10}	1.19	5.21
		NO_x	24.95	109.27
		CO	2.20	9.63
		SO_2	0.08	0.37
		VOC	0.53	2.34
05A	Medium Section Mill Reheat Furnace (6) (Permit Number 8099)	PM/PM_{10}	2.15	6.22
		NO_x	45.10	130.52
		CO	16.11	46.61
		SO_2	3.03	0.37
		VOC	1.14	3.29
06	Meltshop Overhead Canopy Hoods Baghouse "B" Stack (5) (7)	PM/PM_{10}	22.0	88.00
		CO	133.85	535.38
		NO_x	9.88	39.53
		SO_2	8.27	32.07
		VOC	50.99	203.96
		Pb	0.073	0.30
		Hg	0.0050	0.0100
		Cr	0.0018	0.0073
		Cd	0.0027	0.011

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
07	Baghouse C Stack Furnaces “A” and “B” 4th Hole Evacuation and Canopy Hood	PM/PM10	17.37	69.49
		CO	284.29	1137.16
		NO_x	63.08	252.31
		SO_2	28.58	114.34
		VOC	24.58	98.34
		Pb	0.0229	0.0914
		Hg	0.11	0.44
		Cr	0.0022	0.0088
		Cd	0.0013	0.0053
07	Baghouse C Stack (9) Furnace “A” and “B” 4th Hole Evacuation and Canopy Hood	PM	21.69	70.57
		PM_{10}	18.28	69.72
		CO	284.29	1137.16
		NOx	63.08	252.31
		SO_2	28.58	114.34
		VOC	25.03	98.45
		Pb	0.1249	0.1169
		Hg	0.11	0.44
		Cr	0.0076	0.0101
		Cd	0.0037	0.0059
54	Roof Monitor Baghouse “D” Stack (7)	PM/PM_{10}	3.73	14.93
		CO	5.23	20.92
		NO_x	0.32	1.27
		SO_2	0.32	1.27
		VOC	2.01	8.05
		Pb	0.0029	0.0115
		Hg	0.0002	0.0008
		Cr	0.0001	0.0003
		Cd	0.0001	0.0004
55	Roof Monitor Baghouse “E” Stack (7)	PM/PM_{10}	3.73	14.93
		CO	5.23	20.92
		NO_x	0.32	1.27
		SO_2	0.32	1.27
		VOC	2.01	8.05

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
		Pb	0.0029	0.0115
		Hg	0.0002	0.0008
		Cr	0.0001	0.0003
		Cd	0.0001	0.0004
08	Air Cascade Separator Auto Shredder Primary Collection System (6) (Permit Number 3026)	PM/PM_{10}	2.50	2.20
09	Large Section Mill Reheat Furnace	PM/PM_{10}	3.38	14.82
		NO_x	95.34	417.59
		SO_2	6.36	1.17
		CO	37.39	163.76
		VOC	2.45	10.72
10C	“B” Side Ladle Heaters Sidewall Vent	PM/PM_{10}	0.15	0.58
		CO	1.61	6.43
		NO_x	1.91	7.65
		SO_2	0.27	0.05
		VOC	0.11	0.42
10D	“A” Side Ladle Heaters Side Wall Vent	PM/PM_{10}	0.04	0.18
		CO	0.49	1.97
		NO_x	0.59	2.34
		SO_2	0.08	0.014
		VOC	0.03	0.13
11A	Outdoor Alloy Handling (4)	PM	0.0023	0.0089
		PM_{10}	0.0011	0.0042
12	Scrap Steel Handling (4)	PM	0.48	1.93
		PM_{10}	0.23	0.91
13	Baghouse Dust Railcar Fugitives (4)	PM	0.00057	0.0023
		PM_{10}	0.00027	0.0011

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
		Pb	0.000015	0.000059
		Hg	0.000000009	0.00000004
		Cr	0.00000097	0.0000039
		Cd	0.00000042	0.0000017
14	Alloy Piles (4)	PM	0.079	0.054
		PM_{10}	0.079	0.054
15A	Pelletizer Silo Baghouse Stack	PM/PM_{10}	0.0324	0.1296
		Pb	0.00085	0.0034
		Hg	0.0000005	0.000002
		Cr	0.000055	0.00022
		Cd	0.000024	0.000095
15B	Railcar Loading From Pelletizer Silo (4)	PM	0.00057	0.0023
		PM_{10}	0.00027	0.00011
		Pb	0.000015	0.000059
		Hg	0.000000009	0.00000004
		Cr	0.00000097	0.0000039
		Cd	0.00000042	0.0000017
16	Shredder Fugitives (4) (6) (Permit Number 3026)	PM	0.0056	0.014
		PM_{10}	0.0024	0.006
17	Residue Transfer at Magnetic Separator (4) (6) (Permit Number 3026)	PM	0.010	0.026
		PM_{10}	0.0049	0.0123
20A	Unprocessed Residue Storage Pile (4) (6) (Permit Number 3026)	PM/PM_{10}	--	0.14
21	Residue Storage Pile at Separation Facility (4) (6) (Permit Number 3026)	PM/PM_{10}	--	0.14

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
22	Vibrating Screen (4) (6) (Permit Number 3026)	PM	0.15	0.65
		PM_{10}	0.015	0.065
23	Material Handling (4) (6) (Permit Number 3026)	PM	0.32	1.41
		PM_{10}	0.15	0.67
24	Fines Storage Pile (4) (6) (Permit Number 3026)	PM	--	0.14
		PM_{10}	--	0.14
25	Fines and Course Sand Storage (4) (6) (Permit Number 3026)	PM	--	0.14
		PM_{10}	--	0.14
26	Light Organic Material Storage (4) (6) (Permit Number 3026)	PM	--	0.14
		PM_{10}	--	0.14
30	In-Plant Vehicle Traffic (4)	PM	--	34.8
		PM_{10}	--	12.5
S1	Raw Feed (4) (6) (Permit Number 5983)	PM	3.25	1.95
		PM_{10}	1.63	0.98
S3	Grizzly to Stock (4) (6) (Permit Number 5983)	PM	<0.01	<0.01
		PM_{10}	<0.01	<0.01
S4	Grizzly to Conveyor (4) (6) (Permit Number 5983)	PM	0.03	0.02
		PM_{10}	0.01	<0.01
S5	Conveyor To Conveyor (4) (6) (Permit Number 5983)	PM	0.03	0.02
		PM_{10}	0.01	<0.01
S6	Conveyor To Feeder (4) (6) (Permit Number 5983)	PM	0.06	0.04
		PM_{10}	0.03	0.02
S8	Feeder to Conveyor (4) (6)	PM	<0.01	<0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
	(Permit Number 5983)	PM_{10}	<0.01	<0.01
S10	Screen (4) (6)	PM	0.07	0.04
	(Permit Number 5983)	PM_{10}	0.03	0.02
S12	Conveyor To Conveyor (4) (6)	PM	<0.01	<0.01
	(Permit Number 5983)	PM_{10}	<0.01	<0.01
S17	Conveyor To Conveyor (4) (6)	PM	0.02	0.01
	(Permit Number 5983)	PM_{10}	0.01	<0.01
S18	Conveyor To Bin (4) (6)	PM	0.02	0.01
	(Permit Number 5983)	PM_{10}	0.01	<0.01
S19	Bin to Truck (4) (6)	PM	0.02	0.01
	(Permit Number 5983)	PM_{10}	0.01	<0.01
S21	Conveyor to Stock (4) (6)	PM	<0.01	<0.01
	(Permit Number 5983)	PM_{10}	<0.01	<0.01
S23	Conveyor to Stock (4) (6)	PM	<0.01	<0.01
	(Permit Number 5983)	PM_{10}	<0.01	<0.01
S25	Feeder to Conveyor (4) (6)	PM	0.06	0.04
	(Permit Number 5983)	PM_{10}	0.03	0.02
S27	Screen (4) (6)	PM	1.02	0.61
	(Permit Number 5983)	PM_{10}	0.48	0.29
S33	Conveyor To Conveyor (4) (6)	PM	0.04	0.02
	(Permit Number 5983)	PM_{10}	0.02	0.01
S34A	Molten Slag Pot Dump (4) and (6) (Permit Number 5983)	PM/PM_{10}	1.19	5.25
S34B	Slag Skull Pot Dump (4) (6)	PM	0.13	0.59
	(Permit Number 5983)	PM_{10}	0.07	0.29

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
S35	Front-End Loader Drop (4) (6) (Permit Number 5983)	PM	0.44	1.95
		PM_{10}	0.22	0.98
SBH-2/3	FerroCut Baghouse Stack (6) (Permit Number 5983)	PM_{10}	1.61	1.93
		NO_x	0.78	3.49
		CO	0.13	0.60
		VOC	0.02	0.09
S37	Stockpile (4) (6) (Permit Number 5983)	PM	--	0.48
		PM_{10}	--	0.24
S40	Conveyor to Conveyor (4) (6) (Permit Number 5983)	PM	<0.01	<0.01
		PM_{10}	<0.01	<0.01
S41	Conveyor to Swing Conveyor (4) (6) (Permit Number 5983)	PM	<0.01	<0.01
		PM_{10}	<0.01	<0.01
S42	Swing Conveyor to Conveyor (4) (6) (Permit Number 5983)	PM	<0.01	<0.01
		PM_{10}	<0.01	<0.01
S43	“B” Scrap Feed (4) (6) (Permit Number 5983)	PM	0.07	0.04
		PM_{10}	0.04	0.02
S44	“B” Scrap Feed to Conveyor (4) (6) (Permit Number 5983)	PM	<0.01	<0.01
		PM_{10}	<0.01	<0.01
S45	Conveyor to Conveyor (4) (6) (Permit Number 5983)	PM	<0.01	<0.01
		PM_{10}	<0.01	<0.01
S31	Hazmag Crusher Fugitives (4) (6) (Permit Number 5983)	PM	0.07	--
		PM_{10}	0.03	--
S46	Cone Crusher Fugitives	PM	0.07	--

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
	(4) (6) (Permit Number 5983)	PM_{10}	0.03	--
	Hazmag Crusher and Cone	PM	--	0.04
	Crusher Fugitives (4) (6) (8) (Permit Number 5983)	PM_{10}	--	0.02
SBH-1	Hazmag Crusher and Cone Crusher Baghouse (6) (Permit Number 5983)	PM/PM_{10}	0.34	0.21

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

(1) Emission point identification - either specific equipment designation or emission point number (EPN) from plot plan.
(2) Specific point source name. For fugitive sources use area name or fugitive source name.
(3) PM - particulate matter suspended in the atmosphere, including PM_{10}
PM_{10} - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.
$PM_{2.5}$ - particulate matter equal to or less than 2.5 microns in diameter
CO - carbon monoxide
NO_x - total oxides of nitrogen
SO_2 - sulfur dioxide
VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
Pb - lead and lead compounds
Hg - mercury and mercury compounds
Cr - chromium and chromium compounds
Cd - cadmium and cadmium compounds
(4) Fugitive emissions are an estimate only.
(5) Emissions collected in the canopy hood are combined in a mixing chamber before splitting to the two baghouses.
(6) For reference only. These emissions points are authorized under other Texas Commission on Environmental Quality air quality permits as indicated above.
(7) Indoor coke storage silo baghouse emits inside the building and its emissions are included in the values shown.
(8) The maximum annual combined fugitive emissions from the hazmag crusher and the cone crusher. **(12/05)**
(9) EPN 07 emission limits for duration of test using crumb rubber as a replacement for petroleum coke as an additive to EAF B. **(12/10)**

* Emission rates are based on a rolling 12 months.

Dated January 18, 2011