EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 20014

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Emission	Source		AIR CONTAMINANTS DATA Air Contaminant Emission Rates *	
Point No. (1)	Name (2) Name (3)	lb/hr TPY	<u> </u>	Raies "
DR3401A	Polyvinyl Chloride Dryer	TSP NVVOC VCM	2.05 13.70 6.85	9.20 60.00 14.00
DR3401B	Polyvinyl Chloride Dryer	TSP NVVOC VCM	2.05 13.70 6.85	9.20 60.00 14.00
DR3401C	Polyvinyl Chloride Dryer	TSP NVVOC VCM	2.36 15.75 7.88	10.35 69.00 16.10
PL3251A	Polyvinyl Reactor Vent	VCM	0.48	2.10
PL3251B	Polyvinyl Reactor Vent	VCM	0.48	2.10
PL3251C	Polyvinyl Reactor Vent	VCM	0.48	2.10
PL3251D	Polyvinyl Reactor Vent	VCM	0.48	2.10
PL3251E	Polyvinyl Reactor Vent	VCM	0.48	2.10
PL3251F	Polyvinyl Reactor Vent	VCM	0.48	2.10
TK3503A	Polyvinyl Loading Silo	TSP VCM	0.15 0.16	0.66 0.70
TK3503B	Polyvinyl Loading Silo	TSP VCM	0.15 0.16	0.66 0.70
TK3503C	Polyvinyl Loading Silo	TSP VCM	0.15 0.16	0.66 0.70

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Air Contaminant Name (2) Name (3)	Emission Rates* Ib/hr TPY		
TK3503D	Polyvinyl Loading Silo	TSP VCM	0.15 0.16	0.66 0.70
TK3503E	Polyvinyl Loading Silo	TSP VCM	0.15 0.16	0.66 0.70
TK3503F	Polyvinyl Loading Silo	TSP VCM	0.15 0.16	0.66 0.70
TK3503G	Polyvinyl Loading Silo	TSP VCM	0.15 0.16	0.67 0.70
TK3503H	Polyvinyl Loading Silo	TSP VCM	0.15 0.16	0.67 0.70
TK3503I	Polyvinyl Loading Silo	TSP VCM	0.15 0.16	0.67 0.70
UN3701A	Boiler	PM10/TSP VOC NOx SO2 CO	0.37 0.32 4.38 1.04 9.64	1.6 1.4 19.2 4.6 42.2
UN3701B	Boiler	PM10/TSP VOC NOx SO2 CO	0.37 0.32 4.38 1.04 9.64	1.6 1.4 19.2 4.6 42.2
UN3701C	Boiler	PM10/TSP VOC NOx SO2 CO	0.37 0.32 4.38 1.04 9.64	1.6 1.4 19.2 4.6 42.2
UN3703A	Incinerator	NOx CO	1.03 0.41	4.51 1.79

		VCM HCI Cl2	0.056 0.054 0.021	0.25 0.24 0.09
UN3703B	Incinerator	NOx CO VCM HCI Cl2	1.03 0.41 0.056 0.054 0.021	4.51 1.79 0.25 0.24 0.09
TK3132	Tank	VOC	2.58	0.05
TK3133	Tank	VOC	5.83	0.10
FUG3200	Fugitive (4)	TSP VCM NVVOC	0.54 0.69 0.26	2.4 3.03 1.12
FUG3300	Fugitive (4)	VCM	1.15	5.04
PL3WWSTRIP	Fugitive (4)	VCM	0.47	0.59
PL3BIO	Fugitives (Lagoon) (4)	VCM	0.097	0.426

NOTE: Dryer DR3401A has been moved from Permit No. 9628 into Permit 20014. It was formally listed as DR2401D. See Special Provision No. 5 in Permit No. 9628.

NVVOC - non-vinyl chloride volatile organic compounds as defined in

General

Rule 101.1

VOC - volatile organic compounds as defined in General Rule 101.1

VCM - vinyl chloride

PM10 - particulate matter less than 10 microns

⁽¹⁾ Emission point identification - either specific equipment designation or emission point number from plot plan.

⁽²⁾ Specific point source name. For fugitive sources use area name or fugitive source name.

⁽³⁾ TSP - total suspended particulate

NOx - total oxides of nitrogen SO2 - sulfur dioxide CO - carbon monoxide HCI - hydrogen chloride Cl2 - chlorine (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
* Emission rates are based on and the facilities are limited by the following maximum operating schedule:
Hrs/dayDays/weekWeeks/yearor Hrs/year <u>8,760</u>
Revised