

Emission Sources - Maximum Allowable Emission Rates

Permit Number 19718

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point (1)	Source Name (2)	Air Contaminant (3)	Emission Rates	
			lbs/hour	TPY (4)
62-32-11	Diesel Engine (6)	CO	3.61	0.18
		NO _x	16.74	0.84
		PM	1.19	0.06
		PM ₁₀	1.19	0.06
		PM _{2.5}	1.19	0.06
		SO ₂	1.11	0.06
		VOC	1.36	0.07
62-32-56	Fire Pump Engine (6)	CO	2.67	0.13
		NO _x	12.40	0.62
		PM	0.88	0.04
		PM ₁₀	0.88	0.04
		PM _{2.5}	0.88	0.04
		SO ₂	0.82	0.04
		VOC	1.01	0.05
62-32-56A	Fire Pump Engine (6)	CO	2.67	0.13
		NO _x	12.40	0.62
		PM	0.88	0.04
		PM ₁₀	0.88	0.04
		PM _{2.5}	0.88	0.04
		SO ₂	0.82	0.04
		VOC	1.01	0.05

Emission Sources - Maximum Allowable Emission Rates

62-36-3	Heater F-3 (1092 hours per year)	CO	0.90	0.33
		NO _x	0.62	0.22
		PM	0.04	0.02
		PM ₁₀	0.04	0.02
		PM _{2.5}	0.04	0.02
		SO ₂	0.01	0.01
		VOC	0.03	0.01
62-36-4	Heater F-4 (5388 hours per year)	CO	1.05	2.26
		NO _x	1.15	2.47
		PM	0.09	0.22
		PM ₁₀	0.09	0.22
		PM _{2.5}	0.09	0.22
		SO ₂	0.01	0.02
		VOC	0.06	0.16
62-36-8	Heater F-8 (1500 hours per year)	CO	1.32	0.58
		NO _x	1.72	0.76
		PM	0.22	0.12
		PM ₁₀	0.22	0.12
		PM _{2.5}	0.22	0.12
		SO ₂	0.02	0.01
		VOC	0.16	0.08
62-61-3	Sour Brine Degassing Flare	VOC	7.10	4.23
		NO _x	2.95	2.97
		CO	9.34	15.79
		SO ₂	0.01	0.01

Emission Sources - Maximum Allowable Emission Rates

		H ₂ S	0.01	0.01
62-61-4	Sweet Brine Degassing Flare	VOC	1.80	3.11
		NO _x	6.55	2.21
		CO	26.65	11.34
		SO ₂	0.01	0.01
		H ₂ S	0.01	0.01
62-61-CT11	Brine Degassing Pit Flame System	VOC	0.18	0.19
		NO _x	0.38	0.42
		CO	2.86	3.14
		SO ₂	0.01	0.01
		H ₂ S	0.01	0.01
62-61-5	Main Flare (7)	VOC	204.07	14.54
		NO _x	28.06	4.00
		CO	55.62	8.04
		SO ₂	0.01	0.01
		H ₂ S	0.01	0.01
62-61-5	Main Flare MSS (8)	VOC	301.52	2.87
		NO _x	87.39	0.90
		CO	175.68	1.88
		SO ₂	0.01	0.01
		H ₂ S	0.01	0.01
62-0-0	Process Fugitives (5)	VOC	5.86	25.66
62-95-CT07	Sour Brine Pond	VOC	0.13	0.10
62-95-CT08	Sour Brine Pond	VOC	0.13	0.10
62-95-CT12 and 62-95-201	Combined Storage Pond and Brine Degassing Pit	VOC	3.43	4.89

Emission Sources - Maximum Allowable Emission Rates

	Emissions			
62-95-207	Sour Brine Pond Vent	VOC	0.06	0.05
62-95-208	Sour Brine Pond Vent	VOC	0.06	0.05
MSS-ATM	MSS Emissions for line and equipment degassing	VOC	700.00	6.29
PAINT	Painting (9)	VOC	8.00	4.71
		PM	16.64	12.21
		PM ₁₀	16.64	12.21
		PM _{2.5}	16.64	12.21
SDBLAST	Abrasive Blasting (9)	PM	2.86	1.30
		PM ₁₀	0.34	0.16
		PM _{2.5}	0.05	0.02

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) CO - carbon monoxide
NO_x - total oxides of nitrogen
PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}
PM₁₀ - particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}
PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
SO₂ - sulfur dioxide
VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
H₂S - hydrogen sulfide
- (4) Compliance with annual emission limits (tons per year) is based on a 12-month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) EPN 62-32-11, 62-32-56, and 62-32-56A are limited to 100 operating hours per year each for purposes of maintenance and testing but will also be used as necessary in emergency service.
- (7) These emissions include those related to maintenance activities associated with cavern inspections.
- (8) These emissions include those related to maintenance activities associated with line and equipment degassing/clearing.
- (9) These emission limits cover painting and abrasive blasting activities in designated areas of the facility site. The operator intends to authorize painting and abrasive blasting activities in other areas of the facility site through permit by rule.

Date: July 28, 2020