### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

### Permit Number T-9964

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
E-DRYBH-01	DFB Bag House	PM <sub>10</sub> VOC	0.008 0.53	0.003 0.033
E-DRYBH-02	DFB Bag House	PM <sub>10</sub> VOC	0.023 1.06	0.008 0.067
E-DRY-D1	DFB Door	VOC	0.18	0.011
E-DRY-D2	DFB Door	VOC	0.18	0.011
E-DRY-D3	DFB Door	VOC	0.18	0.011
E-LIQBH-01	LFB Bag House	PM <sub>10</sub>	<0.001	<0.001
E-CF-01	LFB Carbon Bed (Micro Air Cleaner)	PM <sub>10</sub> VOC 1,1,1 TCA Acetone	0.001 0.039 0.074 0.004	<0.001 <0.001 <0.001 <0.001
E-CF-02	LFB Carbon Bed (Micro Air Cleaner)	PM <sub>10</sub> VOC 1,1,1 TCA Acetone	0.001 0.039 0.074 0.004	<0.001 <0.001 <0.001 <0.001
E-CF-03	LFB Carbon Bed (Micro Air Cleaner)	PM <sub>10</sub> VOC 1,1,1 TCA Acetone	0.001 0.039 0.074 0.004	<0.001 <0.001 <0.001 <0.001

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

# AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
E-CF-04	LFB Carbon Bed (Micro Air Cleaner)	PM <sub>10</sub> VOC 1,1,1 TCA Acetone	0.001 0.039 0.074 0.004	<0.001 <0.001 <0.001 <0.001
E-CF-05	LFB Carbon Bed (Micro Air Cleaner)	PM <sub>10</sub> VOC 1,1,1 TCA Acetone	0.001 0.039 0.074 0.004	<0.001 <0.001 <0.001 <0.001
E-LFB-01	LFB Ventilation Fan	VOC 1,1,1 TCA Acetone	0.34 0.37 0.017	0.620 <0.001 <0.001
E-LFB-02	LFB Ventilation Fan	VOC 1,1,1 TCA Acetone	0.34 0.37 0.017	0.620 <0.001 <0.001
E-LFB-03	LFB Ventilation Fan	VOC 1,1,1 TCA Acetone	0.34 0.37 0.017	0.620 <0.001 <0.001
E-LFB-04	LFB Ventilation Fan	VOC 1,1,1 TCA Acetone	0.34 0.37 0.017	0.620 <0.001 <0.001
E-LFB-05	LFB Natural Draft Fan	VOC 1,1,1 TCA Acetone	0.34 0.37 0.017	0.620 <0.001 <0.001
E-ST-01	Storage Tank	VOC	0.206	0.031
E-ST-02	Storage Tank	VOC	0.052	0.008
E-ST-03	Storage Tank	VOC	0.206	0.030
E-ST-04 E-ST-05	Storage Tank Storage Tank	VOC VOC	0.059 0.086	0.005 0.006

### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

#### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
E-ST-06	Storage Tank	VOC	<0.001	<0.001
E-ST-07	Storage Tank	VOC	0.086	0.011
E-F-01	Fugitives (4)	VOC	0.32	1.28

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) PM<sub>10</sub> particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted. VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

TCA - Trichloroethane

- (4) Fugitive emissions are an estimate only.
- \* Emission rates are based on and the facilities are limited by the material throughput limitations listed on the attached Table 1-2 dated June 2003 entitled "Proposed Permit Limitations on Raw Materials In The DFB and LFB" submitted by the applicant in June 2003.

Hrs/day	24	Days/week <u>7</u>	Weeks/year	52	or Hrs/year_
8,760					

Dated <u>December 8, 2003</u>