EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

19366

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Air Contaminant Name (2) Name (3)	Emission Rates* #/hr TPY		
W-010	WA-101, WT-101	VOC	0.020	0.066
W-011	WT-102	VOC	0.065	0.005
W-012	WT-103	VOC	0.159	0.010
W-013	WA-104, WT-104	VOC	0.033	0.037
W-014	WT-105	VOC	0.484	0.026
W-015	WT-106	VOC	0.039	0.003
W-016	WA-107, WT-107	VOC	0.012	0.105
W-017	WT-108 Borated Su Sulfurized VOC	ccinimide <0.01	0.668 <0.01	0.027
W-018	WA-126, WV-120	H2S VOC	<0.002 0.002	<0.001 0.019
W-019	WV-121	VOC	0.038	<0.001
W-020	WV-122	VOC	0.038	<0.001
W-021	WV-123	VOC	0.006	<0.001
W-022	WT-130	VOC	2.120	0.362
W-F10	Loading Fugitives (4)	VOC	6.73	<0.59
W-F11	Process Fugitives (4)	VOC	1.049	3.961

⁽¹⁾ Emission point identification - either specific equipment designation or emission point

- number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) H2S hydrogen sulfide. VOC - volatile organic compounds as defined in General Rule 101.1.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

4)	Fugitive emission rates are an estimate only and should not be considered as a maximum allowable emission rate.			
+	Emission rates are based on and the facilities are limited by the following maximum operating schedule:			
	Hrs/dayDays/weekWeeks/yearor Hrs/year <u>8,760</u>			
	Revised			